(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date 4 April 2002 (04.04.2002)

PCT

(10) International Publication Number WO 02/26995 A1

- (51) International Patent Classification7: 15/82, 9/10, A01H 5/00
- C12N 15/54,
- (21) International Application Number: PCT/GB01/04131
- (22) International Filing Date:

14 September 2001 (14.09.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

 0023911.1
 29 September 2000 (29.09.2000)
 GB

 0023910.3
 29 September 2000 (29.09.2000)
 GB

 0027693.1
 13 November 2000 (13.11.2000)
 GB

- (71) Applicant (for all designated States except US): SYN-GENTA LIMITED [GB/GB]; Fernhurst, Haslemere, Surrey GU27 3JE (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): WARNER, Simon, Anthony, James [GB/GB]; Jealott's Hill International Research Centre, Bracknell, Berkshire RG42 6ET (GB). HAWKES, Timothy, Robert [GB/GB]; Jealott's Hill International Research Centre, Bracknell, Berkshire RG42 6ET (GB). ANDREWS, Christopher, John [GB/GB]; Jealott's Hill International Research Centre, Bracknell, Berkshire RG42 6ET (GB).

- (74) Agents: GAAL, Jozsef, Christopher et al.; Syngenta Limited, Intellectual Property Department, P.O. Box 3538, Jealott's Hill Research Station, Bracknell RG42 6YA (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A 1

B4

(54) Title: HERBICIDE RESISTANT PLANTS

(57) Abstract: The present invention provides, inter alia, a glyphosate resistant EPSPS enzyme wherein in comparison with the wild type enzyme the EPSPS protein sequence is modified in that a first position is mutated so that the residue at this position is Ile rather that Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPL in the wild type enzyme such that modified sequence reads GNAGIAMRSL. The invention also includes glyphosate resistant plants regenerated from material transformed with polynucleotides which encode such EPSPS enzymes and a method of selectively controlling weeds in a field comprising such plants and glyphosate sensitive weeds, by the application to the field of glyphosate or an agronomically acceptable derivative.

FINSTICKIO: «WO

10

20

25

HERBICIDE RESISTANT PLANTS

The present invention relates to recombinant DNA technology, and in particular to the production of transgenic plants which exhibit substantial resistance or substantial tolerance to herbicides when compared with non transgenic like plants. The invention also relates, *inter alia*, to the nucleotide sequences (and expression products thereof) which are used in the production of, or are produced by, the said transgenic plants.

Plants which are substantially "tolerant" to a herbicide when they are subjected to it provide a dose/response curve which is shifted to the right when compared with that provided by similarly subjected non tolerant like plants. Such dose/response curves have "dose" plotted on the x-axis and "percentage kill", "herbicidal effect" etc. plotted on the y-axis. Tolerant plants will typically require at least twice as much herbicide as non tolerant like plants in order to produce a given herbicidal effect. Plants which are substantially "resistant" to the herbicide exhibit few, if any, necrotic, lytic, chlorotic or other lesions when subjected to the herbicide at concentrations and rates which are typically employed by the agricultural community to kill weeds in the field in which crops are to be grown for commercial purposes.

It is particularly preferred that the plants are substantially resistant or substantially tolerant to herbicides (hereinafter "glyphosate") which have 5-enol pyruvyl shikimate phosphate synthetase (hereinafter "EPSPS") as their site of action, of which N-phosphonomethylglycine (and its various salts) is the pre-eminent example.

The herbicide may be applied either pre- or post emergence in accordance with usual techniques for herbicide application to fields comprising crops which have been rendered resistant to the herbicide. The present invention provides, *inter alia*, nucleotide sequences useful in the production of such herbicide tolerant or resistant plants.

According to the present invention there is provided a glyphosate resistant EPSPS enzyme wherein in comparison with the wild type EPSPS the protein sequence is modified in that a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPL in the wild type enzyme such that the modified sequence reads GNAGIAMRSL, wherein the enzyme does not comprise the sequence

BNSDOCID: <WC _____0226995A1_l_s

15

20

K(A/V)AKRAVVVGCGGKFPVE, characterised in that the enzyme is stable and possesses at least one of the following sequence motifs (i) to (viii) in which X is any amino acid and Z, Z_1 and Z_2 are any amino acid other than those specified:-

- (i) ALLMZAPLA, wherein Z is not S or T;
- (ii) EIEIZDKL, wherein Z is not V;
- (iii) FG(V/I)(K/S)ZEH, wherein Z is not V;
- (iv) AL(K/R)ZLGL, wherein Z is not R;
- (v) $GLXVEZ_1DXZ_2XXXA(I/V)V$, wherein Z_1 is not T and/or Z_2 is not E;
- (vi) ITPPZ₁K(L/V)(K/N)Z₂ wherein Z_1 is not K and/or Z_2 is not T;
- 10 (vii) TIZ(D/N)PGCT, wherein Z is not N or L;
 - (viii) (D/N)YFXVLXZXX(K/R)H, wherein Z is not R.

A preferred embodiment of the enzyme comprises at least two of the motifs (i), (ii), (iii), (v) and (vi). In specific embodiments of the present inventive enzyme in motif (i) Z is A; in motif (ii) Z is I; in motif (iii) Z is A; in motif (iv) Z is K, T or A; in motif (v) Z_1 is R or A or less preferably D or E and Z_2 is preferably V or A or less preferably T; in sequence motif (vi) Z_1 is E or A and Z_2 is P, I or V; in motif (vii) Z is R or K; and in motif (viii) Z is T or S or less preferably Q. Particularly preferred embodiments of the said enzyme comprise one or more sequences selected from the group consiting of:

- (i) (I/V)VEGCGG(I/L/Q)FP(V/A/T)(S/G)
- (ii) (I/V)VVGCGG(I/L/Q)FP(V/A/T)E;
 - (iii) (I/V)VVGCGG(I/L/Q)FP(V/A/T)(S/G);
 - (iv) (I/V)VVGCGGKFP(V/A/T)(S/G);
 - (v) (I/V)VEGCGGKFP(V/A/T)E;
 - (vi) (I/V)VEGCGG(I/L/Q)FP(V/A/T)E;
- 25 (vii) (I/V)VEGCGGKFP(V/A/T)(S/G).

The present invention also comprises an isolated polynucleotide comprising a region which encodes the present inventive enzyme, particular such polynucleotides comprising, for example, a sequence depicted in SEQ ID Nos. 4 or 5, or a sequence obtained by hybridising an intron located in the SEQ ID 4 or 5 sequences with polynucleotides comprised in plant genomic libraries. The invention also includes an isolated polynucleotide comprising a region encoding a chloroplast transit peptide and a glyphosate resistant

dicotyledenous 5-enolpyruvylshikimate phosphate synthase (EPSPS) 3' of the peptide, the said region being under expression control of a plant operable promoter, with the *provisos* that the said promoter is not heterologous with respect to the said region, and the chloroplast transit peptide is not heterologous with respect to the said synthase.

By "heterologous" is meant from a different source, and correspondingly "nonheterologous" means derived from the same source - but at a gene rather than organism or tissue level. For example the CaMV35S promoter is clearly heterologous with respect to a petunia EPSPS coding sequence insofar as the promoter is derived from a virus and the sequence - the expression of which it controls - from a plant. The term "heterologous" according to the present invention has a still narrower meaning, however. For example "heterologous" as it relates to the present invention means that the petunia EPSPS coding sequence is "heterologous" with respect to, for example, a promoter also derived from petunia - other than that which controls expression of the EPSPS gene. In this sense the petunia promoter derived from the petunia EPSPS gene then used to control expression of an EPSPS coding sequence likewise-derived from petunia is "non-heterologous" with respect to the said coding sequence. "Non-heterologous" does not mean, however, that the promoter and coding sequence must necessarily have been obtained from one and the same (original or progenitor) polynucleotide. Likewise with respect to transit peptides. For example, a rubisco chloroplast transit peptide derived from sunflower is "heterologous" with respect to the coding sequence of an EPSPS gene likewise derived from sunflower (the same plant, tissue or cell). A rubisco transit peptide encoding sequence derived from sunflower is "nonheterologous" with respect to a rubisco enzyme encoding-sequence also derived from sunflower even if the origins of both sequences are different polynucleotides which may have been present in different cells, tissues or sunflower plants.

Most particularly preferred forms of the said polynucleotide include a construct which comprises the following components in the 5' to 3' direction of transcription: either (1):-

(i) At least one transcriptional enhancer being that enhancing region which is upstream from the transcriptional start of the sequence from which the enhancer is obtained and which enhancer per se does not function as a promoter either in the sequence in which it is endogenously comprised or when present heterologously as part of a construct;

5

10

15

20

25

10

15

20

25

30

- (ii) The promoter from the soybean EPSPS gene;
- (iii) The soybean genomic sequence which encodes the soybean EPSPS chloroplast transit peptide;
- (iv) The genomic sequence which encodes the soybean EPSPS;
- (v) A transcriptional terminator;

wherein the soybean EPSPS coding sequence is modified in comparison with a wild type sequence in that a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPLTAAV in the wild type enzyme such that modified sequence reads GNAGIAMRSLTAAV; or (2)

- (i) At least one transcriptional enhancer being that enhancing region which is upstream from the transcriptional start of the sequence from which the enhancer is obtained and which enhancer per se does not function as a promoter either in the sequence in which it is endogenously comprised or when present heterologously as part of a construct;
- (ii) The promoter from the Brasicca napus EPSPS gene;
- (iii) The Brasicca napus genomic sequence which encodes the Brasicca napus EPSPS chloroplast transit peptide;
- (iv) The genomic sequence which encodes the Brasicca napus EPSPS;
- (v) A transcriptional terminator;

wherein the *Brasicca napus* EPSPS coding sequence is modified in comparison with a wild type sequence in that a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPLTAAV in the wild type enzyme such that the modified sequence reads GNAGIAMRSLTAAV.

The present inventive polynucleotide, particularly the two disclosed in the immediately preceding paragraphs, may further comprise a sequence which encodes a chloroplast transit peptide/phosphoenolpyruvate synthase (CTP/PPS) or a chloroplast transit peptide/pyruvate orthophosphate di-kinase (CTP/PPDK), which sequence is under

10

. 15

20

25

expression control of a plant operable promoter. It is particularly preferred that the PPDK protein sequence is directed to the chloroplast *in planta* via its autologous transit peptide, and accordingly the polynucleotide of the immediately preceding sentence encodes such a non-heterologous combination. The PPDK encoding sequence can be derived from either a monocot or a dicot and the protein thus encoded is optionally not cold-labile. By "not cold labile" is meant that the enzyme retains at least 50% of its activity when incubated at 0 degrees Celsius for 5 minutes under experimental conditions similar to those referred to in Usami *et al* (1995) Plant Mol. Biol., 27, 969-980. Such a 'cold stable' enzyme is at least two-fold more stable than the like enzyme isolated from *F. bidentis*. The PPS or PPDK enzymes provide for elevated levels of PEP in the chloroplast which is the site of action of glyphosate and which contains the EPSPS enzyme.

The enhancing region of the polynucleotide preferably constitutes a sequence the 3' end of which is at least 40 nucleotides upstream of the closest transcriptional start of the sequence from which the enhancer is obtained. In a further embodiment of the polynucleotide, the enhancing region constitutes a region the 3' end of which is at least 60 nucleotides upstream of the said closest start, and in a still further embodiment of the polynucleotide the said enhancing region constitutes a sequence the 3' of which is at least 10 nucleotides upstream from the first nucleotide of the TATA consensus of the sequence from which the enhancer is obtained.

The polynucleotide according to the invention may comprise two or more transcriptional enhancers, which in a particular embodiment of the polynucleotide may be tandemly present.

In the present inventive polynucleotide the 3' end of the enhancer, or first enhancer if there is more than one present, may be between about 100 to about 1000 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide or the first nucleotide of an intron or other untranslated leader sequence in the 5' untranslated region in the case that the said region contains an intron or other untranslated sequence. In a more preferred embodiment of the polynucleotide, the 3' end of the enhancer, or first enhancer, is between about 150 to about 1000 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide or the first nucleotide of in the 5' untranslated region, and in a still more preferred embodiment the 3' end of the

enhancer, or first enhancer, may be between about 300 to about 950 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide or the first nucleotide of an intron or other untranslated leader sequence in the 5' untranslated region. In a yet more preferred embodiment, the 3' end of the enhancer, or first enhancer, may be located between about 770 and about 790 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide or the first nucleotide of an intron or other untranslated leader sequence in the 5' untranslated region.

In an alternative inventive polynucleotide, the 3' end of the enhancer, or first enhancer, may be ocated between about 300 to about 380 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide or the first nucleotide of an intron or other untranslated leader sequence in the 5' untranslated region, and in a preferred embodiment of this alternative polynucleotide the 3' end of the enhancer, or first enhancer, is located between about 320 to about 350 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron or other untranslated leader sequence in the 5' untranslated region.

In the polynucleotide according to the invention, the region upstream of the promoter from the EPSPS gene may comprise at least one enhancer derived from a sequence which is upstream from the transcriptional start of a promoter selected from the group consisting of those of the actin, colDFd, S-adenosyl homocysteinase, histone, tubulin, polyubiquitin and plastocyanin genes and the CaMV35S and FMV35S genes.

According y the present inventive polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of an actin gene.

Alternatively, the polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the rolDfd gene.

10

15

20

25

30.

10

15

20

25

Alternatively, the polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of a histone gene.

Alternatively, the polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of a tubulin gene.

Alternatively, the polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the FMV35S promoter and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the CaMV35S promoter.

Alternatively, the polynucleotide may comprise in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the CaMV35S promoter and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the FMV35S promoter.

Whatever the identity and juxtaposition of the various enhancers present in the polynucleotide, the nucleotides 5' of the codon which constitutes the translational start of the EPSPS chloroplast transit peptide may be Kozack preferred. What is meant by this is well known to the skilled man and will be further apparent from the examples below.

Particularly preferred embodiments of the present inventive polynucleotide comprise up stream of the sequence encoding the EPSPS chloroplast transit peptide a sequence encoding a non-translated 5' leader sequence derived from a relatively highly expressed gene, such as that of the glucanase, chalcone synthase and Rubisco genes.

The polynucleotide of the invention may also comprise a virally derived translational enhancer located within the non translated region 5' of the genomic sequence which encodes the EPSPS chloroplast transit peptide. The man skilled in the art is aware of the identity of

WO 02/26995 PCT/GB01/04131

- 8 -

such suitable translational enhancers - such as the Omega and Omega prime sequences derived from TMV and that derived from the tobacco etch virus, and how such translational enhancers can be introduced into the polynucleotide so as to provide for the desired result of increased protein expression.

The polynucleotide according to the invention may further comprise regions encoding proteins capable of conferring upon plant material containing it at least one of the following agronomically desirable traits: resistance to insects, fungi, viruses, bacteria, nematodes, stress, dessication, and herbicides. Whilst such a polynucleotide contemplates the herbicide resistance conferring gene being other than an EPSPS, such as glyphosate oxido-reductase (GOX) for example, the herbicide may be other than glyphosate in which case the resistance conferring genes may be selected from the group encoding the following proteins: phosphinothricin acetyl transferase (PAT), hydroxyphenyl pyruvate dioxygenase (HPPD), glutathione S transferase (GST), cytochrome P450, Acetyl-COA carboxylase (ACCase), Acetolactate synthase (ALS), protoporphyrinogen oxidase (PPO), dihydropteroate synthase, polyamine transport proteins, superoxide dismutase (SOD), bromoxynil nitrilase, phytoene desaturase (PDS), the product of the tfdA gene obtainable from Alcaligenes eutrophus, and polynucleotide provides for multiple herbicide resistance such herbicides may be selected from the group consisting of a dinitroaniline herbicide, triazolo-pyrimidines, a uracil, a phenylurea, a triketone, an isoxazole, an acetanilide, an oxadiazole, a triazinone, a sulfonanilide, an amide, an anilide, an isoxaflutole, a flurochloridone, a norflurazon, and a triazolinone type herbicide and the post-emergence herbicide is selected from the group consisting of glyphosate and salts thereof, glufosinate, asulam, bentazon, bialaphos, bromacil, sethoxydim or another cyclohexanedione, dicamba, fosamine, flupoxam, phenoxy propionate, quizalofop or another aryloxy-phenoxypropanoate, picloram, fluormetron, atrazine or another triazine, metribuzin, chlorimuron, chlorsulfuron, flumetsulam, halosulfuron, sulfometron, imazaquin, imazethapyr, isoxaben, imazamox, metosulam, pyrithrobac, rimsulfuron, bensulfuron, nicosulfuron, fomesafen, fluroglycofen, KIH9201, ET751, carfentrazone, mesotrione, sulcotrione, paraquat, diquat, bromoxynil and fenoxaprop.

A particular embodiment of the polynucleotide according to the invention provides for resistance to both glyphosate and a protoporphyrinogen oxidase (PPGO) inhibitor, in

5

10

15

20

25

10

15

20

25

particular butafenicil, for which the corresponding resistance protein is a PPGO or an inhibitor resistant variant thereof. A particularly preferred construct encoding such a herbicide resistance conferring combination comprises the EPSPS encoding sequence of the invention in combination with a sequence which encodes a PPDK or PPS in combination with a PPGO inhibitor resistant PPGO enzyme encoding sequence – such sequences being directed to the chloroplast – if desirable – by their autologous transit peptides and being under the expression control of non-heterologous promoters if the protein encoding sequences are of plant as opposed to bacterial origin.

In the case that the polynucleotide comprises sequences encoding insecticidal proteins, these proteins may be selected from the group consisting of crystal toxins derived from Bt, including secreted Bt toxins; protease inhibitors, lectins,

Xenhorabdus/Photorhabdus toxins. The fungus resistance conferring genes may be selected from the group consisting of those encoding known AFPs, defensins, chitinases, glucanases, and Avr-Cf9. Particularly preferred insecticidal proteins are cryIAc, cryIAb, cry3A, Vip
1A,Vip 1B, Vip3A, Vip3B, cysteine protease inhibitors, and snowdrop lectin. In the case that the polynucleotide comprises bacterial resistance conferring genes these may be selected from the group consisting of those encoding cecropins and techyplesin and analogues thereof. Virus resistance conferring genes may be selected from the group consisting of those encoding virus coat proteins, movement proteins, viral replicases, and anti-sense and ribozyme sequences which are known to provide for virus resistance; whereas the stress, salt, and drought resistance conferring genes may be selected from those that encode Glutathione-S-transferase and peroxidase, the sequence which constitutes the known CBF1 regulatory sequence and genes which are known to provide for accumulation of trehalose.

The polynucleotide according to the invention may be modified to enhance expression of the protein encoding sequences comprised by it, in that mRNA instability motifs and/or fortuitous splice regions may be removed, or crop preferred codons may be used so that expression of the thus modified polynucleotide in a plant yields substantially similar protein having a substantially similar activity/function to that obtained by expression of the protein encoding regions of the unmodified polynucleotide in the organism in which such regions of the unmodified polynucleotide are endogenous. The degree of identity between the modified polynucleotide and a polynucleotide endogenously contained within

the said plant and encoding substantially the same protein may be such as to prevent cosuppression between the modified and endogenous sequences. In this case the degree of identity between the sequences should preferably be less than about 70%.

The invention still further includes a biological or transformation vector comprising the present inventive polynucleotide. Accordingly, by "vector" is meant, *inter alia*, one of the following: a plasmid, virus, cosmid or a bacterium transformed or transfected so as to contain the polynucleotide.

The invention still further includes plant material which has been transformed with the said polynucleotide or vector, as well as such transformed plant material which has been, or is, further transformed with a polynucleotide comprising regions encoding proteins capable of conferring upon plant material containing it at least one of the following agronomically desirable traits: resistance to insects, fungi, viruses, bacteria, nematodes, stress, dessication, and herbicides.

The invention still further includes morphologically normal fertile whole plants which result from the crossing of plants which have been regenerated from material which has been transformed with the polynucleotide of the invention and plants which result from regeneration of material transformed with a polyncleotide which comprises a sequence which encodes a protein, such as a phosphoenolpyruvate synthase (PPS) or pyruvate orthophosphate di-kinase (PPDK) which proteins are capable of providing for elevated levels of phosphoenolpyruvate in the chloroplast. Such proteins are directed to the chloroplast by a suitable transit peptide — in the case of the PPDK enzyme preferably by the autologous peptide.

The invention still further includes morphologically normal fertile whole plants which contain the present inventive polynucleotide and which result from the crossing of plants which have been regenerated from material transformed with the present inventive polynucleotide or vector, and plants which have been transformed with a polynucleotide comprising regions encoding a CTP/PPS or CTP/PPDK, and/or regions encoding proteins capable of conferring upon plant material containing it at least one of the following agronomically desirable traits: resistance to insects, fungi, viruses, bacteria, nematodes, stress, dessication, and herbicides. The invention also includes progeny of the resultant plants, their seeds and parts.

30

5

10

15

20

10

15

20

25

Plants of the invention may be selected from the group consisting of field crops, fruits and vegetables such as canola, sunflower, tobacco, sugar beet, cotton, maize, wheat, barley, rice, sorghum, mangel worzels, tomato, mango, peach, apple, pear, strawberry, banana, melon, potato, carrot, lettuce, cabbage, onion, soya spp, sugar cane, pea, field beans, poplar, grape, citrus, alfalfa, rye, oats, turf and forage grasses, flax and oilseed rape, and nut producing plants insofar as they are not already specifically mentioned, their progeny, seeds and parts.

Particularly preferred such plants include soybean, canola, brassica, cotton, sugar beet, sunflower, peas, potatoes and mangel worzels.

The invention still further comprises a method of selectively controlling weeds in a field, the field comprising weeds and plants of the invention or the herbicide resistant progeny thereof, the method comprising application to the field of a glyphosate type herbicide in an amount sufficient to control the weeds without substantially affecting the plants. According to this method, one or more of a herbicide, insecticide, fungicide, nematicide, bacteriocide and an anti-viral may be applied to the field (and thus the plants contained within it) either before or after application of the glyphosate herbicide.

The invention still further provides a method of producing plants which are substantially tolerant or substantially resistant to glyphosate herbicide, comprising the steps of:

- (i) transforming plant material with the polynucleotide or vector of the invention;
- (ii) selecting the thus transformed material; and
- (iii) regenerating the thus selected material into morphologically normal fertile whole plants.

The transformation may involve the introduction of the polynucleotide into the material by any known means, but in particular by: (i) biolistic bombardment of the material with particles coated with the polynucleotide; (ii) by impalement of the material on silicon carbide fibres which are coated with a solution comprising the polynucleotide; or (iii) by introduction of the polynucleotide or vector into Agrobacterium and co-cultivation of the thus transformed Agrobacterium with plant material which is thereby transformed and is subsequently regenerated. Plant transformation, selection and regeneration techniques, which may require routine modification in respect of a particular plant species, are well

10

15

20

25

30

known to the skilled man. The thus transformed plant material may be selected by its resistance to glyphosate.

The invention still further provides the use of the present inventive polynucleotide or vector in the production of plant tissues and/or morphologically normal fertile whole plants which are substantially tolerant or substantially resistant to glyphosate herbicide.

The invention still further includes a method of selecting biological material transformed so as to express a gene of interest, wherein the transformed material comprises the polynucleotide or vector of the invention, and wherein the selection comprises exposing the transformed material to glyphosate or a salt thereof, and selecting surviving material. The said material may be of plant origin, and may in particular be derived from a dicot selected from the group consisting of soybean, sugar beet, cotton and the *Brassicas*.

The invention still further includes a method for regenerating a fertile transformed plant to contain foreign DNA comprising the steps of:

- (a) producing regenerable tissue from said plant to be transformed;
- (b) transforming said regenerable tissue with said foreign DNA, wherein said foreign DNA comprises a selectable DNA sequence, wherein said sequence functions in a regenerable tissue as a selection device;
- (c) between about one day to about 60 days after step (b), placing said regenerable tissue from step (b) in a medium capable of producing shoots from said tissue, wherein said medium may further contain a compound used to select regenerable tissue containing said selectable DNA sequence to allow identification or selection of the transformed regenerated tissue;
- (d) after at least one shoot has formed from the selected tissue of step (c) transferring said shoot to a second medium capable of producing roots from said shoot to produce a plantlet, wherein the second medium optionally contains the said compound; and
- (e) growing said plantlet into a fertile transgenic plant wherein the foreign DNA is transmitted to progeny plants in Mendelian fashion, characterised in that the foreign DNA is, or the selectable DNA sequence comprised by the foreign DNA comprises, the polynucleotide according to the invention, and the said compound is glyphosate or a salt thereof. The plant may be a dicot as indicated above more preferably selected from

10

soybean, canola, brassica, cotton, sugar beet, sunflower, peas, potatoes and mangel worzel, and the said regenerable tissue may consist of embryogenic calli, somatic embryos, immature embryos etc.

The present invention also includes a diagnostic kit comprising means for detecting the present inventive enzyme or polynucleotide or enzymes encoded by it, and therefore suitable for identifying tissues or samples which contain these. The polynucleotides can be detected by PCR amplification as is known to the skilled man - based on primers which he can easily derive from the enzyme encoding sequences which are disclosed in this application. The enzymes *per se* can be detected by, for example, the use of antibodies which have been raised against them for diagnostically distinguishing the antigenic regions which they contain.

The present invention will be further apparent from the following description taken in conjunction with the associated drawings and sequence listings.

Of the Sequences:

15	SEQ ID No.1 depicts	Brassicia napu	ssicia napus genomic DNA.	
	2	Bn EPSPS5	(PCR primer)	
	3	Bn EPSPS3	(PCR primer)	
	4	BnF1	(PCR primer)	
	5	BnF2	(PCR primer)	
20	6	BnF3	(PCR primer)	
	7	BnF4	(PCR primer)	
	8	BnF5	(PCR primer)	
	9	BnF6	(PCR primer)	
	10	BnF7	(PCR primer)	
25	11	BnF8	(PCR primer)	
	12	BnF9	(PCR primer)	
	13	BnF10	(PCR primer)	
	14	BnF11	(PCR primer)	
	15	BnF12	(PCR primer)	
30	16	BnXho	(PCR primer)	
	17	BnMUTBot	(PCR primer)	

WO 02/26995

- 14 -

PCT/GB01/04131

	18	BnMUTTop	(PCR)	primer)
	19	BnNde	(PRC)	primer)
	20	BnRBSEP	(PCR)	primer)
	21	Brasr 12	(PCR)	primer)
5	22	Brasr 11	(PCR	Primer)
	23	Bnapus start r	ev	
	24	Genome walk	er 1	
	25	Genome walk	er 2	
	26	CaMV343	(PCR)	primer)
10	27	CaMV46C	(PCR)	primer)
	28	BnGUSXMa	(PCR)	primer)
	29	FMV enhance	r	
	30	CaMV35S en	hancer	
	31	Soybean Geno	omic EF	SPS Sequence clone 1/14
15	32	Soybean Geno	omic EP	SPS Sequence clone 1/12
	33	EPSPS 10 rev	erse	(PCR primer)
	34	EPSPS 4 forw	ard	(PCR primer)
	35 .	SEQ ID No. 3	1 conta	ining double mutation
	36	SEQ ID No. 3	2 conta	ining double mutation
20 37 FM		FMV35S90 ea	FMV35S90 enhancer	
	38	FMV35S46 en	nhancer	
	39	Gm Term Bar	n	(PCR primer)
	40	Gm Term Eco).	(PCR primer)
	41	BnMUT2PST	,	(PCR primer)
25	42	BnMUTKPN		(PCR primer)
	43	GmRubPac		(PCR primer)
	44	GmRubbot		(PCR primer)
	45	GmRubtop		(PCR primer)
	46	GmRubKpn		(PCR primer)
30	47	ZMPPDK1		(PCR primer)
	48	ZMPPDK2		(PCR primer)

49	ECPPS1	(PCR primer)	
50	ECPPS2	(PCR primer)	
51-65	Motifs present in the stable EPSPS proteins of the invention		

10

15

20

25

EXAMPLES

Methods useful for cloning, expressing and characterising the stable glyphosateresistant EPSP synthases of the current invention are described herein

Stable glyphosate- resistant EPSPSs of the current invention are characterised as being stable (retaining > ~ 80% of their catalytic activity) after being incubated in a suitable buffer at 37 C for at least 4 hours. As exemplified below, enzyme stability experiments can suitably be carried out using substantially purified, part purified or crude preparations of enzyme extracts (for example the latter are readily obtained as extracts of transgenic plants engineered to express the glyphosate-resistant EPSPS or, similarly, extracts of microbes engineered to express a transgene encoding the glyphosate-resistant EPSPS). Ideally, glyphosate-resistant enzymes are tested for stability both in a purified form and then as purified protein spiked back into a crude plant extract so as to test them under more realistic in planta -like conditions. In such extracts, the enzyme activity due to glyphosate-resistant EPSPS can easily be discriminated from background susceptible endogenous EPSPS by testing activity over a range of glyphosate concentrations. At a discriminating concentration of glyphosate (e.g 0.1 mM glyphosate in the presence of 0.1 mM PEP) virtually all of the measured activity will originate from the resistant enzyme

Example. 1 Method for identification of stable glyphosate-resistant EPSP synthases

In order to test the stability of a glyphosate-resistant EPSPS, a test solution of the enzyme (prepared as described below in buffer at pH \sim 7.0-7.5 and in purified or part purified form) is heated to 37 C for 4-5h. The glyphosate-resistant activity of the heated enzyme is then compared with the activity of a) a sample similarly prepared but kept at ice temperature and b) a similar sample but freshly prepared.

Stable glyphosate resistant enzymes of the current invention are characterised by the fact that, following incubation for 5 h at 37 C, they lose little, if any, of their original glyphosate-resistant catalytic activity (< 20%, preferably < 15% and more preferably < 10%)

relative to suitable controls when assayed as described below. Preferably the stability experiment is carried out using substantially pure enzyme although a very similar result will normally be obtained using crude preparations, or when pure protein is spiked back into crude extract. Methods suitably used for assay and preparation of enzyme extracts are further detailed below. The stability of the glyphosate-resistant EPSPS can suitably be assessed in a variety of other, essentially equivalent ways (for example by heating the enzyme at a slightly higher temperature for a shorter time or a lower temperature for a longer period...e.g at 25 C for 3 d).

Example 2. Method for assaying EPSPS activity and determination of kinetic constants.

Assays are carried out generally according to the radiochemical method of Padgette et al 1987 (Archives of Biochemistry and Biophysics, 258(2) 564-573) with K+ ions as the major species of cationic counterion. Assays in a total volume of 50µl, in 50mM Hepes(KOH) pH 7.0 at 25°C, contain purified enzyme or plant extract (see below) diluted appropriately in Hepes pH 7.0 containing 10% glycerol, and 5mM DTT, ¹⁴C PEP either as variable substrate(for kinetic determinations) or fixed at 100 or 250 µM and shikimate 3 Phosphate (K+ salt) at 0.75 or 2 mM as indicated. Optionally, for assays of crude plant extracts, assays also contain 5 mM KF and/or 0.1 mM ammonium molybdate. Assays are started with the addition of ¹⁴C phosphoenolpyruvate (cyclohexylammonium+ salt) and stopped after 2-10 minutes (2 minutes is preferable) with the addition of 50µl of a solution of 1 part 1M acetic acid and 9 parts ethanol. After stopping, 20µl is loaded onto a synchropak AX100 (25cm x 4.6mm) column and chromatographed using isocratic elution with a 0.28M potassium phosphate pH 6.5 mobile phase flowing at 0.5 ml/min over 35 minutes. Under these conditions the retention times for PEP and EPSP are, depending on the individual columns, ~ 19 and 25 minutes respectively. A CP 525TR scintillation counter is connected to the end of the AX 100 column. It is fitted with a 0.5ml flow cell, and the flow rate of scintillant (Ultima Flo AP) is set at 1ml/min. Relative peak areas of PEP and EPSP are integrated to determine the percentage conversion of labelled PEP to EPSP. Apparent K_m and Vmax values are determined by least squares fit to a hyperbola with simple weighting using the Grafit 3.09b from Erithacus Software Ltd. Km values are generally ascertained using 8-9 concentrations of variable substrate ranging from $K_m/2 - 10 K_m$ and triplicate points. Except where

30

5

10

15

20

10

15

20

25

specifically noted, data points are only included in the analysis where there is < 30% conversion of substrate to EPSP.

Shikimate-3-Pi (S3P) is prepared as follows, To 7mls of 0.3M TAPS pH 8.5 containing 0.05M Shikimate, 0.0665M ATP (Na salt), 10mM KF, 5mM DTT, and 0.05M MgCl₂·6H₂0, 75µl of a 77 unit (µmol min⁻¹) ml⁻¹ solution of shikimate kinase is added. After 24hrs at room temperature, the reaction is stopped by brief heating to 95°C. The reaction solution is diluted 50 fold in 0.01M Tris HCl pH 9, and chromatographed by anion exchange on Dowex 1 X 8 - 400, using a 0 - 0.34M LiCl₂ gradient. The S3P fractions are combined, freeze dried, and then redissolved in 7mls distilled H₂0. 28mls of 0.1M Ba(CH₃COOH)₂ and 189mls of absolute ethanol are then added. This solution is left to stir overnight at 4°C. The resulting precipitate of tri-Barium S3P is collected and washed in 30mls of 67% ethanol. The washed precipitate is then dissolved in ~ 30mls distilled H₂O. By adding K₂SO₄ the K⁺ salt of S3P is produced as required. Great care is taken to add a minimal excess of sulphate. The BaSO₄ precipitate is removed and the supernatant containing the required salt of S3P freeze dried. Each salt is weighed and analysed by proton NMR. S3P preparations so-prepared are > 90% pure according to proton NMR and, according to their weights and integration of 31P NMR, contain only low residues of potassium sulphate.

Example 3. Preparation of extracts of plant material suitable for EPSPS assay

Callus or plantlet material (0.5 -1.0 g) is ground to a fine frozen powder in a liquid nitrogen-chilled mortar and pestle. This powder is taken up in an equal volume of a suitable chilled extraction buffer (for example, 50 mM Hepes/ KOH buffer at pH 7.5 containing 1 mM EDTA, 3 mM DTT, 1.7 mM 'pefabloc' (serine protease inhibitor), 1.5 mM leupeptin, 1.5 mM pepstatin A, 10% v/v glycerol and 1% polyvinylpyrolidone), resuspended, mixed and centrifuged in a chilled centrifuge to bring down debris. The supernatant is exchanged down a chilled PD10 column of Sephadex G25 into 25 mM Hepes/ KOH buffer at pH 7.5 containing 1 mM EDTA, 3 mM DTT and 10% v/v glycerol. Protein is estimated by the Bradford method standardised using bovine serum albumen. A portion of the extract is frozen in liquid nitrogen; a portion is assayed immediately.

Example 4. Method for assaying EPSPS activities in crude plant materials and discriminating the proportion of the total which is resistant to glyphosate.

WO 02/26995 PCT/GB01/04131

- 18 -

EPSPS assays of plant extracts are carried out, as described above, with 0.1 mM 14 C-PEP and 0.75 mM shikimate-3-Pi either in the absence or the presence of 0.1 mM N-(phosphonomethyl)glycine. Under these assay conditions, the resistant forms of EPSPS of the current invention are estimated to be inhibited by < 8.5% whilst the sensitive w/t form is essentially fully inhibited (> 98%). Thus, the level of activity observed in the presence of glyphosate (A) is taken to represent \sim 92% of the level of resistant enzyme derived from expression of the transgene whilst the level of susceptible w/t EPSPS is taken to be the total level of EPSPS activity observed in the absence of glyphosate minus the value of A x \sim 1.08. Because the Vmax of the mutant enzymes of the current invention are estimated to be, for example, only about a third of the Vmax of the w/t enzyme (and because the Km values for PEP of both w/t and mutant forms are estimated to be about 20 μ M or less), the level of expression of the mutant enzyme polypeptide relative to the level of expression of the endogenous w/t EPSPS is taken, to be about three fold higher than the ratio calculated on the basis of the ratio of their relative observed activities. The total level of EPSPS polypeptide expression (mutant + w/t) is also estimated by Western blotting.

Example 5. Cloning and expression of w/t cDNA encoding mature Brassica napus EPSPS in E.coli.

Brassica napus EPSPS cDNA is amplified using RT-PCR from RNA isolated from glass-house grown Brassica napus plants using Superscript RT from BRL according to the recommendation supplied by the manufacturer. PCR is performed using Pfu turbo polymerase from Stratagene according to the methods supplied by the manufacturer. Suitably designed oligonucleotide primers based on the known nucleotide sequence (EMBL accession X51475) are used in the amplification reaction and the reverse transcription steps. The PCR product is cloned into pCRBlunt II using Invitrogens Zero Blunt TOPO kit. The sequence of the insert is confirmed by sequencing and it is verified that the predicted open reading frame corresponds to that of the predicted mature chloroplastic Brassica napus EPSPS protein with the exception of the presence of an initiating Met. The cloned and verified EPSPS sequence is excised using suitable restriction enzymes as known in the art and the purified fragment is cloned into pET24a (Novagen) digested similarly. The recombinant clones are introduced into BL21 (DE3) a codon-optimised RP strain of E.coli supplied by Stratagene. The EPSPS protein is expressed in this strain following addition of 1

30

10

15

20

mM IPTG to the fermenter medium (LB supplemented with 100ug/ml Kanamycin). The recombinant protein of the correct predicted mass is identified (i) on the basis of Coomassie staining of SDS gels of cell extracts and side by side comparison with Coomassie-stained gels of extracts of similar *E. coli* cells transformed with an empty pET24a vector and ii) by western analysis using a polyclonal antibody raised to previously-purified plant EPSPS protein.

Example 6. Cloning and expression in E.coli of glyphosate-resistant mutant Brassica napus EPSPS

The Brassica napus EPSPS cDNA in pCRBlunt is used as a template for two further PCR using primer pairs designed to introduce specific changes such that the resulting reaction product encodes a modified EPSPS protein wherein a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPLTAAV in the wild type enzyme such that the modified sequence reads GNAGIAMRSLTAAV. The sequence of Brassica napus EPSPS gene is known and methods for designing primers to effect this mutagenesis are well-known in the art.

The resultant PCR product is gel purified and cloned into pCRBlunt II using Invitrogens Zero Blunt TOPO kit. It is confirmed that the DNA sequence of the insert and its predicted open reading frame correspond to that of the predicted mature chloroplastic Brassica napus EPSPS protein (with the exception of the presence of an initiating Met) and also that the desired changes (the specific mutation of T to I and P to S at specific positions in the EPSPS sequence) are encoded. The thus cloned and verified B.napus EPSPS sequence is excised using suitable restriction enzymes and the purified fragment cloned into pET24a (Novagen) digested similarly. The recombinant clones are introduced into BL21 (DE3), a codon optimised RP strain of *E.coli* supplied by Stratagene. The EPSPS protein is expressed in this strain following addition of 1 mM IPTG to the fermenter medium (LB supplemented with 100ug/ml Kanamycin). The recombinant protein of the correct predicted mass is identified i) on the basis of Coomassie staining of SDS gels of cell extracts and side by side comparison with Coomassie-stained gels of extracts of similar *E.coli* cells transformed with an empty pET24a vector and ii) by Western analysis using a polyclonal antibody raised to previously-

30

5

10

15

20

purified plant EPSPS protein. This mutant form of *Brassica napus* EPSPS is purified and characterised as described herein.

Example 7. Purification and characterisation of mutant Brassica napus EPSPS

The mature mutant Brassica napus EPSPS protein is purified at ~ 4 C as follows. 25 g wet weight of cells are washed in 50 ml of 0.1M Hepes/ KOH buffer at pH 7.5 containing 5 mM DTT, 2 mM EDTA and 20% v/v glycerol. Following low-speed centrifugation, the cell pellet is resuspended in 50 ml of the same buffer but also containing 2 mM of 'Pefabloc' a serine protease inhibitor. Cells are evenly suspended using a glass homogenizer and then disrupted at 10000 psi using a Constant Systems (Budbrooke Rd, Warwick, U.K.) Basic Z cell disrupter. The crude extract is centrifuged at ~ 30,000 g for 1 h and the pellet discarded. Protamine sulphate (salmine) is added to a final concentration of 0.2%, mixed and the solution left to stand for 30 min. Precipitated material is removed by centrifugation for 30 min at ~ 30,000 g. Aristar grade ammonium sulfate is added to a final concentration of 40% of saturation, stirred for 30 min and then centrifuged at ~27,000 g for 30 min. The pellet is resuspended in ~ 10 ml of the same buffer as used for cell disruption, further ammonium sulfate is added to bring the solution to $\sim 70\%$ of saturation, the solution is stirred for 30 min and centrifuged again to yield a pellet which is resuspended in ~ 15 ml of S200 buffer (10 mM Hepes/ KOH (pH 7.8) containing 1 mM DTT, 1 mM EDTA and 20% v/v glycerol). This is filtered (0.45 micron) loaded and chromatographed down a K26/60 column containing Superdex 200 equilibrated with S200 buffer. EPSPS-containing fractions detected on the basis of EPSPS enzyme activity are combined and loaded onto an xk16 column containing 20 ml of HP Q-Sepharose equilibrated with S200 buffer. The column is washed with S200 buffer and then EPSPS eluted within a linear gradient developed from 0.0M to 0.2M KCl in the same buffer. EPSPS elutes within a single peak corresponding to a salt concentration at or below approximately 0.1 M. EPSPS-containing fractions detected on the basis of EPSPS enzyme activity are combined and loaded onto a HiLoad xk26/60 column of Superdex 75 equilibrated with Superdex 75 buffer (25 mM Hepes/ KOH (pH 7.5) containing 2 mM DTT, 1 mM EDTA and 10% v/v glycerol. EPSPS-containing fractions identified on the basis of enzyme activity are combined and loaded onto a 1ml column of MonoQ equilibrated with the same, Superdex 75 buffer. The column is washed with starting buffer and EPSPS eluted as a single peak over the course of a 15 ml linear gradient

30

5

10

15

20

10

15

developed between 0.0 and 0.2M KCl. EPSPS is obtained near (>90%) pure at this stage in the purification. Optionally, EPSPS is further purified by exchange into Superdex 75 buffer containing 1.0 M (Aristar) ammonium sulphate and loading onto a 10 ml column of phenyl sepharose equilibrated in the same buffer. EPSPS is eluted as a single peak early during the course of a linear gradient of declining ammonium sulphate developed between 1.0 and 0.0 M ammonium sulphate.

The purified mutant form of *Brassica napus* EPSPS, obtained by these or by similar methods and assayed as described above in the presence of 2 mM shikimate-3-Pi, has an apparent Vmax of ~ 5 µmol/ min/ mg and a Km for PEP of ~ 25 µM. At 40 µM PEP, the IC50 value for the potassium salt of glyphosate is ~ 0.6 mM. The estimated Ki value for potassium glyphosate of the mutant EPSPS is ~ 0.45 mM.

Example 8. Cloning of genomic DNA encoding Brassica napus EPSPS

A Brassica napus genomic DNA fragment (SEQ ID No.1), encoding EPSPS is known in the art (Gasser and Klee, 1990). PCR primers BnEPSPS5 (SEQ ID No.2) and BnEPSPS3 (SEQ ID No.3) are used to amplify the EPSPS gene from genomic DNA isolated from Brassica napus var. Westar.

Pfu polymerase is used to perform the PCR using the following conditions:

94 °C 5 min

94 °C 1min

20 55 °C 30s

72 °C 12 min

The resulting 3.8 Kb product is cloned into pCR4Blunt-Topo and sequenced using the following primers: M13Forward, M13Reverse (Invitrogen), BnF1 (SEQ ID No.4), BnF2 (SEQ ID No.5), BnF3 (SEQ ID No.6), BnF4 (SEQ ID No.7), BnF5 (SEQ ID No.8), BnF6 (SEQ ID No.9), BnF7 (SEQ ID No.10), BnF8 (SEQ ID No.11), BnF9 (SEQ ID No.12), BnF10 (SEQ ID No.13), BnF11 (SEQ ID No.14) and BnF12 (SEQ ID No.15).

Example 9. Introduction of mutations into genomic DNA encoding BnEPSPS.

The desired Thr-Ile and Pro-Ser mutations are introduced into the B. napus EPSPS gene by PCR using oligonucleotide primers containing codon changes so as to introduce the desired amino acid changes. Primers BnXho (SEQ ID No.16) and BnMUTBot (SEQ ID No.17) are used to amplify a desired region of EPSPS from Westar genomic DNA. Likewise,

30

15

20

25

primers BnMutTop (SEQ ID No.18) and BnNde (SEQ ID No.19) are used to amplify an additional region from Westar genomic DNA. 1 ul of each of the PCR products is mixed and overlapping complementary sequences allowed to anneal. The products are then joined by PCR using primers BnXho and BnNde. The resulting PCR product is cloned and sequenced to check for the inclusion of the double mutation. The Xho1/Nde1 fragment in the BnEPSPS clone is excised and replace with the cloned Xho1/Nde1 fragment containing the double mutant.

Example 10. Construct for expression of mutant B.napus EPSPS in plants having the Rubisco leader sequence upstream of the gene encoding mutant Brassica napus EPSPS.

The tobacco rubisco leader is introduced into the construct by PCR. Primers BnRBSEP (SEQ ID No.20) and Brasr12 (SEQ ID No.21) are used to amplify a product from 50 ng wildtype *B. napus* genomic DNA as template using Pfu-Turbo polymerase. The resulting PCR product is cloned into pCR4 blunt TOPO and clones are identified by restrictions digest that are orientated such as it may be excised as Not1 (from vector) and Xho1. The rubisco leader is then introduced into the mutated BnEPSPS clone as Not1/Xho1.

Example 11. Identification of the *Brassica napus* EPSPS promoter (useful for expression of EPSPS in plants) by genome walking

obtained using the genome walking kit as supplied and directed by Clontech.

The primers depicted in SEQ ID Nos 22 and 23 (Bras r11 and Bnapus start rev) are used to obtain upstream sequence of the *Brasicca napus* EPSPS gene using *Brasicca napus* genomic DNA according to the methods described in the protocol accompanying the genome walker kit.

Increased lengths of upstream or downstream sequence of any plant gene may be

The Bras r11 (SEQ ID No. 22) primer is used in conjunction with the AP1 primer supplied in the genome walker kit and the Bnapus start rev primer is used with the AP2 primer supplied with the genome walker kit. Products are cloned into pCR- TOPO using a TOPO TA Cloning kit from Invitrogen according to the manufacturers instructions. PCR using M13 forward and reverse primers is performed using Ready to Go Beads from Pharmacia to ascertain which clones contain inserts of the correct size. A number of these clones are used to make DNA preps and these DNAs are then used to determine the nucleotide sequence of the inserts.

10

15

20

25

A second set of primers (SEQ ID Nos.24 and 25 respectively) is used for a further walk as shown below:

Genome walker 1 (SEQ ID No.24) with the AP1 primer Genome walker 2 (SEQ ID No.25) with the AP2 primer

Additional genomic digests are performed in addition to those recommended by Clontech's protocols. These digests include Alu I, Hae III, Hinc II and Rsa I. These digested DNAs are then treated identically to the other digests performed as described by the protocols accompanying the Genome walking kit. This is done to increase the chance of getting a correct and long PCR product. Again the PCR products are cloned into pCR-TOPO using a TOPO TA Cloning kit from Invitrogen according to the manufactures instructions and sequence determination is performed on random clones obtained from each cloned product that contain inserts of the correct size. The sequence of the inserts are determined. Approximately 1kb of sequence upstream form the translational start site of the *Brasicca napus* EPSPS is obtained that is contiguous with the published sequence.

Example 12. Constructs for expression of mutant Brassica napus EPSPS in plants

The 35S enhancer is amplified from vector pMJB1 (Figure 1) by PCR using primers CaMV343 and CaMV46C (SEQ ID Nos.26 and 27 respectively)

The PCR product is cloned into vector pCR4Blunt-TOPO and sequenced. The desired promoter, obtained as described in the previous example is amplified from *B. napus* Westar genomic DNA using a 5' primer containing a Sph1 site and BnGUSXma (SEQ ID No.28)

The PCR product is digested directly with Sph1 and Xma1 and ligated into the pCR4Blunt-TOPO vector containing the 35S enhancer as Sph1/Xma1 (partial digest with Sph 1). The CaMV35S enhancer fused to the BnEPSPS promoter is then excised from pCR4-Blunt using Not1 (from vector) and Xma 1 and cloned into the PCR4Blunt vector containing the tobacco rubisco leader and mutated B. napus EPSPS gene. The FMV enhancer (SEQ ID No.29) or the CaMV35S enhancer (SEQ ID No.30) is synthesised chemically and subcloned into vector pCR4 Blunt TOPO. The FMV enhancer is excised from PCR4-Blunt as Not1/Sac1 and ligated into the CaMV35S enhancer/B. napus promoter / rubisco leader / B. napus EPSPS as Not1/Sac1. The final construct is shown in Figure 2. The whole expression

15

20

25

30

cassette may be excised using *EcoR1* and ligated into a suitable vector for plant transformation.

Example 13. Plant Transformation and Regeneration.

The expression cassette is excised from the pFCBnEPSPS vector using *EcoR1* and ligated into, for example, a binary vector pBin19 at the unique *EcoR1* restriction site. The binary vector, containing the desired expression cassette transformed into *Agrobacterium tumefaciens* strain LBA 4404 using the freeze thaw method of transformation provided by Holsters *et al.*, 1978. Tobacco transformation and whole plant regeneration is performed using Nicotiana tabacum var. Samsun according to protocols in Draper *et al* (Plant Genetic Transformation, Blackwell Sci. Pub. 1989). Transformation events are selected on MS-media containing kanamycin. Alternatively pFCBnEPSPS, or other constructs capable of delivering glyphosate resistance in plants by the expression of a glyphosate resistant EPSPS gene from soybean may be introduced into plants directly without using *Agrobacterium* mediated techniques as described for Soybean.

Constructs are transformed into regenerable embryogenic soyabean tissues using either biolistic type approaches (e.g Santarem ER, Finer, J.J (1999) 'Transformation of soyabean (Glycine max (L.) Merrill) using proliferative embryogenic tissue maintained on a semi-solid medium' In vitro Cellular and Developmental Biology-Plant 35, 451-455; USP-5,503,998, USP 5830728)or via infection with Agrobacterium (e.g. USP-5,024,944, USP-5,959,179). Regenerable embryogenic soyabean tissues are derived, for example, from the cotyledons of immature embryos or other suitable tissues.

Proliferative embryogenic tissue can, for example, be maintained on a semi-solid medium. Such tissue, is, for example obtained in the following way. Immature zygotic embryos which are 3-4 mm long are isolated from pods of, for example, Glycine max (L.) Merrill, 2-3 weeks after flower formation. Pods can be checked for the presence of embryos of the correct length and maturity by 'backlighting'. Pods are then sterilized. Immature embryos are removed and the axis removed from each. Immature embryos are then plated on 'D40-Lite' serni-solid (0.2% gelrite) MS salts medium at pH 7.0 containing B5 vitamins, 3% sucrose and 40 mg/l 2,4-D for 3-4 weeks. For proliferation of embryos the material is then transferred to 'D20' MS salts medium at pH 5.7 containing B5 vitamins, 3% sucrose, 20

10

15

20

25

mg/l 2,4-D and 0.2% Gelrite. Material with bright green globular proliferative embryos is selected and subcultured every 2-3 weeks.

For bombardment, 20-25 clumps/ plate of tissue are selected (subcultured 4-5 days prior to bombardment) and arranged in the centre of the dish containing D20 medium. The tissue is dried for 15 min by uncovering for 15 minutes under a sterile hood. Gold particles coated in DNA construct (coated, for example, using methods described in the references above) are twice bombarded into the tissue on D20 medium using any one of a large number of commercially available guns. By way of further example a PDS1000 particle gun is used. Particles may be prepared and coated with DNA in a similar manner to that described by Klein et al 1987, Nature, 327, 70-73. Alternatively, for example, 60 mg of gold or tungsten particles ($\sim 1.0 \, \mu m$) in a microcentrifuge tube are washed repeatedly in HPLC-grade ethanol and then, repeatedly, in sterile water. The particles are resuspended in 1 ml of sterile water and dispensed into 50 µl aliquots in microcentrifuge tubes. Gold particles are stored at 4 C, tungsten particles at - 20 C. 3 mg of DNA are added to each aliquot of (defrosted) particles and the tubes are vortexed at top speed. Whilst maintaining near continuous vortexing, 50 μl of 2.5M CaCl₂ and 20 μl of 0.1M spermidine is added. After 10 minutes of further vortexing, samples are centrifuged for 5 seconds in an eppendorf microcentrifuge, the supernatant is drawn off and the particles washed in successive additions of HPLC-grade ethanol. The particles are thoroughly resuspended in $60 \mu l$ of ethanol and then dispensed in $10~\mu l$ aliquots onto the surface of each macrocarrier to be used in the PDS1000 particle gun. Components of the PDS1000 particle gun are surface sterilised by immersion in 70% ethanol and air-drying. Target plates prepared, as described above, with tissue arranged into an ~ 2.5 cm disc are placed 6 cm from the stopping screen. Suitably chosen rupture discs are then used for bombardment.

One week after bombardment, all tissue clumps are transferred onto D20 medium, buffered to pH 5.7, containing a suitable selective concentration of glyphosate between 0.05 and 5 mM. After an additional 3-4 weeks all tissue is transferred to fresh D20 medium containing an increased concentration of glyphosate within this concentration range. After a further 3-4 weeks, living tissue is selected and subcultured on every 3-4 weeks in similar D20 medium containing glyphosate. Alternatively, in the case that some other selectable marker than glyphosate is also present then selections may be made as appropriate (e.g using

increasing concentrations of hygromycin). Growing sections are thus maintained and, given enough tissue, may be analysed by PCR to confirm that they are transgenic for the desired DNA.

In order to develop and mature embryos, tissue clumps are placed onto M6 medium which comprises MS salts at pH 5.7 containing B5 vitamins, 6% maltose and 0.2% gelrite.. 6-9 clumps are placed in a tall dish at 23°C. After 3-4 weeks, embryos elongate and can be separated and transferred to another round of incubation on M6 medium. After 4-6 weeks, embryos are cream-coloured and ready for desiccation. 9 such cream-coloured embryos are placed in a dry Petri dish, sealed with parafilm and placed onto a shelf for 2-3 days. Embryos should be somewhat flaccid and not "crispy-crunchy".

10

15

20

25

30

022600641 | 5

BNSDOCID: -WO

Dessicated embryos can be germinated by plating onto OMS (growth regulator-free MS medium). Following germination which normally occurs within a week plants are transferred to larger boxes and, once there is sufficient root and shoot formation, thence to soil. To prevent fungal contamination it is advisable to wash OMS from the roots with distilled water. Plants may be kept and grown under high humidity and, initially, under 24 hour lighting. Plants may be grown until about 2 feet tall under 24 hour lighting and then encouraged to flower and form pods through a shift to a 16 hour lighting regime. Seeds are collected and progeny grown on, crossed and backcrossed into order to move the transgenes into the desired plant background using the normal methods of plant breeding. Plants are routinely analysed for the presence and expression of transgenes using the normal methods of molecular biology including analysis by PCR, Southern, Western, ELISA and enzyme assay techniques.

Example 14. Methods of obtaining genes encoding stable glyphosate resistant EPSPs

In one embodiment of the current invention, glyphosate resistant EPSPS genes suitable for expression in E.coli are constructed, as for example, described herein where, in the coding sequence a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the following conserved region GNAGTAMRPL in the wild type enzyme such that the modified sequence reads GNAGIAMRSL.

· 5

10

15

20

25

Stable glyphosate-resistant EPSP synthases of the current invention and genes encoding these are then obtained by generating a wide range of variants by a process of random or partially random mutagenesis (for example using chemical or UV mutagenesis, by using a non-proof reading DNA polymerase (e.g. in a strain such as XL1 red) or by using any one of a number of 'directed evolution' approaches (e.g as reviewed by Kuchner and Arnold, 1997 in TIBTECH, 15, 523-530 or described by Stemmer (1994) in PNAS, 91, 10747-10751) and selecting genes expressing EPSPSs which are stable and which remain glyphosate resistant. Suitable means of selection include, for example, expression of mutated genes (e.g from a weak constitutive promoter) in an Aro A- strain of E.coli grown at elevated temperatures (e.g 37-42 C) and selecting those transformants most capable of growth in minimal medium (optionally also containing glyphosate). Alternatively, a non-aro A host strain might be used (preferably e.g. rec A) provided that the medium contains a selective concentration of glyphosate. The skilled man will recognise that many methods of mutagenesis and selection could be used within the ambit of the current invention.

Example 15. Stable glyphosate-resistant EPSPSs and genes encoding them

The stable double mutant form of Brassica napus EPSPS is one example of the current invention. The skilled man will recognise that other examples of such EPSPSs of the current invention and genes encoding them can be cloned, isolated and characterised using methods the same or similar to those described above.

In EPSPSs and the EPSPS gene sequences of the current invention, the coding sequence at a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the following conserved region GNAGTAMRPL in the wild type enzyme such that the modified sequence reads GNAGIAMRSL.

EPSPS protein sequences of the current invention are further characterised in that they DO NOT comprise a region having the sequence K(A/V)AKRAVVVGCGGKFPVE

EPSPS protein sequences of the current invention are further characterised in that they comprise at least one of the amino acid sequence motifs listed below in (i) \Rightarrow (viii).

(i) ALLMZAPLA

where Z is NOT S or T

(ii) EIEIZDKL

where Z is NOT V

- 28 -

(iii) FG(V/I)(K/S)ZEH where Z is NOT V

(iv) AL(K/R)ZLGL where Z is NOT R

(v) $GLXVEZ_1DXZ_2XXXA(I/V)V$ where Z_1 is NOT T and/or Z_2 is NOT E

(vi) ITPP $Z_1K(L/V)(K/N)Z_2$ where Z_1 is NOT K and/or Z_2 is NOT T

5 (vii) TIZ(D/N)PGCT where Z is NOT N or L

(viii) (D/N)YFXVLXZXX(K/R)H where Z is NOT R

wherein X is any amino acid and Z, Z1, and Z2 are any amino acid other than those indicated.

Furthermore it is preferred, for EPSPS genes and proteins of the current invention,
that the protein sequence comprise at least one of the sequence motifs i), ii) iii), v) and vi),
preferably, at least two of these.

Furthermore, in amino acid sequence motif i) Z is preferably A, in sequence motif ii) Z is preferably I, in sequence motif iii) Z is preferably I, in sequence motif iv) I is preferably I, in sequence I or I is preferably I or I and less preferably I or I is preferably I or I or I in sequence motif I is preferably I or I or I in sequence motif I is preferably I or I or I in sequence motif I is preferably I or I or I or I in sequence motif I is preferably I or I or

Furthermore, some of the EPSPS protein sequences of the current invention are characterised in that they comprise at least one of the following sequences:

20 (I/V)VEGCGG(I/L/Q)FP(V/A/T)(S/G) or

(I/V)VVGCGG(I/L/Q)FP(V/A/T)E or

(I/V)VVGCGG(I/L/Q)FP(V/A/T)(S/G) or

(I/V)VV GCGGKFP(V/A/T)(S/G)or

(I/V)VEGCGGKFP(V/A/T)E or

25 (I/V)VEGCGG(I/L/Q)FP(V/A/T)E or

(I/V)VEGCGGKFP(V/A/T)(S/G)

Furthermore EPSPS sequences of the current invention are preferably derived from dicotyledenous plants

Example 16. Stable glyphosate-resistant EPSPSs derived from soyabean

Preferred examples of the current invention are the EPSPS protein sequences and the DNA sequences which encode these which are derived from soyabean (see for example

30

WO 02/26995 PCT/GB01/04131

- 29 -

EPSPS gene SEQ ID Nos 33 and 34) and which are then optionally modified according to Example 15 to yield a stable glyphosate resistant EPSP synthase.

Particularly preferred examples are EPSP synthase genes derived from soyabean in which:-

(a) the coding sequence at a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the following conserved region GNAGTAMRPL in the wild type enzyme such that the modified sequence reads GNAGIAMRSL,

10 And

15

20

25

5

(b) the DNA coding sequence may be further modified in accord with Example 15 so that the encoded protein comprises at least one and preferably two or more of the amino acid sequence motifs ii), iii), v) and viii).

Example 17 Cloning of a soybean partial length cDNA encoding EPSPS.

Soybean RNA is isolated using TriZol™ reagent as described by Gibco BRL and first-strand cDNA synthesised using Superscript II (Gibco BRL) using protocols provided by the manufacturer with the degenerate primer EPSPS 10 reverse (SEQ ID No.35). PCR is performed using ready to go PCR beads supplied by AmershamPharmacia™ according to the protocol supplied by the manufacturer using the reverse transcribed soybean first-strand cDNA product as a template and the primers EPSPS 4 forward (SEQ ID No.34) and EPSPS 10 reverse (SEQ ID No.33).

The following PCR conditions are used:-

- 1. 94°C 3 minutes for 1 cycle
- 2. 94°C 45 seconds
- 50°C 30 seconds
 - 72°C 1 minute for 25 cycles
- 3. 72°C 10 minutes for 1 cycle.

The product obtained of approximately 1 kb is cloned into pCR2.1 using a TOPO TA cloning Kit (Invitrogen) according to the manufacturer's recommendations. Colonies are picked at random and are selected for further work via plasmid preparation with the QIAprep Mini-Prep Kit (Qiagen), followed by digestion with *Eco* RI to show the size of the insert in

15

20

25

these clones. Clones containing the expected 1kb insert are progressed. The polynucleotide sequence of selected clones is determined using an ABI 377 automated sequencer. Database searching is performed using the Blast algorithm (Altschul *et al.*, 1990) and indicates that the majority of sequenced clones contain partial length cDNAs exhibiting high homology toward known plant EPSPS sequences.

Example 18 Isolation of a genomic polynucleotide sequence encoding soybean EPSPS.

A soybean genomic library constructed in Lambda Fix II is purchased from Stratagene and 1,000,000 clones are plated out according to the suppliers protocols. Hybond N+ filters are used to make lifts from the library plates and these were processed according to the protocols supplied by AmershamPharmacia and Molecular Cloning - a laboratory manual (Sambrook et al., 1989). UV cross linking of the DNA to the membrane is carried out using a UV Stratalinker (Stratagene). The soybean EPSPS cDNA probe is prepared by digesting the clone containing the soybean EPSPS partial length cDNA sequence with *Eco* RI and purifying the 1 kb product by agarose gel electrophoresis. The probe is labelled with ³²P dCTP using a Ready-To-GoTM DNA labelling kit (AmershamPharmacia). The filters are prehybridised and hybridised in Rapid-Hyb Buffer (Amersham Pharmacia). Washes are performed using 0.1 x SSPE, 0.5% SDS at 65 °C. The filters are then wrapped in Saran wrap and exposed to film in a cassette containing an intensifying screen as described in Molecular Cloning - a laboratory manual (Sambrook et al., 1989).

Hybridising plaques are picked into SM buffer, replated at lower density and rescreened through 2 further rounds of purification. Phage DNA is recovered from plaque pure phage stocks using methods well known in the art (Sambrooke et al. 1989). The recovered phage DNA is digested with *Not* 1, and the genomic DNA subcloned into pBluescript. The resulting vector is transformed into TOP 10 *E.coli*. The resulting clones are sequenced using the Genome Priming System (NEB) using protocols provided by the manufacturer. Briefly, sufficient batches of 96 GPS events are selected and DNA prepared using a Qiagen™ Biorobot. The DNA was sequenced with the GPS-S and GPS-N primers as supplied by NEB using an ABI 377 automated sequencer. Sequence data are analysed using Seqman (DNASTAR Inc). The gene encoding EPSPS is identified by homology to known EPSPS genes using the Blast algorithm. The sequence of two contigs containing sequences showing high homology to known EPSPS are given in SEQ ID No.37 and SEQ ID No.38

and are termed GmEPSPS1/14 and GmEPSPS12 respectively. A schematic representation of these genes is given in Figure 3 and Figure 4.

The person skilled in the art will know that there could be other EPSPS genes present in soybean and that these may be isolated and the nucleotide sequence determined using similar methodologies as described in this example.

Example 19 Production of plant transformation vector harbouring the soybean EPSPS gene.

The two enhancer combinations FMV35S90 (SEQ ID No.37 and FMV35S46 (SEQ ID No.38) are synthesised chemically and subcloned into vector pTCV1001 (Figure 5) using Hind III / Pac 1. The soybean EPSPS terminator, and a small region of the coding sequence, are obtained by PCR using the primers GmTermBam (SEQ ID No.39) and GmTermEco (SEQ ID No.40) using clone GmEPSPS 1/14 as template. The PCR product is cloned into pCR4-Blunt-TOPO, sequenced, and excised using Pst1 and EcoR1 and ligated into the pTCV1001 vector containing the FMV/CaMV35S enhancers. Finally, the Pac1:BamH1 DNA fragment containing the majority of the soybean EPSPS gene in either GmEPSPS 1/14 is excised and cloned into the pTCV1001 vector comprising both the enhancers and terminator.

Example 20 Introduction of mutation into EPSPS gene.

The desired Thr to IIe and Pro to Ser mutations required to increase tolerance to glyphosate are inserted into the construct in the following manner. Primer BnMUT2PST (SEQ ID No.41), which contains the nucleotide changes that give rise to the desired amino-acid mutation, is used in conjunction with primer BnMUTKPN (SEQ ID No.42) in PCR with pfu-TURBO polymerase (Stratagene) with GmEPSPS 1/14 as template. The PCR product, now containing the desired mutation, is cloned into pCR4-Blunt-TOPO and sequenced. It is then excised as *Kpn* 1 *Pst* 1 and used to replace the corresponding fragment in the construct in pTCV1001 containing WT sequence. The final vector is termed pTCVGMEPSPS (Figure 6).

Example 21 Introduction of 5' UTL.

An additional 5' UTL, such as that from the small subunit of ribulose biphosphate carboxylase/oxygenase (Rubisco) or tobacco glucanase can be inserted into the construct by PCR. In addition the context surrounding the AUG translation initiation codon is optimised

30

5

10

15

20

WO 02/26995 PCT/GB01/04131

- 32 -

to give the consensus Kozak sequence ACCAUGG. With regard the SSU rubisco leader, primers GmRubPac (SEQ ID No.43) and GmRubbot (SEQ ID No.44) are used to introduce the soybean rubisco 5' UTL into 5' UTL of the soybean EPSPS gene. GmRubTop (SEQ ID No.45) and GmRubKpn (SEQ ID No.46) are then used to introduce the soybean rubisco 5' UTL into the first exon of the soybean EPSPS gene. The two PCR products are then joined, by PCR using primers GmRubPac and GmRubKpn and the resulting product cloned into pCR4Blunt-TOPO and sequenced. Once the authenticity of the PCR product is confirmed it is excised from the PCR4 vector as Pac1:Kpn1 and used to replace the Pac1/Kpn1 restriction fragment in vector pTCVGMEPSPS.

These examples outline the construction of a DNA sequence comprising two enhancers fused to a soybean EPSPS gene containing specific mutations in the coding sequence that is capable of producing a glyphosate resistant EPSPS enzyme in plants. The person skilled in the art will know that enhancers may be introduced at various distances up stream from the promoter and transcriptional start site to act to enhance the rate and/or amount of transcription of the double mutant EPSPS soybean gene in plant cells. The distance may have to be determined empirically for each individual gene. This involves making a number of constructs where the enhancers are fused at different distances from the transcriptional start of the double mutant EPSPS soybean gene and introducing these constructs into plant material and assaying the material for resistance to selecting concentrations of glyphosate. The person skilled in the art will also know that enhancer choices are not restricted to CaMV 35S and FMV enhancers, but may also include enhancers from any gene that is highly expressed in plants including inter alia, enhancers from actin genes, ubiquitin genes, mannopine, nopaline and octopine synthase genes, genes from commelina yellow virus and other plant viruses expressed in plants such as potato virus Y and X coat proteins. The choice of 5' UTR may not be restricted to soybean small subunit rubisco and leader from other genes may be used.

5

10

15

20

10

15

20

25

Example 22 Plant Transformation and Regeneration.

The expression cassette is excised from the pTCVGMEPSPS vector using *Xma* 1 and ligated into a binary vector pBin19 at the unique Xma 1 restriction site. The binary vector, containing the desired expression cassette transformed into *Agrobacterium tumefaciens* strain LBA 4404 using the freeze thaw method of transformation provided by Holsters *et al.*, 1978. Tobacco transformation and whole plant regeneration are performed using Nicotiana tabacum var. Samusun according to protocols in Draper *et al* (Plant Genetic Transformation, Blackwell Sci. Pub. 1989). Transformation events are selected on MS-media containing kanamycin.

Alternatively PTCGMEPSPS, or other constructs capable of delivering glyphosate resistance in plants by the expression of a glyphosate resistant EPSPS gene from soybean may be introduced into plants directly without using Agrobacterium mediated techniques as described for Soybean in a number of references including the following: Physiol. Plant. (1990), 79(1), 210-12; USP-5,968,830; WO-0042207; and USP-5,959,179 and as described in Example 13.

Example 23 Analysis of Transgenic Plants

PCR analysis of transformants

Leaf samples were taken from transformed lines and DNA extracted according to known methods. Oligonucleotide primers are designed to specific regions within the transgene to enable its detection in the plant material tested.

RNA analysis

The presence of mRNA encoding the transgene is detected within the plant using Northern Blot hybridisation. Total RNA is extracted from leaf tissue using Tri-reagent and protocols provided by the manufacturer (SigmaTM). Blots are prepared using existing procedures and probed using radio-labelled soybean EPSPS cDNA.

Protein Analysis

The presence of recombinant protein in the transgenic plant is determined using Western blotting procedures with antibodies raised to recombinant soybean EPSPS using standard protocols.

30 Enzyme assays

WO 02/26995 PCT/GB01/04131

- 34 -

Resistant EPSPS activity is detected in plants using ¹⁴C radiolabelled substrates and detection of products by HPLC.

Herbicide tolerance tests

10

20

25

30

Following tissue culture, transgenic plants are transferred to 5 inch pots containing John

Innes potting compost no. 3. The plants are allowed to acclimatise (approx. 2 weeks) in the greenhouse and formulated glyphosate applied at various concentrations to the aerial tissue using a track spayer. Visual assessment of the transformed plants to identify those that are resistant to glyphosate is performed 21 days post application.

Example 24 Introduction of plastid targeted pyruvate orthophosphate di-kinase (PPDK) or phosphoenolpyruvate synthase (PPS) constructs.

The cDNA encoding PPDK from maize (EMBL Accession J03901), containing its autologous transit peptide sequence, is amplified by RT-PCR from maize tissue using primers ZMPPDK1 (SEQ ID No. 47) and ZMPPDK2 (SEQ ID no. 48). The RT-PCR product is cloned into the vector pCR2:1 TOPO and sequenced to check for authenticity. The maize PPDK gene is excised from the pCR2.1 vector, as a *Nco* 1/*Kpn* 1 fragment and ligated into similarly digested pMJB1 (Figure 1). The plant expression cassetee is then subcloned into the pTCVGMEPSPS cassette (Figure 6) prior to further plant transformation. Other PPDK genes, such as that encoding a cold-stable PPDK from *Flaveria brownii* (EMBL accession AAQ94645) or form rice can be engineered using a similar strategy. Likewise, the gene encoding PPS in *E. coli* (EMBL Accession X59381) is amplified by PCR using oligos ECPPS1 (SEQ Id No. 49) and ECPPS2 (SEQ ID No. 50). The PCR product is cloned into plant expression cassette containing a plant operable promoter (such as the cauliflower mosaic virus 35S promoter), a chloroplast transit signal sequence (such as that from the small subunit of rubisco) and a terminator (such as NOS).

Sequence listing

a caa at cacett to tee gte teet tgaag acge at cage cteg aget tetteg tggggatt gaag aag ag ag ag ag acg at get a acget to the control of thegtot catta a get acceggate caa at ctc tete caa teggate ctc tette tege get ctate teggate cata ta ctt get tagget accept the temporal content of the tecaa a atttttgg aggt tatagg ctt at gttacaccattct agt ctg catcttt cgg ttt gag act gaa gaa ttt tatttttaa aa aa attattat agger ag a gaa att tattat aggaactactgtagtggacaacttgttgaacagtgatgacatcaactacatgcttgatgcgttgaagaagctggggcttaacgtggaacgtgacagtgtaaacaaccgtgcggttgttgaaggatgcggtggaatattcccagcttccttagattccaagagtgatattgagttgtaccttgggaatgcaggaacagccatgcgtcactcaccgctgcagttacagctgcaggtggcaacgcgaggtaaggttaacgagttttttgttaggagatttggttgttggtcttaagcagcttggtgctgatgttgagtgtactcttggcactaactgtcctcctgttcgtgtcaatgctaatggtggccttcccggtggaaaggtgatcttcacatttactctatgaattgtttgcagcagtctttgttcatcacagcctttgcttcacattatttcatct gaaaaacttttaataaategtetacagteccaaaaatettagageeggeeetgettgtatggtttetegattgatatattagaetatgttttga attttcaggtgaagctttctggatcgatcagtagtcagtacttgactgccctcctcatggcagctcctttagctcttggagacgtggagattgagat cattgata a actgata to tgttccatat gtt gaa at gacattga ag ttgat gag ag cgttt tg gt gtt ag tgc gag cat ag tgat ag tgat gag ag cgttt tg gt gag ag cgtt tg gag ag cgt tg gag ag cgttggcgatggcgttctcgcttgcagcttgtgctgatgttccagtcaccatcaaggatcctggctgcaccaggaagactttccctgactacttccaagtccttgaaagtatcacaaagcattaaaagaccctttcctctgatccaaatgtgagaatctgttgctttctctttgttgccactgtaaca 30

5

10

15

20

PCT/GB01/04131

BnEPSPS5 (SEQ ID No.2)

gcatgcagatcttaaaggctcttttccagtc

10 BnEPSPS3 (SEQ'ID No.3)

gaatteattacteteegacaaaaggtaaaege

BnF1 (SEQ ID No.4)

gcgcaatctagcagaatctg

BnF2 (SEQ ID No.5)

15 tccttcttgccgctctatct

BnF3 (SEQ ID No.6)

gcgttgaagaagctggggct

BnF4 (SEQ ID No.7)

acctataggagatttggttg

20 BnF5 (SEQ ID No.8)

actaagtgaaacattagcct

BnF6 (SEQ ID No.9)

gttccatatgttgaaatgac

BnF7 (SEQ ID No.10)

25 tccactctgaatcatcaaat

BnF8 (SEQ ID No.11)

gtaagaatctaagctcattc

BnF9 (SEQ ID No.12)

tcatggttgcttaaactcta

30 BnF10 (SEQ ID No.13)

cagcttgtgctgatgttcca

BnF11 (SEQ ID No.14)

cgatcatctttgaaaatgtg

BnF12 (SEQ ID No.15)

ctctctgttttgattccata

5 BnXho (SEQ ID No.16)

cgcatcagcctcgagcttcttcgtg

BnMUTBot (SEQ ID No.17)

ggtgagtgaacgcatggctattcctgcat

BnMutTop (SEQ ID No.18)

10 atgcaggaatagccatgcgttcactcacc

BnNde (SEQ ID No.19)

catttcaacatatggaacagatatc

BnRBSEP (SEQ ID No.20)

cccgggatattggaagttaaaggaaaagagaaaagagaaatctttctgtctaagtgtaattaaccatggcgcaatctagcagaatctg

15

Brasr12 (SEQ ID No.21)

ggacgtggaaacagaagctg

Bras r11 (SEQ ID No.22)

tctcaaaccgaaagatgcag

20 Bnapus start rev (SEQ ID No.23)

ggttgaagcacaatctctgaagcttccatgg

Genome walker 1 (SEQ ID No.24)

gatcttgggtcattttaatgggccttctaac

with the AP1 primer

25 Genome walker 2 (SEQ ID No.25)

aaataaacccattaaccactaatgaaaaagggat

with the AP2 primer

CaMV343 (SEQ ID No.26)

gcggagctcgagacttttcaacaaaggg

30 CaMV46C (SEQ ID No.27)

atcccgggaagcatgcgaaggatagtgggattgtg

10

15

20

25

30

BnGUSXma (SEQ ID No.28)

cgcccgggattgaatttbaaagc

FMV enhancer (SEQ ID No.29)

CaMV35S enhancer (SEQ ID No.30)

tgagacttttcaacaaagggtaatatccggaaacctcctcggattccattgcccagctatctgtcactttattgtgaagatagtggaaaag gaaggtggctcctacaaatgccatcattgcgataaaggaaaggccatcgttgaagatgcctctgccgacagtggtcccaaagatgga cccccacccacgaggagcatcgtggaaaaagaagacgttccaaccacgtcttcaaagcaagtggattgatgtgatatctccactgacg taagggatgacgcacaatcccactatccttcgcaagacccttc

Soyabean genomic DNA encoding an EPSPS (SEQ ID No. 31)

aaaaaataccttttagtaaaataagagcgtragatcaatcagacgttttctctttgggacttctcattcttaattgaattgacaataactaaagt gaaactaaggctaaaatcaactcgcctagtcaagctcgtccacaaaaataggtttttgaaagtttaccatgtcagtttcttactaagtaaaa a aggat catt tg ta aggat ca acgcct ta aa at gat caccct tc aa agta aa agaat cactt gt tt cac gcat aa gt aa agaac ta cg ta ggat catt gt tt cac gcat aa gt aa ag ta ag ta agaat cact tg tt tc acgcat aa gt aa ag ta ag tatctgatttcctctccaaaggagggtacgtaggagcaaaagccccgcttttgtcgaccttaaaaaaataaaaagaaacaaaagttaaggta aca ca atttcca ca attcta gaa ata aggtt gtt gtctttcga gaca aac gta ag ggt gcta ata ccttcctca aac gta aata ca actcccgaacttagaattttcattttgaccggtttccttcggttttcccgacgttttccacaaataaacgttggtggcgactccgcgcatctttcctcctttggaaagcgcacccatgagcctcgcctcgctcgcccgcgaagggcacgttgcgacactaggttaataagaagtttagtccacatatctatggacctcttaaggtgattatcaaagtggaagtggtgacctacatgttggccctaccagcttattcgtatatttacccccatcaaccatgtatctcagctgaaacatgctatcaatccaaatgttatcagaggaacatgagctgcatgttcaaccagaagtagttctagtcttaatacaa atgtcaaatggcacaagtgagattttgaatttctgatgttgtaaaaatctcaggacatgaatactattgggaagcaattattcatacttcacc aatccaaactgacccaaaattctcaaatcacatgaaagcaaaaatgcatataacacgaagaataagaagaagaagaactaacctggg cgaagatagagaaaaagatatatagatttttcaaggetcaaaccctaaaatcaccatgagagagaacaaagattgagaaacctacaac attaaaattattttaaaaaatgatgtcattttaaaattctttaaaatctcatatccaacaactgaattatgatagaggtatttcaaattcacttaaaaaa attatcttatttaaa taccccatccaaa catagcgaa atgttcat gagaa ggatcaa gtggtttggaaa catagtactaa tggtgtttataatttggagagtgttgtgtgtgttgtctcccctgtaggcaaaagcttcgatgtaaaggagttcaatgtccaataacctatgctttctatccctcg

ggtgaatgcagcaaaagaattaatgaactccttttcgatctacttggatcactacatggagatattatcaacaaatttgatgttactttatgg gcaaagtgcaaggtaatatgctcctcaacatcaattaacaaatgttcatgacatctcttaccagctccaacttggggacgtttgacaaaca attegteaaageteacteacgttttegacatgggtegacatgggttacctgacceaaaggetgaggettaggetttggttteaagtalung to the state of the state ofaaagatattggacatacaagctaaaagtgatagaatttgagaaaacaaatattgacaacaatattcaagaggacactaaaacataattct at a at attetat tata agta a agga a attat tegat g to teat titting agat agt teacega agce a att tittit act tittit et et teacega agce a att tittit act tittit et et teacega agce a attat to the age of the aggregation of the aga a att att ta a a att titta a a att titta a att titta te ce ta ce ta att titta a att tittata cattgata atataa attittta cata attat ccgat caact cattatatat gataa attitat tgattittta aa attat ctta aa attat ccgat caact cattatatat gataa attitat tgattitta aa attat ctta aa attat ccgat caact cattatatat gataa attitat tgattitta aa attat ccgat caact cattatat at tgattit taa aa attat ccgat caact cattat at tgattit taa aa attat ccgat caact cattat at taa aa attat ccgat caact cattat at taa aa attat ccgat caact cattat caact cattat cattat ccgat caact cattat ccgat ccgat caact cattat ccgat caact caacaa caatgatttg caattagat gataatataaaattatttta cacactacatgtattaaactcaaacttttatatattagtttttctaaaaactaattttaaactcaaacttaaaactcaattttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaacttaaactcaaactcaaacttaaactcaaactcaaacttaaactcaatt cacca act ttttcact caat tg ttttg gt gt aag caat tc gacat gt gt tag tt gg caacca aa aat ccctt tat gt gact caat ccct gacat to gacat to gacat to gacat the state of the stattctcatttcagagagagagagagagagacttcacagaccaaagtgcagagaacaacaacaacaacatttaaggaaaattgaaatggcc caagtgagcagagtgcacaatcttgctcaaagcactcaaatttttggccattcttccaactccaacaaactcaaatcggtgaattcggtttc

30

10

15

20

a ag cat cat g to cat gaa a ag a a at g ag a cat cat g to cat gaa a at g ag a cat cat g to cat gaa a at g ag a cat cat g to cat gaa a at g ag a cat cat g to cat g a cat cat g a cgtag caata ag catatt caatat ctgg att gatt tgg acgttt ctg tataa ag gag tat gctag caat gtg ttaat gtat tgg ctag aaatat ag gag tat gctag caat gtg ttaat gtat tgg ctag aaatat gag tat gctag caat gctag caata agatt att tattttat cctctaa agtgacta att gagtt gcttactttagagaagtt ggacccattaggt gagagcgt gggggaacta at cattaggt gagagcgt gggggaacta at cattaggt gagagcgt gggggaacta at cattaggt gagagcgt gggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt gagagcgt gggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt gagagcgt gggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt gagagcgt ggggggaacta at cattaggt ggggggaacta at cattaggt gagagcgt gggggaacta at cattaggt ggggaacta at cattaggt gggaacta at cattaggt gggaactaggt gggaactaggt gggaactaggt gggaactaggt gggaactaggt gggaactaggt gggaactaggt gggaactaggt gggaactttgaatatacaatctgagtcttgattatccaagtatggttgtatgaacaatgttagctctagaagataaaccctcccccaaaaacacaaattagaatga cattte aagtte cat gtat gteacttte attettat tittiacaa ett ttagtta ettaaca gat gtett gtteag cataa attata atttat tittiacaa ett ttagtta ettaaca gat gtett gtteag cataa attata atttat tittiacaa ett ttagtta ettaaca gat get ettagt etttct gtttttttttttagggaacaact gtt gtagacaact tgtt gtatagt gaggat att cattacat gctt ggt gcattaaggaccct tggact gcattagt gaggat att cattacat gctt ggt gcattaaggaccct tggact gcattagt gaggat att cattacat gctt ggt gcattaaggaccct tggact gcattagt gaggat att cattacat gctt ggt gcattaaggaccct tggact gcattaaggaccct gcattaaggaccattagttcagcataatctttgaattgttcctcgtataactaatcacaacagagtacgtgttcttcttcctgttataatctaaaaatctcatccagattag t catcett tettaaa aggaa cetttaatta teaat gtattaattaatattaaattaa attaa attaactgagaaatgcacctgagggtgttcctcatgatctacttcaacctctgttattattagattttctatcatgattactggtttgagtctctaagtag aagcaacttggtgcagatgttgattgctttcttggcacaaactgtccacctgttcgtgtaaatgggaagggaggacttcctggcggaaag gaaactgtctggatcagttagcagtcaatacttgactgctttgcttatggcagctcctttagctcttggtgatgtggaaattgagattgttgat tectattagg tetectgg caat gettitgttgaagg tgatgetteaagtge cagttatttactagetgg tgeageaat tactgg tgggactattt caaccccttcttttctcttttcccctcactcccaaaatagagcttatcattgtatccttaatagctcttttatgtgctgtttcatctcttgagcagatteta cat gattate ettttta gt gaactttttt gt etttta aata att gatate at eatet gaactt geacate at ette ette ette attttat tattat atte ette etteattt catta agagt gataaa attacatt gt caa gtaa ag caa gt tag c gataa at gat gct tc gat t gca gaa tt gct gataa ag catt gca gataa ag catt gccaca attcattag cttag tgaca attgtgat gtag at ag ccata at ctt ccat gcaa ctt attat gctt titt gcac tta aa acttcattag ctt ag cacaa ttcattag cacaa ttcattag ctt ag cacaa ttcattag ctt ag cacaa ttcattag ctt ag cacaa ttcattag ctt ag cacaa ttcattag cacaa

10

15

20

25

gagatta atgg cag catct gatt gaag ctt ctttt gg tatt attgg ag at gaaat ctt gag ccaa att ag gg ctttt ge ct cct caa tag ccaa attag gagatta at gag caa attag gagatta at gag caa attag gag ctt ttt gag caa attag caa attag gag ctt ctt ttt gag caa attag gag caaagget cacctacaaa agggt ctacaag caccttta cactt gcaaaaaatt cettaact gaacaatt gccaa ag agt cat gtt gcaaacttgtg cagagagaaaaacagaaaatgaagaacttg tg tattgaaggaattgaaaagcca attacaattg tg ttg cagagagatatttatagttaggett gattt get gecaccgaa agaa cattatt gtt ggag ag ttttt cagt gatt geat cag agaa ag tta caa gt gt gatt ggag at the same of the same ofgaaggacttgcggtcgtcgaaggttaagtgttaagtggtggaatgtgtatcggaggtggttgcctagcccaagaagctggttgcagtggaageggatgeggeagaageeatgggtteagateagaactatgttetagataceatattagggttagettteaagagaaaacttatgaa aataaactatggaagaaggagcttcaccaccaagagagtgtcttggataagaagcttagagggaagcttcaatggaggaatagaaa t cacet cett gag at gag agac tag agac et agac acac accet tata at aget aa acte acte tatte caa aa at acat gaa aa at acac accet tata at aget agac et agac accet tata at aget agac et agac accet tata at aget agac et agac et agac accet tata at aget agac et agaaaagtteetaetaeaaagattaeteaaaatgteetgaaataeaagaetaaaaetetataetaetagaatggteaaaataeaaggteeaaa aga agga aaaaacct at tota at at ttacaa aga ga ga ga caccaacct tagt ccat gg gct caga aat ctaccct ga gg tt cat gg ga at the control of the cocct agggt ctt cttt agtag ctct agt cca at ttt ctt gggggt at ttct at cca at at cctt gggggt aggatt gca t cat gt agt ac a agag ag at ttct agt agt ac a aggag aggatt gca to the contract of the cgggaatatatatacagttgtaagttgtaactacctaatcaaacccaactgactcaccatacacagaaaaacaatgtacaaaggataatag aaaaactgaaactgagatatactcattacatagaagaattacatgatgaatctgaaaattttaattgggaaactgaggacaataacaaggaaactgaagaactgagaactgagaactcttt cag agt tcatttt gacaa tag gtaaattat ggactt caacttag acct caa ggg tat gctt ggg agt ggg gttt tag ag gaaa ag ggacaa tag gacaa tag gagaaggaggaa attttttaattctagtaa at attctctattttgattaatttttaaa ataaaa caa ataaaactta tagattagcattcacttaat gtaaatttttaaa ataaaacaa ataaaactta tagattagcattcacttaat gtaaatttttaaa ataaaacaa ataaacaa ataaaacaa ataaacaa ataattgtcctgttgtctgtgttttcttttctttagtgtctcgcctttccttaattccttatcaacaccttgtttatttttgaaaacttaaatgtcctcataccagcctcagtgcagtcattttaagttccattattttttaattgtgcttatgtttaactttgtccttcttttaaagggagatgtaaaatttgctgaa

30

5

10

15

20

tgcgaggcattgatgtcaatatgaacaagatgccagatgttgccatgacacttgctgttgttgcactatttgctaatggtcccactgctatatta atgaa attatta ta attata attata attatgaa attggaa ta accat g t gaa attatta attata attatatttcttttatctatgtagtggggcatctatgttgttcctttaagctttgtgtcatagttgtacaacctggtctgtgggctggtccagttcttacta at a ct att t cat a george cetta tt att tt ct g g tt ta ca a ct g t c ct tt g a t g ta ct tt t g a t g ct ca a t a g ta tt tt ca t a a t c ct tt g a t g ct ca a t g ct ca a t a g ta tt tt ca t a a t c ct tt g a t g ct ca a t g ctatggaaggcactagagtgcagtgcatattgcacaaggttctttaatggcatcttgaatttgttagaacatggagttatgatatacaaccattaatetgeacagaacteagaaaggtettgetaatteetttatggtttetatattaetggaetttttaeateteaetgaeetaetaetgtettggtat ttcagctaggagcaacagttgaagaaggtcctgattactgtgtgattactccacctgagaaattgaatgtcacagctatagacacatatga tgacca caga at ggccat tggcattctctctt tgct gctt gtg gg gat gttccag taaccat caa ggat cct gg tt gcacca ggaa gacattcaca a ag cag t g ag tatat g g ctt g cttt g ttt cta a a catt c cttt a ta ag g a ctt g ag at a attt g ttt a a ag ag c catt g g tt ct g ctt g ag at a attt g ttt a a ag ag c catt g g tt ct g ctt g ag at a attt g ttt a a ag ag c catt g g tt ct g ctt g ag at a attt g ttt a a ag ag c catt g g tt ct g ctt g ctgttgtatcaaagtaatttaattttcagtaccgacttggctctactcatatgtggtggtgtacattgcatctttgcatttgattccatatctattgggatgggaccatacattttttgtttattatttaagtcaaacatatcagataatatgtggtgaccagaaaagtgtctagcaatcaaatgggtctgtgattgcatgtttgagttcaggacatttattaatgagtgacagaattttaaaaaagctcgccaataggagttgccacatctgatcgagtcttctgtaaa cacta act gaact tigag tittigata at cag att cccccc gt tigg tagg taat at gt aa att tigag at tigag gaact at gaact tigag gaact at tigag gacettttgtttcattttttttacaataaagaaagttcatattcttggcaatagcaaggcaaatcatttgtggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacatgaaattcaccataggaagtcacataggaagtcacataggaagtcacataggaagtcacataggaagtcacataggaagtcacataggaagtcacataggaaagtcacataggaagtaatataaattattgcatatctagaggtgaggttcatttctccgatccatttctccaagtaataaaaatatataaaattattaatatggtatgata

30-

5

10

15

5

10

15

20

25

atgttacaatgtactgaatgttttacaatacagtctggtttgataataaaatatgcacaaagtccagcttatgtaactctttcaattcatggaaaggaagggtactggctcatgtgggatattaatttttatcccttacctaaaaagagagaaaagagaaaataactatttaaaaagagtaccaccaga attt gaagt tetteaa caa aggaaa taa acaettea at geteaat cetta gagteag teaeta gatee caa aa agaa t gateg teaeta gatee caa aa agaa t gateg teaeta gatee caa agaa t gateg t gaa cattagtatatatatatatatataaaacacagcttatattatattaatgagtgatgcgcgaggacggtggtgacactacatggccaaaacaagaa at gta att tia att tittittitta agtatta et ctate ctt gaat att agtetta aat et te aa agae et tigegaa egaa geaat et tigte et gaat att agtetta aat et tigte et gaat ag ea at et gaat att ag et tigte et gaat att ag et tigte et gaat att ag et tigte et gaat ag ea at et gaat att ag et tigte et gaat att ag et tigte et gaat ag ea at ea atgatgettttgeetteatttteaagtttgtttaeaettteaagtegtttttteaatgeattetettteetttettgggaeeeettgtetttaaeaegegene totalisest till selection of the property of the propeggtaagaaaaggggaggagaaaagtaagaatgaaaacatataacaaattgtgattgaacttttccatgacgtaatgaaaacattaattttaagataagette aactee taagaagagatat gte aaagaa act taggat tittiete tattataa eggtaa attae teateetti taaat gatta aagataagette aactee taggat taggat tittiete tattataa eggtaa attae teatee taggat taggat tittiete tattataa eggtaa attae teatee taggat taggat tittiete tattataa eggtaa attae teatee taggat taa atttgegttgttgaattegttgtaa agggaaa atea agaagtetette acgggaa agttatatea aagtatea tatatae tagaette at general agggaaa agttatatea agggaaa agggaaa aggtatea agggaaa aggtatea agggaaa agggaa agggaa agggaa agggaa agggaa agggaa agggaa agggaaa aggta cttt gaatttagt tattgaccgt taa atttaggggt gagt tgttttactat ctcttactca att gcttttattcaacgcaa attctagt tagged aggtagt to the same of the same oaggatttt cagcccaa attaa aagaa gttttacggttt gattctctacaa actt gaatt gagatttctaa tttcagaa atcaa taattgcggtctaa actt gagatttctaa actt gagatttaa actt gagatttgtaa actt gagatttgtaa actt gagatttaa actt gagattaa actt gagatttaa actt gagattaa actt gta atta acte ta ta atea aacettt ta acce a atetti tete ca atte tetega atta aga ca atea aa atta aacte acacega atetea ca acce acce acce acce acce at the contract of the contract acces and the contract access and the contract access access access and the contract access aSoyabean genomic DNA encoding an EPSPS (SEQ ID No. 32) aaaagtctgaatgaagtgaagttgttgtgttagggggatgctgaatttgattttaatttaatttaaattaaattacctgtgtaaaggatttttgtaagtgaagt30 accat gtaa attttttaat gggttt gttttaact gat gtt gtttttgat at gtac gt ggtaa gt gat gag tit gt gcat at ctt gat can be a state of the sta

a agact gaagt tgaagt tgt tgt gt ttt gggggg tt gact cttt taggaag ag gatt tgagggaatt tcgccaat gggggag cagaact cccaat gggggag cagaact cccaat gggggag cagaact cccaat ggggag cagaact cccaat gggag cagaact cccaat ggaact cccaat ggaagggacaccctgagaattttgagactccgggaattgaagttacaacaggtttgatatgagttagagtttgtataatagaatagtaattctttttattttttattttattgtttatttatccattattgctatttttgtaggtcctcttggtcaggggattgccaatgctgttggtttggcccttgcagagaagcacttggctgcaagatacaacaagcctgacaatgagattgttgaccattacacgtaaaaataactaaatcatacacaacttgcaagact ttagttgttgttgttttgctaatggcgtttgttttatgcaggtatgctattctgggtgatggttgtcaaatggagggaattgcaaatgaagcatgctcacttgctggccactggggaactggggaagctgatagcattttatgatgacaatcatatttctattgatggtaacacagagattgcgtt caccgagagtgttgatagtcgttttgagggacttgggtggcatgttatttgggtaaagaatggaaataatggctatgatgatattcgtgct gccattaaggaagcaaaagctgtcaaagacaaacccacattaatcaaggttagtttactaattgtggcaatgatatgcatagatttctggc ttgtagttaccataaccatcataatctgtcatgatttatagggattcttttaaactaaggttataaacatgatatgttactaaagactgcattgcattgtagtacctcatttgagaaactggaagttataggtgggaaatcaaaatagtaaattatgggtcagtttattaagtgtagctggtttgtcttttgctaactctatcatttcacaggtcacaaccaattggttatggttctcctaacaaggctaactcctacagtgtgcatggaagtgcactgggtgccaaagaagttgatgccaccaggcagaaccttggatggtcacatgagccattccacgtgcctgaggatgtcaaaaagtatggataattgaaatctattatcaatggtgaattccctgctggttgggagaaagcacttccggtgagtaaattctaaactcacaggtttttcttacatgt gcccttgcaaaggttcttcccggtctgcttggtggcagtgcagatcttgcttcttccaacatgaccttgctcaaaatgttcggggacttcca aaaggatactccagcagagcgtaatgttagattcggtgttagagaacacggaatgggagctatctgcaacggcattgctcttcacagcc ctggactgattccatattgtgcaaccttctttgtattcactgactacatgagaggtgccataaggctttctgcgctgtctgaggctggggttattt at gt cat gac cat gatt caa tag gac t t gag aa gat g g g caa c caa c ca g cat at t gag cac ctag gaa a gat t cag gac aa tag gac aa tag gac at gas a gat gag a gatccaaacattttgatgcttcgtcctgccgacggtaacsgaaacagccsgagcatacaaagtggccgtgctcaacaggaaagagaccctcaactccactggcaacaagcctgatgtcattttgatcggaactggttcggaattggaaatcgctgccaaagctgctgatgacctaaggaactggaactggaaattggaaatcgctgccaaagctgctgatgacctaaggaactggaaattggaaattggaaatcgctgccaaagctgctgatgacctaaggaactggaactggaaattggaaattggaaatcgctgccaaagctgctgatgacctaaggaactggaactggaaattggaaattggaaatcgctgccaaagctgctgatgacctaaggaactggaactggaaattggaaattggaaatcgctgccaaaagctgctgatgacctaaggaactggaactggaaattggaattggaaggaagggaaggctgttagagttgtttcccttgtttcttggggaactttttgatgagcaatcagaagcstacaaggagagtgttttccctgttgggattctaagtgaagaagcaacatagatcaaagaattttgtgaacttgtaataactatttgacaatttagttttgcactgccacatggttaatggccgtgttttgttcattaagaaatgttgacatggatagtttgttgcatggtaaattggtgattaatacctttttaagcttcttttggcaagtt

30

10

20

PCT/GB01/04131

acttgtctatataagttccttatggaaaaaggacctacaaaataatttaaaaatgctgaatttgttaggaagtttgacaactttagacattaatgcca at ctctccct agtgaact gtt attctc attca gttttt gta agttca ccttca aattttca attttttttt gacaaaaa ta tcttt gatggaact gta agttca ccttca aatttt gatggaact gta agttca ccttca aattt gatggaact gatggaact gatggaact gatgaact gatggaact gatgaact ggttggtgagagtgaaacggagaacagtgtctccctcacttggtcttctgagtcgagtcctattcatcaccaacccactcgtcaaaattgtt gttttaaagtaattatcttatatatgtacccaaaagttttaaagcaattattataaaaaagtaaaattttatcatatacaataatctataattacatgaaagtataatttttaaattattaatacgttaaaattattttttaaaatttgaatgatcatatagtaattttattttataccaagtcccaacatttcct ttttttaagaaatttgttcaaacatatttttatgacatgtcaatgcttgagagatataaggtgagttaaatcataaatgattaaagaaaaataaatecaacaaccteteacaccaccaccaccaccataacteataaggeeaaaaccattteteacaaaaccetteattacacacattattateattat caca caca caca a a a a a cacaca cacaca a cacaca cacacggaaaatcgaaatggcccaagtgagcagagtgcacaatcttgctcaaagcactcaaattttyggycattcttccaayyccaacaaacycaa at cggygaat teggt tte at tggggceae geet ttggggkseet caa aat ctegeate y grtgmayaa aam tggaag cyttatgggaaattttaatgyggggaaagggaaattccggcrtgtttaaggtttctgcatcsgtcgccgccgccgcagagaagccgtcaacgtcgceggagategtgttggaacccatcaaagacttctegggtaccatcacattgccagggtcyaagtctctgtccaatcgaattttgcttcttgctgctctctctgaggtaaagtttatttatttatttctgtatccaaaaatgtaaattgttagtttgttaatttttgttagcagtgagagtcgaact

30

10

15

20

ttt ctg tataa aggagt at gc tag caat gt gt taataa t gt ctt gt taaa ag tat gg at gg ctaaa at aat cataa aa at c gagt gg gagt a ge gagt gagt aggagt and gagt gagt gagt aggagt and gagt gagt gagt aggagt and gagt gagt gagt gagt and gagt gagt gagt gagt gagt gagt aggagt gagt gagtggttgatattccaatacattcatgatgttatttacgggaacgcaatattgactgttgattttatctgcagctgagattatatactatatcctttttttattcttatttagggaacaactgttgtagacaacttgytgtayagygaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggacccttggacttaggaggatattcattacatgcttggtgcattaaggaccctttggacttaggaggatattcattacatgcttggtgcattaaggaccctttggacttaggaggatattcattacatgcttggacattaaggaccctttggacattaggaccctttggacattaggacaacttggacattaggacaacttggacattaggacaacttggacattaggacaacttgacaacttggacaacttggacaacttggacaacttggacaacttggacaacttggacaacttggacaacttggacaacttggacaacttgacaacttggacaacttgacaacttggacaacttgacaaca at caatt tatteett ggaaat get ggtact gerat gegteett t gae ag et get get gegen gaaat geaa ggtet gtt tittig te general gegen gegentatactgattacactctgaggaatgcacctgagggtcttaatcatgatctatttcaaccttgccactttcttcttttattattagatcacctatcat aattggggatttggttgctggtcttaagcarctyggtgcagatgttgattgctttcttggcacaaactgtccacctgttcgtgtaaatggga agggaggacttcctggcggaaaggtatggtttggatttccattagaataaggtggactaactttcctggagcaaaattctaatttataccctatattetttaatttgataaatttittaaaegaaggaatatgaagatagattageataaettaatgttttaatettttattattataaatattatata cctctatttaaadacaagatatttttcctccattccctttaaaacctcagttccaaatataccgtacttgaattatattttggaaggtgta ttggttggagacctttccttttcagaggttatccctcacctttattatagcctttctactctcttaatgagttcattgtgcattgagtcattgaacttgttagcagtcaatacytractgctttgcttatggcagctcctttagctcttggygatgtggaaattgagattgttgataaactgatttctgttc catatgttgaaatgactctgaagttgatggagcgtttttggagtttctgtggaacacagtggtaattgggatargttcttggtccatggaggtcaaaagtacaagtaggtttctatgttttagcattacatcactttttagtatccaaaatgcaatgaaatcaaaactcatgttttctatcaggtctc ctgg caatgcttttgttgaaggtgatgcttcaagtgccagttayttmctagctggtgcagcarttactggtgggactatcactgttaatgg25 gtgattatcctttttagtaaactttttttttgtgtgtcttttaaataattgatatcatcatatgaattcacacatcatctctatcccttcctcattttattaagcttg cacagta cattag ctttggtg acaattgtg at gatag acataacctcccat g caacttattatgttgtttgcttaaacttcttttg30 cacttaaacacggattagagagagtgaggatgaacaataataacagacacaaagcttagttttataccacccggcacccagtggtgaa

5

10

15

gat gttccct gtgcaaaaacag gttcaccgacaaaaagagaacatctacaagttcctttacacatgccaaaaaattcctcaactgaacaattggaacteteeatacacagaaagacgtatacaaaggataacagacaaacagaaacttagatatactcatacagagaagaattacaggatg a a tot gaga a attta att gggaaa act gaggaaa at ag caa gggtt to agaat to attt t gacga taggcaaa to at ggac taa ct taga caa gggaaa at taga caa ggaaa at taga caa at taga caa ggaaa at taga caa at taga caataa atto cattatttttta atttgtgcttatgttaa actttgtccttctttcaa agggagatgtaa aatttgctgaa agttcttgaa aa agggagatgtaa aatttgctgaa aggttcttgaa aggatggagatgtaa actttgtccttctttcaa agggagatgtaa aatttgctgaa ag ttcttgaa aggatggagatgtaa actttgtccttctttcaa agggagatgtaa aa atttgctgaa ag ttcttgaa ag ag ttcttgaa ag ttcttta aggtta catggt cagaga acagtgt cacygttwetggaccrccac rag attyttetggteraa aagtettgerag geattgatgte aatter to be a considered on the considered catggt can be a considered on the considered catggt cataggt catggt catggt cataggt catggt catggt catggt catggt catggt cataggt catggt catggt cataggt catggt cataggt catat gaa caa gat gcca gat gtt gccat gac wett gcy gtt gty gcac tatt t gcta at ggt cmm actr cyat maga gat ggt at ggt the same of the same ofctaaccat gtgaaat gcttgaatttttagcttgaaaacttcttttgtggacaatttttcttttatctat ggattgtggggcatctat gttgttcctttaagette gtacaacet gg tet gt gg get gg te cag te ct tet tacte at gac ag tet ttt geag taaac t gg ttaaac tt gg gt gac et gt te gac ag te ttt geag taaac tt gg gt gac et gt te gac ag te tt g25 ctt caa tag ttttcttctta at categoa agg cactag ag t g cat at t gaa tat g tag aac at g g aa g g ctt aa at at cttttt ag t cttt g caa tag g aac at g g aa g g ctt aa at at cttttt ag t cttt g caa tag g aac at g g aa g g ctt aa at at ctttt ag t cttt g caa tag g aac at g g aa g g ctt aa at at ctttt ag t cttt g caa tag g ac at a g a g ctt aa at at cttt t a g ac at a g a g ctt aa at at cttt t a g ac at a g ac at a g a g ctt aa at at cttt t a g ac at a g ac at30 ggtaaagttgtgccttggtgacttgttggtcatgggttcgaatccggaaacagcctctttgcatatgcaagggtaaggctgcgtacaatat

5

10

15

WO 02/26995 PCT/GB01/04131

ccctccccataccttcgcatagcgaagagcctctgggcaatggggtagaaaaagaagaatgctttagataacactttttttgttactgtt caaaaaaacaaaaaaaaaaaaaaaaattgcaaggaccaaaaatatatttaaaccaacatgaaattatggtataaaaccattcatatgtctt catcta at agcttt agg at agtt gg tta acaa tat gg tatta gag tctt at gatt ttt tagg tgg tctt tt gag ttc aat cctt gct gct catcta at agctt agg tct tt tagg tgg tctt tt gag ttc aat cctt gct gct catcta at agctt agg tct tatta gag tctccagttctagttaatttctttttggtccacttcaaataaaaagttgaatttaagggtaaggcagctggacctgcgcattaatcatgtgtcaggactt g tattattac ag t g tota a actt g actt g tattattac ag t g actt g actt g tattattac ag t g actt gatttgtttattttttccaatctttttaacaattgaaaggttttagttgtatccaatctttttatacatttggactatctaccatatcatttagcaaacttgtttgctgctcagattctccttttggactatctaccatatcatttagcaaacctgttcactgctcagattctcatttattctttgtttcctctatttttcagtggcaagttggagagttaaagagactgagaggatgatagcaatctgcacagaactcagaaaggtgagtgtcttgctaattcctttatg gtttcgatattactggactttttacatctcactgacctactctgtcttggtatttcagctaggagcaacagttgaagaaggtcctgattactgtgtgattactccacctgagaaattgaatgtcacagctatagaccacatatgatgaccacagaatggccatggcattctctcttgctgcttgtggggatgttccagtaaccatcaaggatcctggttgcaccaggaagacatttccygactactttgaagtccttgagaggttmacaaagca ctaagcattttgtacattgagtaggaagagagagagagataaatactcacaaaaacagtgagtatatgcatggctttgcttttgtttcttaaca ttcccttgtaagaacttgagataatttgtattgttggaaagagctattgattctgttgtatcaaagtaatttaatttccagtacagacttggctctttag caga taatat gtggtgac cagaaaa tag tctag cagaaa tag acct gtgat tgcat gttt gaat tcaggac tttaatta atgagtga caatgtta aa aagctcgccaa caggagttga cacatctgattgagtcttctatta acactaa ctgtaacttgagtttgattataacttttatatcaaaaaaagattgctaaaagcttgagtggcatgcaacaaatagcaatgaaagaatgactatggccttgggaaccaaatg tg caaga at tittgg ctact ctt at aaat get gt geggeaaa gactae ggaaaa aat at aaat tattge at at ctag ag gt teat tget and the stag ag get to at the stag ag gattttaagtetatteataegaaaaaaatatttattagaaaagattaatttattaaatggateteaatatttaagaaaattaaetttageteteaaeaaaatgatgatatgegaattgaaagaaagaaaaccataatgtaagtgeagttttetetettttttaatattatteaatateagattgeacatg ggaaggggtattggctcatgtgggatattagtttttgtcccttacctaaaaagagagaaaagagaaaaataacaatttaaaaagagtacca

10

15

20

25

aagaatttgaageteteeaacaaggaaataacaetteaateettagagteateetetagateecaaaagaatgtgatgtttatacaeattag gcaccttgtgaacgaagcaatcttgtcc

EPSPS 10 reverse (SEQ ID No.33)

gcacarcgigcaagigaraaigccatigccat

EPSPS 4 forward (SEQ ID No.34)

gcwggaacwgcmatgcgiccrytiacigc

10

15

20

SEQ ID No. 31 with double mutation (SEQ ID No.35)

tetgattteeteteeaaaggagggtaegtaggageaaaageeeegettttgtegaeettaaaaaaataaaaagaaacaaaagttaaggta aca ca attice a ca attice again at a aggst get the constraint of the constraint ofcgaacttagaattttcattttgaccggtttccttcggttttcccgacgttttccacaaataaacgttggtggcgactccgcgcatctttcctcctttggaaagcgcacccatgagcctcgcctcgctcgcccgcgaagggcacgttgcgacactaggttaataagaagtttagtccacatatctatggacctcttaaggtgattatcaaagtggaagtggtgacctacatgttggccctaccagcttattcgtatatttacccccatcaaccatgtateteagetgaaacatgetateaateeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagtettaataeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagtettaataeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagtettaataeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagtettaataeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagtettaataeaaatgttateagaggaacatgagetgeatgtteaaceagaagtagttetagatettaataeaaatgttateagaagtagaacatgagetgeatgtteaaceagaagtagttetagatettaataeaaaatgttateaaceagaagtagaacatgagetgeatgtteaaceagaagtagaacatgaacatgagaacatgagaacatgagaacatgagaacatgagaacatgagaacatgagaacatat gt caa at gg caca agt gag at ttt gaat tt ct gat gt tg taa aa at ct cag gac at gaat act at t gg gaa gc aat tat tc at act tc according to the state of the statgagagaaaagaacaaaggagcctacggtgtgagatgagagaatttgaaattcttaccatttaggtggaatttcaattctacaattttattct25 atttggagagtgttgtgtgtgtctcccctgtaggcaaaagcttcgatgtaaaggagttcaatgtccaataacctatgctttctatccctcg30 gcaaagtgcaaggtaatatgctcctcaacatcaattaacaaatgttcatgacatctcttaccagctccaacttggggacgtttgacaaaca ccaccgt caagtt to cttaa at gcaa catta at gtt gct cattt caaggaggagaa tagtt tt ggt gt cgg cat gatact ccat caaggaagattegte a angete acte acgttite gac atgggte gac atgggttacct gac ceaa agget gagget tagget tagget tiggt tig acte angete acte and acte access and access and access and access access access access and access access access access access and access acceat any attate ctattigt ge at gaat ge gacca actate te ct gitte age attata a ag tata a acca acca actte titta at ca ag gg actate and a similar to the contract of the contractaaagatattggacatacaagctaaaagtgatagaatttgagaaaacaaatattgacaacaatattcaagaggacactaaaacataattct ataatattctattataagtaaagaggaataatttatcgatgtctcatttttgagatagttcaccgaagccaatttttttacttttttctcttcaatca agaataatattaatttattetgtttacaetatgtataaegaaattaaatatatteatttaatatgattttattttetttaatttaaaaacatgaattattt gtttcttattttattaccattttgttcacttctcaattaataaaataaaaatatattctacaattatagtaaaaaggtttaattttatataatgttagcaaaattatttaaaatttttgaatgataatataataattttatcetetaetaagteecaaegttteetatttatteeaettttageaataaattttgteatttatacattgataatataaattttttacataattatccgatcaactcattatatatgataaatttattgatttttaaaaataattatcttaaaataatttaaacaatgatttgcaattagatgataatataaaattattttacacactacatgtattaaactcaaacttttatatattagtttttctaaaaactaatttt taactcaaaaaaaatgttacttataattttcttatcttctttttttataagtattttttaagaaatttattgaaacatgaccatgcttgggtcaataat caagtgag cagagtg cacaatcttgct caaagcactcaaatttttggccattcttccaactccaacaaactcaaatcggtgaattcggtttcattgaggccacgcctttggggggcctcaaaatctcgcatcccgatgcataaaaatggaagctttatgggaaattttaatgtggggaagggaaattccggcgtgtttaaggtttctgcatcggtcgccgcagagaagccgtcaacgtcgccggagatcgtgttggaacccatcaa a agcat cat gacat gacat gacat gacat gacat ta agt ggctt at gat gacat gagtag caata ag catatt caatat ctgg attgatttggac gttt ctgtataa ag gag tatgctag caat gtgtaat gtat gg cttgctaa aatat

30

5

10

15

20

a agatt att tatt tatte ctc taa agt gacta att ig agt tgc tta ctt tag agaa g tt ggaccc att agg tg aga g cg tg gg gg aacta at call the state of the sttgaatatacaatctgagtcttgattatccaagtatggttgtatgaacaatgttagctctagaagataaaccctccccaaaacacaaattatct gtttttttttttagggaacaact gtt gtagacaact tgtt gtatagt gaggat att cattacat gctt ggt gcattaaggaccct tggact gctt gaggat gaggatgtgtggaagatgacaaaacaaccaaacaagcaattgttgaaggctgtgggggattgtttcccactagtaaggaatctaaagatgaaatc gttcag cata at ctttga at tigt tecteg tata acta at caca acag agta eg tigt tette tigt tata at cta aa aat et cate cag at tag at the control of the control oft cat cett tetta aa aggaa accttta attat caat gtattta titta at attata actt get caa agte tagcat at acat attit gattat at the contract of the coctgagaaatgcacctgagggtgttcctcatgatctacttcaacctctgttattattagattttctatcatgattactggtttgagtctctaagtaggaaactgtctggatcagttagcagtcaatacttgactgctttgcttatggcagctcctttagctcttggtgatgtggaaattgagattgttgat cact gt taat ggct gt ggcaca ag cag tt tacag gt att cat ga at ga cact at ctt ct att at ctt tat at ttt at a gct tacact at catt cot a second or catter at the contract of the contract could be a second or catter at the contract of the contract contract contract or catter at the contract of the contract contractt caaccccct tcttttctctttcccctcactcccaaaatagagcttatcattgtatccttaatagctcttttatgtgctgtttcatctcttgagcagcaca att cattagettag tagatag tagatag cata at ctt ceat gea actt att at gettitt gea cata at ctt cat gea actt att at gettitt gea cata at ctt cat gea actt att at gettitt gea cata at ctt cat gea actt att at gettitt gea cata at ctt cat gea actt att at gettitt gea cata at ctt cat gea actt att at gettitt gea cata at ctt cat gea actt at the gea actt at thcatgaattagagagttaggatgaacaatagtaacagacacaaagcttatttctagaccacccagtggtgaagacgaagcagcatgagt 30 aggete acctace a a aggete taca aggete et the case the contraction of the contraction of

10

15

20

WO 02/26995 PCT/GB01/04131

gtgcagagagaaaacagaaaatgaagaacttgtgtattgaaggaattgaaaagccaattacaattgtgttgcagagagatatttatagtt ctgaagtgtataactaaactaaacagaatgctaccaaacctagaggcagttgagaattgctcccttattacaatactctcacagccttgatgataggettgatttgetgecaccgaagaagaacattattgttggagagtttttcagtgattgcatcagagaaagttacaagtgtgattggagatgaaggacttgcggtcgtcgaaggttaagtgttaagtggtggaatgtgtatcggaggtggttgcctagcccaagaagctggttgcagtg gaageggatgeggeagaageeatgggtteagateagaaetatgttetagataeeatattagggttagettteaagagaaaaettatgaa t caatgagg teet teaatggtgatttttcaccatggagatgcageggaagataaatgaagaggtgagagggggtcatccactaggaagatgaataaactatggaagaaggagcttcaccaccaagagagtgtcttggataagaagcttagagaggaagcttcaatggaggaatagaaa aaaagtteetaetaeaaagattaeteaaaatgteetgaaataeaagaetaaaaetetataetaetagaatggteaaaataeaaggteeaaa agaaggaaaaacctattctaatatttacaaagagagtggacccaaccttagtccatgggctcagaaatctaccctgaggttcatgggaat gggaatatatatacagttgtaagttgtaactacctaatcaaacccaactgactcaccatacacagaaaaacaatgtacaaaggataatag aaaaactgaaactgagatatactcattacatagaagaattacatgatgaatctgaaaattttaattgggaaactgaggacaataacaagg gaaggagggaaattttttaattctagtaaatattctctattttgattaatttttaaaataaaacaaataaacttatagattagcattcacttaatgtttgtcctgttgtctgttttcttttttttttagtgtctcgcctttccttaattccttatcaacaccttgtttatttttgaaaacttaaatgtcctcattttttttacctgtactataactttccaaacaaatagtagaaaatgtttcaaatattccccagaactgtttcagtgaacaaagttcaagccagaataga agt gg gt tg attag tt tatac gaac a attatt ta aat ag gg tt gat gg tt gat gg tt aattac tg at cat at gt ta ag ac tat ga gg tt gat gg tt gg tt gat gg ttaccage ctcagtg cagt cattttaagttccattattttttaattgtgcttatgtttaactttgtccttcttttaaagggagatgtaaaatttgctgaacttgtcagtgcagtgtaaaatttgctgaacttgtgctgaacttgtgctgaactttgtccttcttttaaagggagatgtaaaatttgctgaacttgtgaacttgtgctgaacttgaacttgttcttgaaaagatgggagctaaggttacatggtcagagaacagtgtcactgtttctggaccaccacgagatttttctggtcgaaaagtct tgcgaggcattgatgtcaatatgaacaagatgccagatgttgccatgacacttgctgttgttgcactatttgctaatggtcccactgctata

5

10

15

20

25

tta atgaa attatta taattata atattgaa attggat cacta accat gtgaa at gcttgaa atttttagcttgaa accttctttt gtggat gattatta attata attata attattagaa attggat gattattagaa attggaa attgtttcttttatctatgtagtgtggggcatctatgttgttcctttaagctttgtgtcatagttgtacaacctggtctgtgggctggtccagttcttactctacttataagatttcaacatgatacttgaatgaccacccttactttaaaggtcattatgccatcagaccccttgattctctgttcagttatgttcatggaaggcactagagtgcagtgcatattgcacaaggttctttaatggcatcttgaatttgttagaacatggagttatgatatacaaccattcct at g tct tcat cta at a g cta a a g ct ttt g cgt a g tt g g ta at ct ta tt tta a a g g tcc at ct ta tt cgc a a g ta ca aaccta aggaactt gaat gettet tig tiet gagat ett tattittittietee caateittitaataett gaa aggtittag tig tatetataa agggtigen accta aggaactt gaat gettet tig tiet gagat ett tattittittietee caateittittaataett gaat aggtittag tig tatetaa agggtigen accta aggaactt gaat gettet gagat ett tattittittietee caateittittaataett gaat aggittit ag tig tatetaa agggtigen accta aggat ett tattittittietee caateittittaataett gaat aggittit ag tig tatetaa agggtigen accta aggat ett tattittittittietee caateittittaataett gaat aggittit ag tig tatetaa agggtigen accta aggat ett tattittittittit ett een accta aggat ett tattittittittietee accta accta aggat ett tattittittittietee accta accta aggat ett tattittittittittietee accta accta aggat ett tattittittittittietee accta accta accta aggat ett tattittittittietee accta accta accta aggat ett tattittittittietee accta a tet geaca gaa acte agaa agg tet t get a atte et that get the tetral transfer of the ttt cage taggag caa cagt tgaag aag g teet g attact g tg tgat tacte cacet g ag aa att g aat g teacage ta taggac acat at g a cacet g ag aa att g aat g teacage ta taggac acat at g a cacet g ag a cacet g ag aa att g aat g teacage ta taggac acat at g a cacet g ag a cacet g accet g ag a cacet g ag a cacet g ag a cacet g ag a cacet g accet g accetcacaa ag cag t gag tatat gg ctt gcttttgtttctaa acattcctttat aa ggactt gag at aattt gtatt gtttaa aa gag ccatt gg ttctaa acattcctt tataa ggactt gag at aattt gtatt gtttaa aa gag ccatt gg ttctaa acattcctt tataa ggactt gag at aattt gtatt gag ac tatag gaggtigtat caa agta attta atttt cagtaccga cttggctctactcatatgtggtggtgtacattgcatctttgcatttgattccatatctattgggatgggaccatacattttttgtttattatttaagtcaaacatatcagataatatgtggtgaccagaaaagtgtctagcaatcaaatgggtctgtgattgcatgtttgagttcaggacatttattaatgagtgacagaattttaaaaaagctcgccaataggagttgccacatctgatcgagtcttctg agca at gaa agcat gaccat ggcctt ggggggcca aat ggccat gtacca cttttcca cct act t gagagccat ggtcct gaat gaggt accat gat gagagccat gagagcat gagagccat gagagcca25 ccttttgtttcattttttttacaataaagaaagttcatattcttggcaatagcaaggcaaatcatttgtggaagtcacatgaaattcaccatagg ctt cattgtt caa at cett tagt cacta agge caggge ctatgt aa gaatttt gacta ctett gta aat get geggtaa agacta egggaatt tagt can be a supplied on the control of the control of30

10

15

WO 02/26995 PCT/GB01/04131

- 54 -

ggaagggtactggctcatgtgggatattaatttttatcccttacctaaaaagagagaaaagagaaaataactatttaaaaagagtaccaccaga attt gaagt cet caa caa agaa at aa acactt caa teet tagagt cag teactag at cecaa aa agaa t g t g at g t tacac agaa t g t g at g t tagagt cag teactag at cecaa aa agaa t g t g at g t tagagt cag t ctcctgtgattgttctacactagtccttacgtgtacctaagcacatgatactttgctgccctaacataaattgtaccataaggattcttggggaattcttggggaattcttggtgattgttctacactagtgattcttacgtgtacctaagcacatgatactttgctgccctaacataaattgtaccataaggattcttggggaattcttggggaattcttggtgattgttctacactagtgattcttacgtgatacctaagcacatgatactttgctgccctaacataaattgtaccataaggattcttggggaattcttggggaattcttggggaattcttggatgatacttaaggattcttacgtgatacttaaggattcttacgtgatacttaaggattcttacgtgatacttaaggattaaggattcttaaggattcttaaggattaaggattcttaaggattaaggattcttaaggattaaggattcttaaggattaaggtaagaaaaggggaggagaaaagtaagaatgaaaacatataacaaattgtgattgaacttttccatgacgtaatgaaaacattaatttta atttgcgttgttgaattcgttgtaaagggaaaatcaagaagtctcttcacgggaaagttatatcaaagtatcatatactagacttcatggctct caa gt tc g catt gaa at taa at aa accaat g cat at taa g g c g taa at ctaa accat gt tt g tt tc at ct t g ta t ta at taa at cat g ta taa accat g tt t g ta t ta at cat g ta taa accat g tt t g ta ta at cat g ta at cat g ta ta at cataggatttt cagcccaa attaa aagaa gtttta cggttt gatt ctctacaa actt gaatt gagattt ctaattt cagaa atcaa taatt gcggt ctaatt gagatt taatt gagatt gagata atta acteta ta atea accettt ta accea at ettitic tea attetet ga atta agae a atea a a actea accega at et accee acces acces a atea acces acces and a second acces acces and a second acces acces acces and a second acces acces acces acces acces and a second acces aaccacccattattatgttcccttaataaatctcacacttaaaaaccctcctcacccataattaacccaaaaggaagtttcctccacacaaaa aatateettaaacaaagageetetataaatetatttaaaaaaaeeeeeaaatttaagga

25

5

10

15

SEQ ID No. 32 with double mutation (SEQ ID No. 36)

a agactga agtga agttgttgtgtttggggggttgactcttttagga agaggatttgaggga atttcgccaatgggggagcagaactccgggacaccctgagaattttgagactccgggaattgaagttacaacaggtttgatatgagttagagtttgtataatagaatagtaattctttttcaccgagagtgttgatagtcgttttgagggacttgggtggcatgttatttgggtaaagaatggaaataatggctatgatgatattcgtgctttgtagttaccataaccatcataatctgtcatgatttatagggattcttttaaactaaggttataaacatgatatgttactaaagactgcattgcattgcattataaccataatcataatctgtcatgatttatagggattcttttaaactaaggttataaacatgatatgttactaaagactgcattgattgtagtacct catttgagaaactggaagttataggtgggaaatcaaaatagtaaattatgggtcagtttattaagtgtagctggtttgtcttttgctaactctatcatttcacaggtcacaaccaattggttatggttctcctaacaaggctaactcctacagtgtgcatggaagtgcactgggtgccaaagaagttgatgccaccaggcagaaccttggatggtcacatgagccattccacgtgcctgaggatgtcaaaaagtatggat aattgaaatctattatcaatggtgaattccctgctggttgggagaaagcacttccggtgagtaaattctaaactcacaggtttttcttacatgt ttg taacttttcaaggtttggattacatactatccaaagttgatcatgatttcagttttgattttggtagtattggggcttcaaaaagttattccaaattggatttgattttggatt20 attaaaacctggetteeaatttgattteagacatacacteeagagagcceageggatgceaccagaaacctgteteaaacaaaccttaata a aggata ct c cag cag ag c g ta at g t tag ag tag ag a acac g g a at g g g ag ct at ct g ca a c g g cat t g ct ct t cac ag c cat g g cat g c cat g c cat g catctggactgattccatattgtgcaaccttctttgtattcactgactacatgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctttctgcgctgtctgaggctggggttacttgagaggtgccataaggctgcataagg25 ccaa a catttt gatget tegteet georga cgg taa es gaa a cage csg ag cata caa ag tgg cegt get caa cag gaa ag ag accet georga consideration of the contract of the contract graph ocaactccactggcaacaagcctgatgtcattttgatcggaactggttcggaattggaaatcgctgccaaagctgctgatgacctaagga aggaagggaaggctgttagagttgtttcccttgtttcttggggaactttttgatgagcaatcagaagcstacaaggagagtgttttccctg30

10

atctagaacttttgatttttttttgccttctggttttggttgagagcattccatgtcatgaataagaaaaaggttaaatatccttcgattgggaat ttgggattctaagtgaagaagcaacatagatcaaagaattttgtgaacttgtaataactatttgacaatttagttttgcactgccacatggttaatggccgtgttttgttcattaagaaatgttgacatggatagtttgttgcatggtaaattggtgattaatacctttttaagcttcttttggcaagttacttgtctatataagttccttatggaaaaaggacctacaaaataatttaaaaatgctgaatttgttaggaagtttgacaactttagacattaat aattgtttttttttcatatatatatatgactttcaaaacttgtctatatattataaattcgttatggaaagggcgaccacacgtaaaacgtaacat aaaaatctttataaaataaaataaaacatttttttgttataaatttcagttgaaatacataaccattaattctacagagtgttaatgttgatgtaaagttggtgagagtgaaacggagaacagtgtctccctcacttggtcttctgagtcgagtcctattcatcaccaacccactcgtcaaaattgttgttttaaagtaattatcttatatatgtacccaaaagttttaaagcaattattataaaaaagtaaaattttatcatatacaataatctataattacat aaatttgtataaactttcttatattagttittctgaaaactaattitaaattatacataaattgaatttactgataattitttattttctttttgtataagtg ttttttaagaaatttgttcaaacatatttttatgacatgtcaatgcttgagagatataaggtgagttaaatcataaatgattaaagaaaaataaatecaacaaceteteacaccaccaccaccataacteataaggecaaaaccattteteacaaaaccetteattacacacattattateatt ggaaaatcgaaatggcccaagtgagcagagtgcacaatcttgctcaaagcactcaaattttyggycattcttccaayyccaacaaacy gggaaattttaatgyggggaagggaaattccggcrtgtttaaggtttctgcatcsgtcgccgccgccgcagagaagccgtcaacgtcg

10

15

20

25

ceggagategtgttggaacccatcaaagacttctegggtaccatcacattgccagggtcyaagtctetgtccaatcgaattttgcttcttggtata cata tota caggaa at gtatta ggt gagg cattt ggct totatt gc gagta aggaa caagta at ctc agt ta at gt gaa aa tota aggaa at gtatta ggt gaggaa totat ggt gaggaa at gagtggttgatattccaatacattcatgatgtgttatttacgggaacgcaatattgactgttgattttatctgcagctgagattatatactatatccttatggtgctgcaagttccgtgttactttcattctattatttttataacttttaattatttaatagatgtcttgtttggcataaactataatttattctgtttta at cast ttatte cttggaaat get ggtact gerat gegteet tt gac aget g tt get get ggaaat geaa ggtet gtt ttt general genertttgtttgttcatcatgatctctgaattgttcctcgtataactaatcacatcagactatgtgttcttcctccatcctgttataatctaaaaatctcatccagattagt catcett ctttaa at gaacettta attatat ctat gtatttatttaa cat gtaa attagett gtea ag tea agtatactgattacactctgagggaatgcacctgagggtcttaatcatgatctatttcaaccttgccactttcttcttttattattagatcacctatcatgattactggtttgagtctctaaatagaccatcttgatgttcaaaatatttcagctacgtacttgatggrgtgccccgaatgagagagaggcc agggaggacttcctggcggaaaggtatggtttggatttccattagaataaggtggactaactttcctggagcaaaattctaatttataccctgtttccccctctttagaataagacactaagggtatgtttaggagttgggttttggcgagaaagggaagggaagggcaatttttttctaataa at attettta atttta at atttta atttta atttta atttta atttta atta atttggttggagacctttccttttcagaggttatccctcacctttattatagcctttctactctcttaatgagttcattgtgcattgagtcattgaacttcct gtgaaaagaaattgtttacttttatttgttacctacatccttattcctgttttaaaaaaatactaagttttcttttagttatgccttcccctcctt attetete caa agaa aa ata ta ata gegaa t g tt attetete caa t g caa g g t g aa act g tet g g at cat g te de a construction of the construction25 caa aagta caagtaggttt ctatgtttt ag cattacat cacttttt ag tatccaa aatgcaatgaa at caa aact cat gttt ctatcaggt ctatacat cattacat cattacat cattacat caa aatgcaa aatgaa aatgaactgg caatgcttttgttgaaggtgatgcttcaagtgccagttayttmctagctggtgcagcarttactggtgggactatcactgttaatggctgtggcacaagcagtttacaggtattcatgcttgacactattttctattatcttttattttatggtctatactgtatcattcctaattcaaccccct30

10

15

gtgattatcctttttagtaaactttttttttgtgtgtcttttaaataattgatatcatcatatgaattcacacatcatctctatcccttcctcattttattatattt catta a cagt gataa a gataa aa aa taa att gt caa gtaa ag caa gt ta gcat gataa t gat gataa t gat gataa aa taa att gcaa aa taa gat gataa aa gaagcttgcacagtacattagctttggtgacaattgtgatgtagatagccataacctcccatgcaacttattatgttgtttgcttaaacttcttttgtctggetcaacaatagccattggttcaaacttgettttaataaaattgattacagaatcaaattettgaggaagccttcaagaactacatcatgatgttccctgtgcaaaacaggttcaccgacaaaagagaacatctacaagttcctttacacatgccaaaaaattcctcaactgaacaattgcca agagt cat gtt gcgaact tca ggtt ggagt tgac gaaatt tggt gcat gtat gat tct ggaaat gag cat gaagt ttt tcct aa gct cat gaaat gag cat gaagt ttt tcct aa gct cat gaaat gag cat gaagt ttt tcct aa gct cat gaaat gag cat gaaat gag cat gaagt ttt tcct aa gct cat gaaat gag cat gaaat gaaat gag cat gaaat gaaat gag cat gaaat gag cat gaaat gag cat gaaat gag cat gaaat gaaat gag cat gaaat gag cat gaaat gag cat gaaat gaaat gag cat gaaat gat a a a a g t g a a t g c a a g a a c c t a g a t a g a t t g a a g c a a g a t a a c a g c a a c t g a t c t t g c t g t c a g a t a a c a g c a a c t g a t c t t g c t g t c a g a c a g a t a a c a g c a a c t g a t c t t g c t g t c a g a c a g a t a a c a g c a a c t g a t c t t g c t g t c a g a c a ggtgaaggctgagtcttgatgataggcttgatttgcttgcgctgaagaagaacgttattgttgtagagtttctcagtgattgtatgagagtaagccaa agaagctggttgcggtggaggaggtggtggtgcagtggaagccatgggttttgatgcttttgagagaaaacatacgaaactggaggagaaacatggaagctggttggaggagaaaacatacgaaactggaagctggttgcggtggaggaggagaaacatacgaaactggaagctggttgaggaggaggaggaggtggtggaggaagccatggggttttgatgctttttgagagaaaacatacgaaactggaagctggttgaagctggaagctaggaaaacataacgaaaactaggaaaacataacgaaaactaggaaaacataacgaaaactaggaaaacataacgaaaactagaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaaacataacgaaacataacgaaacataacgaaacataacgaaacataacgaaacata act gtaa act ttt gtattat t gattag ct gatt t g gtag ta caa gag ag gaat at at at a cag ttt ta at gtaa ct acct a accaa acat gag act gat gag act gat gag act ggaacteteeatacacagaaagacgtatacaaaggataacagacaaacagaaacttagatatactcatacagagaagaattacaggatg a a tot gaga a tttta att gggaaa act gaggaaa at ag caa gggtt tc agaat tc atttt gacga ta ggcaa at cat ggact ta act ta gacga act to gagaat to gagaagttttetttetteagtgtetettgtettteettaatteettateaataeettgtttatttttgaaaaettaatttteeteattttttaaettataggetatactatagtatgtataactattcaaataaatagtagaaaatgtttcaaatattccccagaactgtttcagtgaacaaagttcaagccagaaaaa agaagtatatcttcttgtgaagagtagtctcaagtggttaattgtcaaattgtatcattttagaatacaaaattagaagtggtttgattagtttatacgaacgattatttaaatagggttgatgatgtggttaattactgatcatatgtgaagactgtgagtcgatgaccagcccagtgcagtcattt ta a attccatt atttttta atttgtgcttatgtta aactttgtccttctttca aagggag atgta aa atttgctga aagttcttga aa agatgggag college and the state of the state oagctgtttgtttgtgttcaagagcttgttttaacaaattgtttttttaattatggttaatgaaattattataattacactaatattgaaattggatca ctaac cat gtgaa at gett gaa at ttttag ctt gaa aa act tett tt gtggac aa tttt tett tat et at ggat t gt gggge at et at gtt gt te ctt tettag aan get gaa get gaa gedeel at get gaa gedeel at get gaa gedeel at gacceacceagattggcctgttctttttaaataaaacttggctacttataagatttcaacatgatacttgaatgatcacccttactctaaaggccattatctgttcagttatgttcttcttcttcttattatttttaatttattattattatccaacgatctgatctttgaacatgatgctggacaatcatcaaag

30

5

10

20

ctt caa tag ttt tctt ctt aat cat ggaag g cac tag ag t g cat at t gaa tag tag aa cat ggaag g ctt aaa ta tctt tt tag t ctt t g caa tag ag tag aa tag tag ag g cat ag ag tag ag taggtaaagttgtgccttggtgacttgttggtcatgggttcgaatccggaaacagcctctttgcatatgcaagggtaaggctgcgtacaatatccctccccataccttcgcatagcgaagagcctctgggcaatggggtagaaaaagaagaatgctttagataacacttttttgttactgtt caaagcactatctaaagtgctttgaggactaaacacaaaacaaaacataatttgcaaggactgaaaaaacaaaaaaataattttgcaagga ccagttctagttaatttctttttggtccacttcaaataaaaagttgaatttaagggtaaggcagctggacctgcgcattaatcatgtgtcaggatttgtttattttttccaatctttttaacaattgaaaggttttagttgtatccaatctttttatacatttggactatctaccatatcatttagcaaacttgtttgctgctcagattctcctttggactatctaccatatcatttagcaaacctgttcactgctcagattctcatttattctttgtttcctctatttttcagtgg caagttggagagttaaagagactgagaggatgatagcaatctgcacagaactcagaaaggtgagtgtcttgctaattcctttatggtttcgatattactggactttttacatctcactgacctactctgtcttggtatttcagctaggagcaacagttgaagaaggtcctgattactgtgtgattactccacctgagaaattgaatgtcacagctatagacacatatgatgaccacagaatggccatggcattctctcttgctgcttgtg gggatgttccagtaaccatcaaggatcctggttgcaccaggaagacatttccygactactttgaagtccttgagaggttmacaaagca ttcccttgtaagaacttgagataatttgtattgttggaaagagctattgattctgttgtatcaaagtaatttaatttccagtacagacttggctcttaatgagtgacaatgttaaaaagctcgccaacaggagttgacacatctgattgagtcttctattaacactaactgtaacttgagtttgattataacttttatatcaaaaaaagattgctaaaagcttgagtggcatgcaacaaatagcaatgaaagaatgactatggccttgggaaccaaatg ccatgtgacaatgtactgaatgttttagaatacagtctggtttgataataaaacgtgcataaagtccagcttatgttaactcttaattcatgga

30

5

10

15

20

FMVS35S90 enhancer (SEQ ID No.37)

FMV35S46 enhancer (SEQ ID No38)

GmTerm Bam (SEQ ID No.39)

25 ctgcagggatcctggttgcaccaggaag

GmTermEco (SEQ ID No.40)

gaattcccgggtatggtgaatttcatgtg

BnMUT2PST (SEQ ID No.41)

gacttctcgggtaccatcacattgc

30 BnMUTkpn (SEQ ID No.42)

cacctgcagcaaccacagctgctgtcaaagaacgcattgcaataccagcatttcc

GmRubPac (SEQ ID No.43)

aatttaattaattcataaatatgttac

GmRubbot (SEQ ID No.44)

ggtcttctccttcttagttctcaactacttgttcttctgctgccagatttcaattttccttaaagttgtgaac

5 GmRubtop (SEQ ID No.45)

GmRubKpn (SEQ ID No.46)

ggcaatgtgatggatcccgagaag

ZMPPDK1 (SEQ ID No. 47)

10 gcgccatggcggcatcggtttccaggg

ZMPPDK2 (SEQ ID No. 48)

gcgggtacctcagacaagcacctgagctgcagc

15 ECPPS1 (SEQ ID No. 49) gcggcatgcccaacaatggctcgtc

ECPS2 (SEQ ID No. 50)

geggatecttatttetteagtteageea

20 EPSPS motif (SEQ ID No. 51)

ALLMZAPLA, wherein Z is not S or T

EPSPS motif (SEQ ID No. 52)

EIEIZDKL, wherein Z is not V

EPSPS motif (SEQ ID No. 53)

25 FG(V/I)(K/S)ZEH, wherein Z is not V

EPSPS motif (SEQ ID No. 54)

AL(K/R)ZLGL, wherein Z is not R

EPSPS motif (SEQ ID No. 55)

 $GLXVEZ_1DXZ_2XXXA(I/V)V$, wherein Z_1 is not T and/or Z_2 is not E

30 EPSPS motif (SEQ ID No. 56)

 $ITPPZ_1K(L/V)(K/N)Z_2$, wherein Z_1 is not K and/or Z_2 is not T

EPSPS motif (SEQ ID No. 57)

TIZ(D/N)PGCT, wherein Z is not N or L

EPSPS motif (SEQ ID No. 58)

(D/N)YFXVLXZXX(K/R)H, wherein Z is not R

EPSPS motif (SEQ ID No. 59)

(I/V)VEGCGG(I/L/Q)FP(V/A/T)(S/G)

EPSPS motif (SEQ ID No. 60)

5 (I/V)VVGCGG(I/L/Q)FP(V/A/T)E

EPSPS motif (SEQ ID No. 61)

(I/V)VVGCGG(I/L/Q)FP(V/A/T)(S/G)

EPSPS motif (SEQ ID No. 62)

(I/V)VVGCGGKFP(V/A/T)(S/G)

10 EPSPS motif (SEQ ID No. 63)

(I/V)VEGCGGKFP(V/A/T)E

EPSPS motif (SEQ ID No. 64)

(I/V)VEGCGG(I/L/Q)FP(V/A/T)E;

EPSPS motif (SEQ ID No. 65)

15 (I/V)VEGCGGKFP(V/A/T)(S/G).

WO 02/26995 PCT/GB01/04131

- 63 -

CLAIMS

- 1. A glyphosate resistant EPSPS enzyme wherein in comparison with the wild type
 EPSPS the protein sequence is modified in that a first position is mutated so that the
 residue at this position is Ile rather than Thr and a second position is mutated so that
 the residue at this position is Ser rather than Pro, the mutations being introduced into
 EPSPS sequences which comprise the conserved region GNAGTAMRPL in the wild
 type enzyme such that the modified sequence reads GNAGIAMRSL, wherein the
 enzyme does not comprise the sequence K(A/V)AKRAVVVGCGGKFPVE,

 characterised in that the enzyme is stable and possesses at least one of the following
 sequence motifs (i) to (viii) in which X is any amino acid and Z, Z₁ and Z₂ are any
 amino acid other than those specified:-
 - (i) ALLMZAPLA, wherein Z is not S or T;
 - (ii) EIEIZDKL, wherein Z is not V;
 - (iii) FG(V/I)(K/S)ZEH, wherein Z is not V;
 - (iv) AL(K/R)ZLGL, wherein Z is not R;
 - (v) $GLXVEZ_1DXZ_2XXXA(I/V)V$, wherein Z_1 is not T and/or Z_2 is not E;
 - (vi) ITPPZ₁K(L/V)(K/N)Z₂, wherein Z₁ is not K and/or Z₂ is not T;
 - (vii) TIZ(D/N)PGCT, wherein Z is not N or L;
- 20 (viii) (D/N)YFXVLXZXX(K/R)H, wherein Z is not R.
 - 2. An enzyme according to claim 1, which comprises at least two of the motifs (i), (ii), (iii), (v) and (vi).
- An enzyme according to either of claims 1 or 2, wherein in motif (i) Z is A; in motif (ii) Z is I; in motif (iii) Z is A; in motif (iv) Z is K, T or A; in motif (v) Z₁ is R or A or less preferably D or E and Z₂ is preferably V or A or less preferably T; in sequence motif (vi) Z₁ is E or A and Z₂ is P, I or V; in motif (vii) Z is R or K; and in motif (viii) Z is T or S or less preferably Q.

- 4. An enzyme according to claim 1, which comprises one or more sequences selected from the group consiting of:
 - (i) (I/V)VEGCGG(I/L/Q)FP(V/A/T)(S/G)
 - (ii) (I/V)VVGCGG(I/L/Q)FP(V/A/T)E;
 - (iii) (I/V)VVGCGG(I/L/Q)FP(V/A/T)(S/G);
 - (iv) (I/V)VVGCGGKFP(V/A/T)(S/G);
 - (v) (I/V)VEGCGGKFP(V/A/T)E;
 - (vi) (I/V)VEGCGG(I/L/Q)FP(V/A/T)E;
 - (vii) (I/V)VEGCGGKFP(V/A/T)(S/G).

10

5

- 5. An isolated polynucleotide comprising a region which encodes an EPSPS according to any one of claims 1 to 4.
- 6. A polynucleotide according to claim 5, having a sequence depicted in SEQ ID Nos. 4 or 5.
 - A polynucleotide encoding an EPSPS, which polynucleotide is obtainable by screening plant genomic DNA libraries with a polynucleotide constituting an intron located within SEQ ID Nos. 4 or 5.

20

25

- 8. A polynucleotide according to any one of claims 5-7, comprising the following components in the 5' to 3' direction of transcription:-
 - (i) At least one transcriptional enhancer being that enhancing region which is upstream from the transcriptional start of the sequence from which the enhancer is obtained and which enhancer per se does not function as a promoter either in the sequence in which it is endogenously comprised or when present heterologously as part of a construct;
 - (ii) The promoter from the soybean EPSPS gene;
 - (iii) The soybean genomic sequence which encodes the soybean EPSPS chloroplast transit peptide;
 - (iv) The genomic sequence which encodes the soybean EPSPS;

5

- (v) A transcriptional terminator;
- wherein the soybean EPSPS coding sequence is modified in comparison with the wild type sequence in that a first position is mutated so that the residue at this position is Ile rather than Thr and a second position is mutated so that the residue at this position is Ser rather than Pro, the mutations being introduced into EPSPS sequences which comprise the conserved region GNAGTAMRPLTAAV in the wild type enzyme such that modified sequence reads GNAGIAMRSLTAAV.
- 9. A polynucleotide according to claim 1, comprising the following components in the 5' to 3' direction of transcription:-
 - (i) At least one transcriptional enhancer being that enhancing region which is upstream from the transcriptional start of the sequence from which the enhancer is obtained and which enhancer per se does not function as a promoter either in the sequence in which it is endogenously comprised or when present heterologously as part of a construct;
 - (ii) The promoter from the Brasicca napus EPSPS gene;
 - (iii) The Brasicca napus genomic sequence which encodes the Brasicca napus EPSPS chloroplast transit peptide;
 - (iv) The genomic sequence which encodes the Brasicca napus EPSPS;
- 20 (v) A transcriptional terminator;
 wherein the Brasiccal napus EPSPS coding sequence is modified in comparison with
 the wild type sequence, in that a first position is mutated so that the residue at this
 position is Ile rather than Thr and a second position is mutated so that the residue at
 this position is Ser rather than Pro, the mutations being introduced into EPSPS
 sequences which comprise the conserved region GNAGTAMRPLTAAV in the wild
 type enzyme such that modified sequence reads GNAGIAMRSLTAAV.
- 10. A polynucleotide according to any one of claims 5-9, further comprising a sequence which encodes a chloroplast transit peptide/phosphoenolpyruvate synthase

 (CTP/PPS) or a chloroplast transit peptide/pyruvate orthophosphate di-kinase

WO 02/26995 PCT/GB01/04131

- 66 -

(CTP/PPDK), which sequence is under expression control of a plant operable promoter.

- 11. A polynucleotide according to the preceding claim, wherein the CTP and PPDK encoding sequences are non-heterologous with respect to each other.
- 12. A polynucleotide according to any one of claims 5-11, wherein the said enhancing region constitutes a sequence, the 3' end of which is at least 40 nucleotides upstream of the closest transcriptional start of the sequence from which the enhancer is obtained.
- 13. A polynucleotide according to claim 12, wherein the enhancing region constitutes a region the 3' end of which is at least 60 nucleotides upstream of the said closest start.
- 15 14. A polynucleotide according to claim 12, wherein the said enhancing region constitutes a sequence the 3' end of which is at least 10 nucleotides upstream from the first nucleotide of the TATA consensus of the sequence from which the enhancer is obtained.
- 20 15. A polynucleotide according to any one of claims 5-14, comprising first and second transcriptional enhancers which are tandemly present in the polynucleotide.
- 16. A polynucleotide according to any one of claims 5-15, wherein the 3' end of the enhancer, or first enhancer, is between about 100 to about 1000 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.
- 17. A polynucleotide according to any one of claims 5-16, wherein the 3' end of the enhancer, or first enhancer, is between about 150 to about 1000 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.

5

5

10

15

20

25

- 18. A polynucleotide according to any one of claims 5-17, wherein the 3' end of the enhancer, or first enhancer, is between about 300 to about 950 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.
- 19. A polynucleotide according to any one of claims 5-18, wherein the 3' end of the enhancer, or first enhancer, is between about 770 and about 790 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.
- 20. A polynucleotide according to any one of claims 5-19, wherein the 3' end of the enhancer, or first enhancer, is between about 300 and about 380 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.
- 21. A polynucleotide according to any one of claims 5-18 and 20, wherein the 3' end of the enhancer, or first enhancer, is between about 320 and about 350 nucleotides upstream of the codon corresponding to the translational start of the EPSPS transit peptide, or the first nucleotide of an intron in the 5' untranslated region.
- 22. A polynucleotide according to any one of claims 5-21, wherein the region upstream of the promoter from the EPSPS gene comprises at least one enhancer derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters.
- 23. A polynucleotide according to any one of claims 5-21, wherein the region upstream of the promoter from the EPSPS coding sequence comprises at least one enhancer derived from a sequence which is upstream from the transcriptional start of a promoter selected from the group consisting of those of the actin, rolDFd, S-adenosyl

WO 02/26995 PCT/GB01/04131

homocysteinase, histone, tubulin, polyubiquitin and plastocyasnin genes and the CaMV35S and FMV35S genes.

24. A polynucleotide according to claim 23, comprising in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of an actin gene.

10

15

20

- 25. A polynucleotide according to claim 23, comprising in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the rolDfd gene.
- 26. A polynucleotide according to claim 23, comprising in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of a histone gene.
- 27. A polynucleotide according to claim 23, comprising in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of either the CaMV35S or FMV35S promoters, and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of a tubulin gene.

5

- 28. A polynucleotide according to claim 23, comprising in the 5' to 3' direction a first enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the FMV35S promoter and a second enhancer comprising a transcriptional enhancing region derived from a sequence which is upstream from the transcriptional start of the CaMV35S promoter.
- 29. A polynucleotide according to any one of claims 5-28, wherein the nucleotides 5' of the codon which constitutes the translational start of the soybean EPSPS chloroplast transit peptide are Kozack preferred.
- 30. A polynucleotide according to any one of claims 8 to 29, wherein 5' of the genomic sequence which encodes the EPSPS CTP there is located a 5' untranslated leader sequence derived from a relatively highly expressed gene
- A polynucleotide according to the preceding claim, wherein the said highly expressed gene is selected from the group consisting of those which encode glucanase, chalcone synthase and Rubisco.
- 32. A polynucleotide according to any one of claims 8-31, which comprises a virally
 derived translational enhancer or non-viral translational enhancer located within the
 non translated region 5' of the genomic sequence which encodes the EPSPS
 chloroplast transit peptide.
- 33. A polynucleotide according to any one of claims 5-32, further comprising regions encoding proteins capable of conferring upon plant material containing it at least one of the following agronomically desirable traits: resistance to insects, fungi, viruses, bacteria, nematodes, stress, dessication, and herbicides.
- 34. A polynucleotide according to claim 33, wherein the herbicide is other than glyphosate.

WO 02/26995 PCT/GB01/04131

- 35. A polynucleotide according to the preceding claim wherein the herbicide is a protoporphyrinogen oxidase (PPGO) inhibitor, in particular butefenicil, and the corresponding resistance protein is a PPGO or inhibitor resistant variant thereof.
- A polynucleotide according to either of claims 33 to 35, wherein the insect resistance 36. 5 conferring regions encode crystal toxins derived from Bt, including secreted Bt toxins; protease inhibitors, lectins, Xenhorabdus/Photorhabdus toxins; the fungus resistance conferring regions are selected from the group consisting of those encoding known AFPs, defensins, chitinases, glucanases, Avr-Cf9; the bacterial resistance conferring regions are selected from the group consisting of those encoding cecropins 10 and techyplesin and analogues thereof; the virus resistance regions are selected from the group consisting of genes encoding virus coat proteins, movement proteins, viral replicases, and antisense and ribozyme sequences which are known to provide for virus resistance; the stress, salt, and drought resistance conferring regions are selected from those that encode Glutathione-S-transferase and peroxidase, the sequence which 15 constitutes the known CBF1 regulatory sequence and genes which are known to provide for accumulation of trehalose.
- A polynucleotide according to claim 36, wherein the insect resistance conferring regions are selected from the group consisting of those that encode cryIAc, cryIAb, cry3A, cry1BC, Vip1A, Vip1B, Vip3A, Vip3B, cystein protease inhibitor, and snowdrop lectin.
- 38. A polynucleotide according to any preceding claim, which is modified in that mRNA instability motifs and/or unwanted splice regions are removed, or crop preferred codons are used so that expression of the thus modified polynucleotide in a plant yields substantially similar protein having a substantially similar activity/function to that obtained by expression of the protein encoding regions of the unmodified polynucleotide in the organism in which they are endogenous.

39. A polynucleotide according to the preceding claim, wherein the degree of identity between the modified polynucleotide and a polynucleotide endogenously contained within the said plant and encoding substantially the same protein is such as to prevent co-suppression between the modified and endogenous sequences.

5

- 40. A polynucleotide according to the preceding claim, wherein the said degree is less than about 70%.
- 41. A vector comprising the polynucleotide of any preceding claim.

10

- 42. Plant material which has been transformed with the polynucleotide of any one of claims 5-40, or the vector of claim 41.
- Plant material which has been transformed with the polynucleotide of any one of
 claims 5-40 or the vector of claim 41, and which has been, or is, further transformed
 with a polynucleotide comprising regions encoding proteins capable of conferring
 upon plant material containing it at least one of the following agronomically desirable
 traits: resistance to insects, fungi, viruses, bacteria, nematodes, stress, desiccation,
 and herbicides.

- 44. Morphologically normal, fertile whole plants which have been regenerated from the material according to either of claims 42 or 43, their progeny seeds and parts.
- 45. Morphologically normal fertile whole plants which result from the crossing of plats which have been regenerated from material which has been transformed with the polynucleotide of any one of claims 5-40 and plants which result from regeneration of material transformed with a polyncleotide which comprises a sequence which encodes a protein capable of providing for elevated levels of phosphoenolpyruvate in the chloroplast.

- 72 -

- 46. Plants according to the preceding claim, wherein the said capable protein is a fusion of a CTP and PPS or a fusion of a CTP and a PPDK.
- 47. Morphologically normal fertile whole plants which comprise the polynucleotide of
 any one of claims 5-40 and which result from the crossing of plants which have been
 regenerated from material transformed with the polynucleotide of any one of claims 5
 40 or the vector of claim 41, and plants which have been transformed with a
 polynucleotide comprising regions encoding a CTP/PPS or CTPPPDK, and/or
 regions encoding proteins capable of conferring upon plant material containing it at
 least one of the following agronomically desirable traits: resistance to insects, fungi,
 viruses, bacteria, nematodes, stress, desiccation, and herbicides, the progeny of the
 resultant plants, their seeds and parts.
- 48. Plants according to any one of claims 44 to 47, selected from the group consisting of field crops, fruits and vegetables such as canola, sunflower, tobacco, sugar beet, cotton, maize, wheat, barley, rice, sorghum, tomato, mango, peach, apple, mangel worzel, pear, strawberry, banana, melon, potato, carrot, lettuce, cabbage, onion, soya spp, sugar cane, pea, field beans, poplar, grape, citrus, alfalfa, rye, oats, turf and forage grasses, flax and oilseed rape, and nut producing plants insofar as they are not already specifically mentioned, their progeny, seeds and parts.
 - 49. Soybean, canola, brassica, cotton, sugar beet, sunflower, peas, potatoes and mangel worzels according to any one of claims 44-48.
- 25 50. A method of selectively controlling weeds in a field, the field comprising weeds and plants or progeny according to any one of claims 44-49, the method comprising application to the field of a glyphosate type herbicide in an amount sufficient to control the weeds without substantially affecting the plants.
- 30 51. A method according to the preceding claim, further comprising application to the field either before or after application of the glyphosate herbicide of one or more of

the following: a herbicide, insecticide, fungicide, nematicide, bacteriocide and an anti-viral.

- 52. A method of producing plants which are substantially tolerant or substantially resistant to glyphosate herbicide, comprising the steps of:
 - (i) transforming plant material with the polynucleotide of any one of claims 5 to 40 or the vector of claim 41;
 - (ii) selecting the thus transformed material; and
 - (iii) regenerating the thus selected material into morphologically normal fertile whole plants.
- 53. A method according to the preceding claim, wherein the transformation involves the introduction of the polynucleotide into the material by: (i) biolistic bombardment of the material with particles coated with the polynucleotide; or (ii) impalement of the material on silicon carbide fibres which are coated with a solution comprising the polynucleotide; or (iii) introduction of the polynucleotide or vector into Agrobacterium and co-cultivation of the thus transformed Agrobacterium with plant material which is thereby transformed and is subsequently regenerated.
- 20 54. A method according to the preceding claim, wherein the transformed material is selected by its resistance to glyphosate.
 - Use of the polynucleotide of any one of claims 5 to 40, or the vector of claim 41, in the production of plant tissues and/or morphologically normal fertile whole plants which are substantially tolerant or substantially resistant to glyphosate herbicide.
 - 56. Use of the polynucleotide of any one of claims 5 to 40, or the vector of claim 41, in the production of a herbicidal target for the high throughput *in vitro* screening of potential herbicides.

25

5

10

- 57. A method of selecting biological material transformed so as to express a gene of interest, wherein the transformed material comprises the polynucleotide of any one of claims 5 to 40 or the vector of claim 41 and wherein the selection comprises exposing the transformed material to glyphosate or a salt thereof, and selecting surviving material.
- 58. A method according to the preceding claim, wherein the biological material is of plant origin.
- 10 59. A method according to the preceding claim, wherein the plant is a dicot.
 - 60. A method according to the preceding claim, wherein the dicot is selected from group consisting of soybean, cotton, sugar beet, *Brassica napus*, *campestris* or *oleraceae*.
- 15 61. A method for regenerating a fertile transformed plant to contain foreign DNA comprising the steps of:
 - (a) producing regenerable tissue from said plant to be transformed;
 - (b) transforming said regenerable tissue with said foreign DNA, wherein said foreign DNA comprises a selectable DNA sequence, wherein said sequence functions in a regenerable tissue as a selection device;
 - (c) between about one day to about 60 days after step (b), placing said regenerable tissue from step (b) in a medium capable of producing shoots from said tissue, wherein said medium may further contain a compound used to select regenerable tissue containing said selectable DNA sequence to allow identification or selection of the transformed regenerated tissue;
 - (d) after at least one shoot has formed from the selected tissue of step (c) transferring said shoot to a second medium capable of producing roots from said shoot to produce a plantlet, wherein the second medium optionally contains the said compound; and
- 30 (e) growing said plantlet into a fertile transgenic plant wherein the foreign DNA is transmitted to progeny plants in Mendelian fashion, wherein between step (b) and

20


25

WO 02/26995

step (c) there is an optional step of placing the transformed material onto callus inducing medium, characterised in that the foreign DNA is, or the selectable DNA sequence comprised by the foreign DNA comprises, the polynucleotide according to any one of claims 5 to 40, and the said compound is glyphosate or a salt thereof.

- 62. A method according to the preceding claim, wherein the plant is a dicot selected from the group consisting soybean, cotton, sugar beet, *Brassica napus*, *campestris* or *oleraceae*.
- A method according to either of claims 61 or 62, wherein the said regenerable tissue is selected from the group consisting of embryogenic calli, somatic embryos, immature embryos etc.
- 64. A diagnostic kit comprising means for detecting the enzyme of any one of claims 1-4
 or that encoded by the polynucleotide of any one of claims 5 to 40 or the
 polynucleotide or vector of any one of claims 5 to 41.

1/6



2/6




Fig. 2






Fig. 3


מאופרותיות אות האפספה ו



Soybean EPSPS 1/14
15953 bp



6/6



SEQUENCE LISTING

- <110> Syngenta Limited
- <120> HERBICIDE RESISTANT PLANTS
- <130> PPD50594/WO
- <140> PCT/GB01/04131
- <141> 2001-09-14
- <150> GB0023911.1
- <151> 2000-09-29
- <150> GB0027693.1
- <151> 2000-11-13
- <150> GB0023910.3
- <151> 2000-09-29
- <160> 70
- <170> PatentIn version 3.1
- <210> 1
- <211> 3836
- <212> DNA
- <213> Brassica napus

0226005811

<400> 1
gcatgcagat cttaaaggct cttttccagt ctcacctacc aaaactataa gaaaatccac 60

ttgctgtctg aaatagccga cgtggataaa gtacttaaga cgtggcacat tattattgac	120
tactagaaaa aaaactcata caccatcgta ggagttgggg ttggtgaaga atttgatggg	180
tgcctctccc cccccactc accaaactca tgttctttgt aaagccgtca ctacaacaac	240 .
aaaggagacg acagttctat agaaaagctt tcaaattcaa tcaatggcgc aatctagcag	300
aatctgccat ggcgtgcaga acccatgtgt tatcatctcc aatctctcca aatccaacca	360
aaacaaatca cctttctccg tctccttgaa gacgcatcag cctcgagctt cttcgtgggg	420
attgaagaag agtggaacga tgctaaacgg ttctgtaatt cgcccggtta aggtaacagc	480
ttctgtttcc acgtccgaga aagcttcaga gattgtgctt caaccaatca gagaaatctc	540
gggtctcatt aagctacccg gatccaaatc tctctccaat cggatcctcc ttcttgccgc	600
tctatctgag gtacatatac ttgcttagtg ttaggccttt gctgtgagat tttgggaact	660
atagacaatt tagtaagaat ttatatataa tttttttaaa aaaaatcaga agcctatata	720
tatttaaatt tttccaaaat ttttggaggt tataggctta tgttacacca ttctagtctg	780
catctttcgg tttgagactg aagaatttta ttttttaaaa aattattata gggaactact	840
gtagtggaca acttgttgaa cagtgatgac atcaactaca tgcttgatgc gttgaagaag	900
ctggggctta acgtggaacg tgacagtgta aacaaccgtg cggttgttga aggatgcggt	960
ggaatattcc cagcttcctt agattccaag agtgatattg agttgtacct tgggaatgca	1020
ggaacageca tgegtecaet cacegetgea gttacagetg caggtggeaa egegaggtaa	1080
ggttaacgag ttttttgtta ttgtcaagaa attgatcttg tgtttgatgc ttttagtttg	1140
gtttgttttc tagttatgta cttgatgggg tgcctagaat gagggaaaga cctataggag	1200
atttggttgt tggtcttaag cagcttggtg ctgatgttga gtgtactctt ggcactaact	1260
gtectectgt tegtgteaat getaatggtg geetteeegg tggaaaggtg atetteacat	1320
ttactctatg aattgtttgc agcagtcttt gttcatcaca gcctttgctt cacattattt	1380
catcttttag tttgttgtta tattacttga tggatcttta aaaaggaatt gggtctggtg	1440
tgaaagtgat tagcaatctt tctcgattcc ttgcagggcc gtgggcatta ctaagtgaaa	1500
cattagecta ttaaccecca aaatttttga aaaaaattta gtatatggee ecaaaatagt	1560
ttttaaaaaa ttagaaaaac ttttaataaa tcgtctacag tcccaaaaat cttagagccg	1620
gccctgcttg tatggtttct cgattgatat attagactat gttttgaatt ttcaggtgaa	1680
gctttctgga tcgatcagta gtcagtactt gactgccctc ctcatggcag ctcctttagc	1740
tcttggagac gtggagattg agatcattga taaactgata tctgttccat atgttgaaat	1800
gacattgaag ttgatggagc gttttggtgt tagtgccgag catagtgata gctgggatcg	1860
tttctttgtc aagggcggtc agaaatacaa gtaatgagtt cttttaagtt gagagttaga	1920

ttgaagaatg	aatgactgat	taaccaaatg	gcaaaactga	ttcaggtcgc	ctggtaatgc	1980
ttatgtagaa	ggtgatgctt	ctagtgctag	ctacttcttg	gctggtgctg	ccattactgg	2040
tgaaactgtt	actgtcgaag	gttgtggaac	aactagcctc	caggtagttt	atccactctg	2100
aatcatcaaa	tattatactc	cctccgtttt	atgttaagtg	tcattagctt	ttaaattttg	2160
tttcattaaa	agtgtcattt	tacattttca	atgcatatat	taaataaatt	ttccagtttt	2220
tactaattca	ttaattagca	aaatcaaaca	aaaattatat	taaataatgt	aaaattcgta	2280
atttgtgtgc	aaatacctta	aaccttatga	aacggaaacc	ttatgaaaca	gagggagtac	2340
taattttata	ataaaatttg	attagttcaa	agttgtgtat	aacatgtttt	gtaagaatct	2400
aagctcattc	tctttttatt	ttttgtgatg	aatcccaaag	ggagatgtga	aattcgcaga	2460
ggttcttgag	aaaatgggat	gtaaagtgtc	atggacagag	aacagtgtga	ctgtgactgg	2520
accatcaaga	gatgcttttg	gaatgaggca	cttgcgtgct	gttgatgtca	acatgaacaa	2580
aatgcctgat	gtagccatga	ctctagccgt	tgttgctctc	tttgccgatg	gtccaaccac	2640
catcagagat	ggtaaagcaa	aaccctctct	ttgaatcagc	gtgttttaaa	agattcatgg	2700
ttgcttaaac	tctatttggt	caatgtagtg	gctagctgga	gagttaagga	gacagagagg	2760
atgattgcca	tttgcacaga	gcttagaaag	gtaagtttcc	ttttctctca	tgctctctca	2820
ttcgaagtta	atcgttgcat	aactttttgc	ggttttttt	tttgcgttca	gcttggagct	2880
acagtggaag	aaggttcaga	ttattgtgtg	ataactccac	cagcaaaggt	gaaaccggcg	2940
gagattgata	cgtatgatga	tcatagaatg	gcgatggcgt	tctcgcttgc	agcttgtgct	3000
gatgttccag	tcaccatcaa	ggatcctggc	tgcaccagga	agactttccc	tgactacttc	3060
caagtccttg	aaagtatcac	aaagcattaa	aagacccttt	cctctgatcc	aaatgtgaga	3120
atctgttgct	ttctctttgt	tgccactgta	acatttatta	gaagaacaaa	gtgtgtgtgt	3180
taagagtgtg	tttgcttgta	atgaactgag	tgagatgcaa	tcgttgaatc	agttttgggc	3240
cttaataaag	ggtttaggaa	gctgcagcga	gatgattgtt	tttggtcgat	catctttgaa	3300
aatgtgtttg	tttgagtaat	ttttctaggg	ttgagttgat	tacactaaga	aacacttttt	3360
gattttctat	tacacctata	gacacttctt	acatgtgaca	cactttgttg	ttggcaagca	3420
acagattgtg	gacaattttg	cctttaatgg	g aaaggacaca	gttgtggatg	ggtgatttgt	3480
ggacgattca	tgtgtggtta	ggtgatttgt	. ggacggatga	tgtgtagatg	g agtgatgagt	3540
aatgtgtgaa	tatgtgatgt	taatgtgttt	: atagtagata	agtggacaaa	ctctctgttt	360
tgattccata	aaactataca	acaatacgtg	gacatggact	catgttacta	a aaattatacc	366
gtaaaacgto	rgacacggact	ctotatete	. aatacaaaca	cttaacttct	tcagctcaat	372

tgataaatta tctgcagtta aacttcaatc aagatgagaa agagatgata ttgtgaatat	3780
garscggaga gagaaatcga agaagcgttt accttttgtc ggagagtaat gaattc	3836
•	
<210> 2	
<211> 31	
<212> DNA	
<213> Primer	
<400> 2 gcatgcagat cttaaaggct cttttccagt c	31
gcargcagar ectaaagger cerecouge c	
<210> 3	
<211> 32	
<212> DNA	
<213> Primer	
<400> 3	32
gaattcatta ctctccgaca aaaggtaaac gc	
<210> 4	
<211> 20	
<212> DNA	
<213> Primer	
<400> 4	20
gcgcaatcta gcagaatctg	
<210> 5	
<211> 20	
<212> DNA	
<213> Primer	
<400> 5	20
teettettge egetetatet	

NO 02/26995	PCT/GB01/0413

w	O 02/26995	PCT/GB01/04131
<210>	6	
<211>	20	
<212>	DNA	
<213>	Primer	
<400> gcgttga	6 aaga agctggggct	20
<210>	7	
<211>	20	
<212>	DNA	
<213>	Primer	
	7 agga gatttggttg 8	20
<211>	20	÷
<212>	DNA	
<213>	Primer	
<400>		
actaag	tgaa acattageet	20
<210>	9	
<211>	20	
<212>	DNA	
<213>	Primer	
<400>		
gttcca	tatg ttgaaatgac	20
<210>	10	
<211>	20	

WO 02/26995	PCT/GB01/04131

<212>	DNA	
<213>	Primer	
<400> tccact	10 ctga atcatcaaat	20
<210>	11	
<211>	20	
<212>	DNA	
<213>	Primer	
	•	
<400> gtaaga	11 atct aagctcattc	20
<210>	12	
<211>	20	
<212>	DNA	
<213>	Primer	
<400> tcatg	12 gttgc ttaaactcta	20
<210>	13	
<211>	20	
<212>	DNA	
<213>	Primer	
<400> cagct	13 tgtgc tgatgttcca	20
<210>	14	
<211>	20	
<212>	DNA	
<213>	Primer	

<400> cgatcat	14 cett tgaaaatgtg	20
<210>	15	
<211>	20	
<212>	DNA	
<213>	Primer	
<400> ctctctc	15 gttt tgattccata	20
<210>	16	
<211>	25	
<212>	DNA	
<213>	Primer	
<400> cgcatca	16 agcc tcgagcttct tcgtg	25
<210>	17	
<211>	29	
<212>	DNA	
<213>	Primer	
<400> ggtgag	17 tgaa cgcatggcta ttcctgcat	29
<210>	18	
<211>	29	
<212>	DNA	
<213>	Primer	
<400>	18 gaat agccatgcgt tcactcacc	29

O 02/26995	PCT/GB01/04131

IU UCI ZUUI

<210>	19	
<211>	25	
<212>	DNA	
<213>	Primer	
<400>	19 aaca tatggaacag atatc	25
<210>	20	
<211>	90	
<212>	DNA	
<213>	Primer	
<400> cccggg	20 atat tggaagttaa aggaaaagag agaaagagaa atctttctgt ctaagtgtaa	60
ttaacc	atgg cgcaatctag cagaatctgc	90
<210>	21	
	20	
<212>	DNA	-
	Primer	
<400> ggacgt	21 ggaa acagaagctg	20
<210>	22	
<211>	20	
<212>	DNA	
<213>	Primer	
<400> tctcaa	22 aaccg aaagatgcag	20
<210>	23	

<211>	31	
<212>	DNA	
<213>	Primer	
<400>		31
ggttgaa	agca caatctctga agcttccatg g	-
<210>	24	
<211>	31	
<212>	DNA	
<213>	Primer	
<400>		31
gatett	gggt cattttaatg ggccttctaa c	-
<210>	25	
<211>	34	
<212>	DNA	
<213>	Primer	
	25 accc attaaccact aatgaaaaag ggat	34
<210>	26	
<211>	28	
<212>	DNA	
<213>	Primer	
<400> gcggag	26 ctcg agacttttca acaaaggg	28
J JJ:13		
<210>	27	
<211>	35	
~212×	DMA	

9

PHONOCID AND MODERNER IS

- 2	-	-		D∽	٠	_	_	_
< 2	1	.5	>	Pr	1	m	е	т

<400> atcccgg	27 ggaa g	gcatgcgaag g	gatagtggga t	tgtg			35
<210>	28						
<211>	23						
<212>	DNA						
<213>	Prim	er					
<400> cgcccg	28 ggat 29	tgaatttbaa (agc				23
<211>	209						
<212>	DNA						
<213>	Enha	ncer					
		ctggcttgtg aagcatcttt					60 120
tgggga	acaa	aataacgtgg	aaaagagctg	tcctgacagc	ccactcacta	atgcgtatga	180
cgaacg	gcagt	gacgaccaca	aaagagctc				209
<210>	30						
<211>	309						
<212>	DNA						
<213>	Enh	ancer					•
<400> tgagae		caacaaaggg	taatatccgg	aaacctcctc	ggattccatt	gcccagctat	60
						gccatcattg	120
		aaggccatcg					180
cccac	ccacg	aggagcatcg	tggaaaaaga	agacgttcca	accacgtctt	caaagcaagt	240

ggattgatgt gatateteca etgaegtaag ggatgaegea caateeeact ateettegea 300 agaeeette 309

<210> 31

<211> 15941

<212> DNA

<213> Glycine max

<400> 31 aaaaaatacc ttttagtaaa ataagagcgt ragatcaatc agacgttttc tctttgggac 60 120 ttctcattct taattgaatt gacaataact aaagtgaaac taaggctaaa atcaactcgc ctagtcaagc tcgtccacaa aaataggttt ttgaaagttt accatgtcag tttcttacta 180 agtaaaaaag gatcatttgt aaggtccaac gccttaaaat gatcaccctt caaagtaaaa 240 300 gaatcacttg tttcacgcat aagtaagaac tacgtaggtc tgatttcctc tccaaaggag 360 ggtacgtagg agcaaaagcc ccgcttttgt cgaccttaaa aaataaaaag aaacaaaagt taaggtaaca caatttccac aattctagaa ataaggttgt tgtctttcga gacaaacgta 420 agaggtgcta ataccttcct caaacgtaaa tacaactccc gaacttagaa ttttcatttt 480 gaccggtttc cttcggtttt cccgacgttt tccacaaata aacgttggtg gcgactccgc 540 600 gcatctttcc tcctttggaa agcgcaccca tgagcctcgc cctcgctcgc ccgcgaaggg 660 cacgttgcga cactaggtta ataagaagtt tagtccacat atctatggac ctcttaaggt 720 gattatcaaa gtggaagtgg tgacctacat gttggcccta ccagcttatt cgtatattta 780 cccccatcaa ccatgtatct cagctgaaac atgctatcaa tccaaatgtt atcagaggaa catgagetge atgttcaace agaagtagtt ctagtettaa tacaaatgte aaatggcaca 900 agtgagattt tgaatttctg atgttgtaaa aatctcagga catgaatact attgggaagc 960 aattattcat acttcaccaa tccaaactga cccaaaattc tcaaatcaca tgaaagcaaa 1020 aatgcatata acacgaagaa taagaagaag aggaactaac ctggggtttc gatgattaaa 1080 gcgttgttgt tgatgatgaa aacgatgatt atggagagaa attgttgttg aatggtgaaa 1140 ttgttataga aagagaacga agatagagaa aaagatatat agatttttca aggctcaaac 1200 cctaaaatca ccatgagaga gaacaaagat tgagaaacct acaaccacta tgagagagaa 1260 tgagcagaac agaagcgtga gatagagaac gagagttaag gtgcgagagg acacgaagaa 1320 caaaaggtgt gagagaaaga acaaaggagc ctacggtgtg agatgagaga atttgaaatt 1380 cttaccattt aggtggaatt tcaattctac aattttattc tattaaaatt attttaaaaa

atgatgtcat tttaaattct ttaaaatctc atatccaaca actgaattat gatagaggta 1440 tttcaaattc acttaaaaaa attatcttat ttaaataccc catccaaaca tagcgaaatg 1500 ttcatgagaa ggatcaagtg gtttggaaac atagtactaa tggtgtttat acagttcatg 1560 gaatcettga tagataattt aaaggttget ggaaattgga tgaaggtgtg gagattaaat 1620 attetteeaa aaataaageg ttttatttgg agagtgttgt gtggttgtet eeeetgtagg 1680 caaaagcttc gatgtaaagg agttcaatgt ccaataacct atgctttcta tccctcgatt 1740 attgaaaatg aatgacacat tttatttggt tgaaatcaag aaataagcat gtggcaagca 1800 1860 acgggtattt gacaattcat agaacaaaag gtgaatgcag caaaagaatt aatgaactcc ttttcgatct acttggatca ctacatggag atattatcaa caaatttgat gttactttat 1920 1980 ggagcagttg gaattettgg aatgacaaga tatgaaatga acataccaac cetectettg tttctgtttc ggtttctatg cagtattttg ttgaatggca aagtgcaagg taatatgctc 2040 ctcaacatca attaacaaat gttcatgaca tctcttacca gctccaactt ggggacgttt 2100 gacaaacacc accgtcaagt ttccttaaat gcaacattaa tgttgctcat ttcaaggagg 2160 agaatagttt tggtgtcggc atgatactcc atcaaggaag attcgtcaaa gctcactcac 2220 2280 gttttcgaca tgggtcgaca tgggttacct gacccaaagg ctgaggctta ggcttgggtt 2340 tgcttcaagt attgatctgg gcccagacta ttggtttaca taatatcatt tttgaaaacc 2400 taacatctaa aactcaaggt tgtttagagg tgcgccattc caaaataaga ttatcctatt 2460 tgtgcatgaa tgcgaccaac tatctcctgt ttcagcatta taaagtataa acaacaaact tctttaatca agggactaaa agatattgga catacaagct aaaagtgata gaatttgaga 2520 aaacaaatat tgacaacaat attcaagagg acactaaaac ataattctca aattttttt 2580 gtttatttaa aataaagtgg ttcattaggt agctcttgaa aaaaaaaagt gattaacatg 2640 ctagtacatg ttaaaaaaag tgaataatat tctattataa gtaaagagga ataatttatc 2700 gatgteteat ttttgagata gttcaccgaa gccaattttt ttactttttt ctcttcaatc 2760 aattttattt tgttaatagt tgtcattgtg gatggattat aataattttg aaatgattta 2820 aaatgagata tatattaata aatttaatta attcataaat atgttactaa atataaattt 2880 catggtatac tcaggacggt tataacggaa atcaaataaa taataaaata gaataatatt 2940 aatttgcagt aaaaagaata atattaattt attctgttta cactatgtat aacgaaatta 3000 3060 aatatattca tttaatatga ttttattttt ctttaattta aaaacatgaa ttatttgttt cttattttat taccattttg ttcacttctc aattaataaa ataaaaatat attctacaat 3120 tatagtaaaa aggtttaatt ttatataatg ttagcataca gatttttctc tattaactaa 3180

3240 ttaattaaaa attatcctta ttttaaggaa attaaaaatt atcatatata tataagtttt 3300 aaattaatta tottatatat gtaccaaaaa gttttaaagc aattattata aaaattaata 3360 aatttatcat ataaaataat ttataattaa attttaaatt atcaattcat taaattaaat 3420 tatttaaaat ttttgaatga taatataata attttatcct ctactaagtc ccaacgtttc ctattttatt ccacttttag caataaattt tgtcataaac acttataaca aaaaaagtaa 3480 3540 gtaaaaaata aaaaaaagtt tttcaataaa gtataaacta atttgtataa acttttagaa aaaataaagt tatacattga taatataaat tttttacata attatccgat caactcatta 3600 tatatgataa atttattgat tttttaaaat aattatctta aaataattta aacaatgatt 3660 3720 tgcaattaga tgataatata aaattatttt acacactaca tgtattaaac tcaaactttt atatattagt ttttctaaaa actaattttt aactcaaaaa aaatgttact tataattttc 3780 ttatcttctt tttttataag tattttttaa gaaatttatt gaaacatgac catgcttggg 3840 3900 tcaataatac tactctctta gacaccaaac aacccttccc aaactataat ctaatccaaa agccatcatt cattttcctt ggtaggtaaa gttccaagac cttcaccaac tttttcactc 3960 4020 aattgttttg gtgtaagcaa ttcgacatgt gttagtgtta gttggcaacc aaaaatccct 4080 ttatgtgact caatccaaca accactcaca ccaccaaccc ccataaccat ttctcacaat accetteatt tacacattat catcaccaaa aataaataaa aaaaacetet cattteagag 4140 4200 agagagagag agacttcaca gaccaaagtg cagagaacaa caaagttcac aactttaagg 4260 aaaattgaaa tggcccaagt gagcagagtg cacaatcttg ctcaaagcac tcaaattttt 4320 ggccattctt ccaactccaa caaactcaaa tcggtgaatt cggtttcatt gaggccacgc 4380 ctttgggggg cctcaaaatc tcgcatcccg atgcataaaa atggaagctt tatgggaaat 4440 tttaatgtgg ggaagggaaa ttccggcgtg tttaaggttt ctgcatcggt cgccgccgca 4500 gagaageegt caacgtegee ggagategtg ttggaaceea teaaagaett etegggtace atcacattgc cagggtccaa gtctctgtcc aatcgaattt tgcttcttgc tgctctctct 4560 4620 4680 4740 agcatcatgt cccatgaaag aaatggacac gaaattaagt ggcttatgat gtgaaatgag gatagaaatg tgtgtagggt tttttaatgg gtagcaataa gcatattcaa tatctggatt 4800 . 4860 gatttggacg tttctgtata aaggagtatg ctagcaatgt gttaatgtat ggcttgctaa aatactccta aaaatcaagt gggagtagta tacatatcta cagcaaatgt attaggtgag 4920 4980 gcatttggct tctctattgt aaggaacaaa taatatcagt taatgtgaaa atcaatggtt 5040 gatattccaa tacattcatg atgtgttatt tatatgtacc taatattgac tgttgttttt

BNEDOCID: -WO

0225005A1 | 5

ctccgcaatg	accaagatta	tttattttat	cctctaaagt	gactaattga	gttgcttact	5100
ttagagaagt	tggacccatt	aggtgagagc	gtgggggaa	ctaatcttga	atatacaatc	5160
tgagtcttga	ttatccaagt	atggttgtat	gaacaatgtt	agctctagaa	gataaaccct	5220
ccccaaaac	acaaattaga	atgacatttc	aagttccatg	tatgtcactt	tcattctatt	5280
atttttacaa	cttttagtta	cttaacagat	gtcttgttca	gcataaatta	taatttattc	5340
tgttttttt	tagggaacaa	ctgttgtaga	caacttgttg	tatagtgagg	atattcatta	5400
catgcttggt	gcattaagga	cccttggact	gcgtgtggaa	gatgacaaaa	caaccaaaca	5460
agcaattgtt	gaaggctgtg	ggggattgtt	tcccactagt	aaggaatcta	aagatgaaat	5520
caatttattc	cttggaaatg	ctggtactgc	aatgcgtcct	ttgacagcag	ctgtggttgc	5580
tgcaggtgga	aatgcaaggt	ctgtttttt	ttttttgttc	agcataatct	ttgaattgtt	5640
cctcgtataa	ctaatcacaa	cagagtacgt	gttcttcttc	ctgttataat	ctaaaaatct	5700
catccagatt	agtcatcctt	tcttcttaaa	aggaaccttt	aattatcaat	gtatttattt	5760
aatatttaaa	ttagcttgtc	aaagtctagc	atatacatat	tttgattata	ttctgagaaa	5820
tgcacctgag	ggtgttcctc	atgatctact	tcaacctctg	ttattattag	attttctatc	5880
atgattactg	gtttgagtct	ctaagtagac	catcttgatg	ttcaaaatat	ttcagctacg	5940
tacttgatgg	ggtgccccga	atgagagaga	ggccaattgg	ggatttggtt	gctggtctta	6000
agcaacttgg	tgcagatgtt	gattgctttc	ttggcacaaa	ctgtccacct	gttcgtgtaa	6060
atgggaaggg	aggacttcct	ggcggaaagg	tatggtttgg	atttcattta	gaataaggtg	6120
gagtaacttt	cctggatcaa	aattctaatt	taagaagcct	ccctgttttc	ctctctttag	6180
aataagacta	agggtaggtt	taggagttgg	gttttggaga	gaaatggaag	ggagagcaat	6240
ttttttcttc	ttctaataaa	tattctttaa	tttgatacat	tttttaagta	aaagaatata	6300
aagatagatt	agcataactt	aatgttttaa	tcttttattt	atttttataa	atattatata	6360
cctgtctatt	taaaaatcaa	atatttgtcc	tccattccct	ttcccttcaa	aacctcagtt	6420
ccaaatatac	cgtagttgaa	ttatattttg	gaaggcctat	tggttggaga	cttttccttt	6480
tcagagatta	tccctcacct	ttattatagc	ctttctattt	ttaaacttca	tatagacgcc	6540
attcttgttt	taaaaaacac	taagttttct	tttagttata	ccttcccctc	cttattctct	6600
ccaaagtaaa	tattgtagca	agtgttggtt	gatccattgt	gaatcttatt	atcctattta	6660
acatgcaggt	gaaactgtct	ggatcagtta	gcagtcaata	cttgactgct	ttgcttatgg	6720
cagctccttt	agctcttggt	gatgtggaaa	ttgagattgt	tgataaactg	atttctgttc	6780
catatgttga	aatgactctg	aagttgatgg	agcgttttgg	agtttctgtg	gaacacagtg	6840

6900 gtaattggga taggttcttg gtccatggag gtcaaaagta caagtaggtt tctatgtttt 6960 agtgttacat cacttttagt atccaaaatg caatgaaatt aaaactcatg tttcctatta 7020 ggtctcctgg caatgctttt gttgaaggtg atgcttcaag tgccagttat ttactagctg 7080 gtgcagcaat tactggtggg actatcactg ttaatggctg tggcacaagc agtttacagg 7140 7200 aattcaaccc ccttcttttc tctttcccct cactcccaaa atagagctta tcattgtatc 7260 cttaatagct cttttatgtg ctgtttcatc tcttgagcag attctacatg attatccttt 7320 ttagtgaact tttttgtctt ttaaataatt gatatcatca tttgaacttg cacatcatct 7380 ctatccttcc tcattttatt atatttcatt aagagtgata aaattacatt gtcaagtaaa 7440 gcaagttagc gtatcagata atgatgcttc gattgcagaa ttggtgaaag cttgcacaat 7500 tcattagctt agtgacaatt gtgatgtaga tagccataat cttccatgca acttattatg 7560 ctttttgtct aaaacttctt ttgcacttaa acatgaatta gagagttagg atgaacaata 7620 gtaacagaca caaagcttat ttctagacca cccagtggtg aagacgaagc agcatgagtg 7680 agattaatgg cagcatctga ttgaagcttc ttttggtatt attggagatg aaatcttgag 7740 ccaaattagg gcttttgcct cctcaatagc cattggttca aaattgcttt caataaaatg 7800 attacagaat caaattotta agaaagacot toaagaacaa catcaagatg tttoctgtgo 7860 aaaacaggct cacctacaaa agagtgtcta caagcacctt tacacttgca aaaaattcct 7920 taactgaaca attgccaaga gtcatgttgc aaacttgaga ttggagttga ttagatttgg tgtgtgtgag attctggaaa tgagcatgaa gttttttgca aagctcataa aatgaatgca 7980 8040 gccaagaatc ctagatagga ttgaatttga gagagaggct tgaagtcaag ataaccgcaa 8100 ctgatcttgc tgttcccatg ctgcatagga ctcgttgatt ctaccaagat aacaatcttc 8160 tgtggtgaga atatgagtgg gaattgtcag gcaacaaaga aaatgaaggc tatgagcctt 8220 tgttaaggtg cagagagaaa acagaaaatg aagaacttgt gtattgaagg aattgaaaag 8280 ccaattacaa ttgtgttgca gagagatatt tatagttctg aagtgtataa ctaactaaac 8340 agaatgctac caacctagag gcagttgaga attgctccct tattacaata ctctcacagc 8400 cttgatgata ggcttgattt gctgccaccg aagaagaaca ttattgttgg agagtttttc 8460 agtgattgca tcagagaaag ttacaagtgt gattggagat gaaggacttg cggtcgtcga 8520 aggttaagtg ttaagtggtg gaatgtgtat cggaggtggt tgcctagccc aagaagctgg 8580 ttgcagtgga agcggatgcg gcagaagcca tgggttcaga tcagaactat gttctagata 8640 ccatattagg gttagctttc aagagaaaac ttatgaaact gaactgtaaa ctgttgtatt 8700 attgattagc tgatctagta gtgatggaag cttgcttgcg aagcttctat ggaggctgga

tcattgagct	tcaatgaggt	ccttcaatgg	tgatttttca	ccatggagat	gcagcggaag	8760
ataaatgaag	aggtgagagg	aggcgtcatc	cactaggaaa	taaactatgg	aagaaggagc	8820
ttcaccacca	agagagtgtc	ttggataaga	agcttagaga	ggaagcttca	atggaggaat	8880
agaaagagag	aggggaaca	aaaaattgaa	ggaggaaaag	agggagagaa	gttgaacttt	8940
gaagtgtgtc	tcacaagact	cattcattaa	agttacaaca	agtgttacac	atgcttctat	9000
ttatagtcta	ggtaacttcc	ttgagaagct	agaacttaac	tacacacacc	tctctaataa	9060
ctaagataac	ctccttgaga	aatttccttg	agaagcttcc	ttaagaagat	tcctagagaa	9120
gctaaagctt	agttacacac	acctctctaa	taactaagtt	cacctccttg	agatgagaag	9180
ctagagcctt	agctacacac	acccttataa	tagctaaact	cactctattc	caaaatacat	9240
gaaaatacaa	aaaagttcct	actacaaaga	ttactcaaaa	tgtcctgaaa	tacaagacta	9300
aaactctata	ctactagaat	ggtcaaaata	caaggtccaa	aagaaggaaa	aacctattct	9360
aatatttaca	aagagagtgg	acccaacctt	agtccatggg	ctcagaaatc	taccctgagg	9420
ttcatgggaa	tcctagggtc	ttctttagta	gctctagtcc	aattttcttg	gagtcttcta	9480
tccaatatcc	ttgggggtag	gattgcatca	tgtagtacaa	gagagggaa	tatatataca	9540
gttgtaagtt	gtaactacct	aatcaaaccc	aactgactca	ccatacacag	aaaaacaatg	9600
tacaaaggat	aatagaaaaa	ctgaaactga	gatatactca	ttacatagaa	gaattacatg	9660
atgaatctga	aaattttaat	tgggaaactg	aggacaataa	caaggctttc	agagttcatt	9720
ttgacaatag	gtaaattatg	gacttcaact	tagacctcaa	gggtatgctt	gggagtgggg	9780
ttttagagga	aaaggggaag	gagggaaatt	ttttaattct	agtaaatatt	ctctattttg	9840
attaatttt	aaaataaaac	aaataaactt	atagattagc	attcacttaa	tgtcctgatc	9900
ttttatttgt	ttcatgaagt	tttttatago	ctttctgttt	ctgttaaaag	aaattggagg	9960
gtgttcataa	tctatatgcc	catatatatg	tattgtcctg	ttgtctgtgt	ttctgttttc	10020
tttctttagt	gtctcgcctt	tccttaattc	cttatcaaca	ccttgtttat	ttttgaaaac	10080
ttaaatgtco	tcatttttt	tacctgtact	ataactttcc	aaacaaatag	g tagaaaatgt	10140
ttcaaatatt	ccccagaact	gtttcagtga	acaaagttca	agccagaaa	a aaagcaagca	10200
gaggctaaag	aagtatatct	tattgtgaag	agtaatctca	attggttaal	tatcgaattg	10260
tatcatttta	caatagaaaa	ttagaagtgg	gttgattagt	ttatacgaa	c aattatttaa	10320
atagggttga	tggtgtggtt	aattactgat	catatgttaa	gactatgag	t cgatgaccag	10380
cctcagtgca	gtcattttaa	gttccattat	: tttttaattg	g tgcttatgt	t taactttgtc	10440
cttcttttaa	agggagatgt	aaaatttgct	gaagttette	g aaaagatgg	g agctaaggtt	10500

acatggtcag	agaacagtgt	cactgtttct	ggaccaccac	gagatttttc	tggtcgaaaa	10560
gtcttgcgag	gcattgatgt	caatatgaac	aagatgccag	atgttgccat	gacacttgct	10620
gttgttgcac	tatttgctaa	tggtcccact	gctataagag	atggtatggt	ttagctgttt	10680
gtttttgctc	aagagcttgt	tttcacatat	ttgtggtcaa	gagcggttta	gctgttttt	10740
tttttaaatt	gtggttaatg	aaattattat	aattatacta	atattgaaat	tggatcacta	10800
accatgtgaa	atgcttgaat	ttttagcttg	aaaacttctt	ttgtggatga	tttttcttt	10860
atctatgtag	tgtggggcat	ctatgttgtt	cctttaagct.	ttgtgtcata	gttgtacaac	10920
ctggtctgtg	ggctggtcca	gttcttactc	atgactgtct	tttgcagcaa	actggttaaa	10980
cttgggtgac	ctgttgaccc	acccagattg	gcctgttctt	ttttaaataa	aactccaaaa	11040
ggctacttat	aagatttcaa	catgatactt	gaatgaccac	ccttacttta	aaggtcatta	11100
tgccatcaga	ccccttgatt	ctctgttcag	ttatgttctt	attcttatta	ttttttaatt	11160
tatattatta	tccaacgatc	tgatctttgt	acatgatgct	ggacaatcat	caaagctagt	11220
ttggttacat	catataatac	ctttttttc	ataaattatt	ttttcccata	atatatttat	11280
atgtatttt	ttaatacaat	attctgggga	aattttttt	ttctgttttc	ttttttctgg	11340
tttgaatact	atttcaatga	ctgggcctta	ttattttctg	gtttgggtta	tacaactgtc	11400
ctttgatgta	cttttgaatg	cttcaatagt	atttttcata	atcatggaag	gcactagagt	11460
gcagtgcata	ttgcacaagg	ttctttaatg	gcatcttgaa	tttgttagaa	catggagtta	11520
tgatatacaa	ccattcctat	gtcttcatct	aatagctaaa	gcttttggcg	tagttggtta	11580
acatggtatt	ggaatcttat	tttaaaggtc	catcttattc	gcaagtacaa	ggcaggtgga	11640
cctgcgcatt	attcacgtgc	caggctcaaa	gggattttgt	atgagggga	atttttggaa	11700
tataatatat	agaatcattc	atgtggttca	cctatcatgt	gtcaactcaa	gtttttgtcc	11760
tagttgtatt	attgcagtgt	ctaaactagg	catgatcttc	tgtggaagga	aatttaacct	11820
aaggaacttg	aatgcttctt	gttctgagat	ctttatttt	tttctccaat	ctttttaata	11880
cttgaaaggt	tttagttgta	tctataaagg	gtgcagaatt	agggggtcag	cttttctgtt	11940
gtaagcgtga	attaagtgca	ttttatgttg	ttccctattt	tatacatttc	aactatcaac	12000
catatcattt	agcaaacttc	tttgttgctc	agattcccat	ttattcttgt	ttcctctatt	12060
ttttagtggc	aagttggaga	gttaaagaga	ctgagaggat	gatagcaato	: tgcacagaac	12120
tcagaaaggt	cttgctaatt	cctttatggt	ttctatatta	ctggactttt	tacatctcac	12180
tgacctacta	ctgtcttggt	atttcagcta	ggagcaacag	ttgaagaag	g teetgattae	12240
tgtgtgatta	ctccacctga	gaaattgaat	gtcacagcta	tagacacata	a tgatgaccac	12300
agaatggcca	tggcattctc	tcttgctgct	tgtggggatg	ttccagtaad	catcaaggat	12360

cctggttgca	ccaggaagac	atttcctgac	tactttgaag	tccttgagag	gttaacaaag	12420
cactaagcat	tttgtacatt	gagtagggaa	gagagagaga	tatatataaa	tactcacaaa	12480
gcagtgagta	tatggcttgc	ttttgtttct	aaacattcct	ttataaggac	ttgagataat	12540
ttgtattgtt	taaaagagcc	attggttctg	ttgtatcaaa	gtaatttaat	tttcagtacc	12600
gacttggctc	tactcatatg	tggtggtgta	cattgcatct	ttgcatttga	ttccatatct	12660
attgggatgg	gaccatacat	tttttgttta	ttatttaagt	caaacatatc	agataatatg	12720
tggtgaccag	aaaagtgtct	agcaatcaaa	tgggtctgtg	attgcatgtt	tgagttcagg	12780
acatttatta	atgagtgaca	gaattttaaa	aagctcgcca	ataggagttg	ccacatctga	12840
tcgagtcttc	tgtaaacact	aactgtaact	tgagtttgat	aatcagattc	cccccgttgg	12900
taggtaatat	gtaaatttca	ctatagattc	ttactgagga	tgatggtctt	gacttcgaag	12960
tggtgagtgt	aattctctaa	tctaaacttt	atatatatat	aaaaaaagaa	tgttaaaaac	13020
ttgagtgaca	tacagcaaat	agcaatgaaa	gcatgaccat	ggccttgggg	ggccaaatgg	13080
ccatgtacca	cttttccacc	tacttgagag	ccatggtcct	gaatgaggtc	cttttgtttc	13140
attttttta	caataaagaa	agttcatatt	cttggcaata	gcaaggcaaa	tcatttgtgg	13200
aagtcacatg	aaattcacca	taggcttcat	tgttcaaatc	ctttagtcac	taaggcaggg	13260
cctatgtaag	aattttgact	actcttgtaa	atgctgtgcg	gtaaagacta	cgggaaaata	13320
taaattattg	catatctaga	ggtgaggttc	atttctccga	tccatttctc	caagtaataa	13380
aaatatatat	aaattattaa	tatggtatga	tatggttatt	tgtcctttaa	atatgcgatt	13440
ataggttcaa	tctttggtta	atctatcaaa	tgcatctcaa	tattttgaga	gaatagtttt	13500
tagctcttga	ctgagagata	ctttgagtta	aaaaaatgta	tttataaact	attgtctatt	13560
gaatttttat	tttttttgta	acaccacatg	tgagtatttt	actaaatcca	tgttacaatg	13620
tactgaatgt	tttacaatac	agtctggttt	gataataaaa	tatgcacaaa	gtccagctta	13680
tgtaactctt	tcaattcatg	gaaaatgatg	atatgcgaat	tgaaagaaag	, aaaaccataa	13740
tgtaagtgta	tttttttt	ctttctcttc	tttaatatta	ctcaatatca	gattgcacat	13800
gggaagggta	ctggctcatg	tgggatatta	atttttatcc	cttacctaaa	aagagagaaa	13860
gagaaaataa	ctatttaaaa	agagtaccac	caccaccttt	ttcgctttta	agttttgttc	: 13920
tgttttcact	actctttcat	gcgttgtttg	ttggcttccg	atagtgacga	atatgataat	13980
gattttacgt	tgagaaaaaa	aatgtgccat	gtaaattcca	gagattgaaa	ttttagcttc	14040
aaattaatat	ttattttatt	atcttttcaa	attggttgca	tgtgaaagaa	tttgaagtto	14100
ttcaacaagg	aaataaacac	ttcaatgctc	aatccttaga	gtcagtcact	agatcccaaa	a 14160

agaatgtgat	gtttacacac	attagtatat	atatatatat	aaacacagct	tatattatat	14220
taatgagtga	tgcgcgagga	cggtggtgac	actacatggc	caaaacaaga	aatgtaattt	14280
aattttttt	tctttaagta	ttactctatc	cttgaatatt	agtcttaaat	cttcaaagac	14340
cttgcgaacg	aagcaatctt	gtcctgatcc	tgtgattgtt	ctacactagt	ccttacgtgt	14400
acctaagcac	atgatacttt	gctgccctaa	cataaattgt	accataagga	ttcttgggga	14460
gatgcttttg	ccttcatttt	caagtttgtt	tacactttca	agtcgttttt	tcaatgcatt	14520
ctctttcctt	tctgggaccc	cttgtcttta	acacgcgcgc	acacaaaaac	tagtagacaa	14580
taattagtac	tacttgggtt	ccattaaatt	gtaactacat	atacatgtgt	ttttttttc	14640
ttggatcaac	tgcatataca	tatgttttat	gagtttcatt	gaatttatat	ttacacaaac	14700
agttattaaa	acataatgta	gagccttgtc	attaacctga	tgttaggatt	ataatttcat	14760
gctttgattt	tgattgtacg	ttttttgttt	ttattgtaaa	gtgtttattt	tattaaaatt	14820
tgtcttggag	tgctgtgatc	tttagggtgc	accgttcaaa	agagagacga	caaggataat	14880
actaatacta	gtagattcca	cgcattcaac	cctagttagt	ttagctatga	caaattaagc	14940
atggtaagaa	aaggggagga	gaaaagtaag	aatgaaaaca	tataacaaat	tgtgattgaa	15000
cttttccatg	acgtaatgaa	aacattaatt	ttaagataag	cttcaactcc	taagaagaga	15060
tatgtcaaag	aaacttagga	tttttctct	atttataacg	gtaaattact	catcctttta	15120
aatgattaat	ttgcgttgtt	gaattcgttg	taaagggaaa	atcaagaagt	ctcttcacgg	15180
gaaagttata	tcaaagtatc	atatactaga	cttcatggct	agcttttact	ttgattataa	15240
gtaatgcatg	caattaatgg	gcaaataaat	tatttgaaac	caactaaagt	acaaataatt	15300
ttcctccaaa	acctctcaag	ttcgcattga	aattaaataa	accaatgcat	attaaggcgt	15360
aaatctaaac	catgtttgtt	tcatcttgta	ttgtatatca	tagtattaat	aaggtacttt	15420
gaatttagtt	gttattgacc	gttaaattta	ggggtgagtt	gttttactat	ctcttactca	15480
attgctttta	ttcaacgcaa	attctagtag	gattttcagc	ccaaattaaa	agaagtttta	15540
cggtttgatt	ctctacaaac	ttgaattgag	atttctaatt	tcagaaatca	ataattgcgg	15600
tcttaattaa	ctctataatc	aaacctttta	acccaatctt	tttctcaatt	ctctgaatta	15660
agacaatcaa	aatttaaact	cacacgaatc	tcacacgcct	tcccacggta	gagaaatata	15720
gggagtccct	taatagcaaa	agcctcaaaa	ttcagaaaat	ctcatccatt	gcatttgcac	15780
attcaacaaa	ccacccatta	ttatgttccc	ttaataaatc	tcacacttaa	aaaccctcct	15840
cacccataat	taacccaaaa	ggaagtttcc	tccacacaaa	aaatatcctt	aaacaaagag	15900
cctctataaa	tctattttaa	aaaaaccccc	aaatttaagg	a		15941

0226995A1 | >

<210> 32

<211> 15172

<212> DNA

<213> Glycine max

<400> 32						
aaaagtctga	atgaagtgaa	gttgttgtgt	tagggggatg	ctgaatttga	ttttaattta	60
atttaaataa	attacctgtg	taaaggattt	ttgtaccgcc	ttttaatcac	aaattgtcgt	120
gtatcgaaag	tttgttgaat	tttatagtaa	ctatcttgga	ggttatacct	agtaggattt	180
ctgattagtt	aaccatgtaa	attttttaa	tgggtttgtg	tttgttttaa	ctgatgttgt	240
ttttgatatg	tacgtggtaa	gtgtgatgag	tttgtgcata	tcttgatcaa	agactgaagt	300
gaagttgttg	tgtttggggg	gttgactctt	ttaggaagag	gatttgaggg	aatttcgcca	360
atgggggagc	agaactccgg	gacaccctga	gaattttgag	actccgggaa	ttgaagttac	420
aacaggtttg	atatgagtta	gagtttgtat	aatagaatag	taattcttt	tatttttat	480
ttttattgtt	tatttatcca	ttattgctat	ttttgtaggt	cctcttggtc	aggggattgc	540
caatgctgtt	ggtttggccc	ttgcagagaa	gcacttggct	gcaagataca	acaagcctga	600
caatgagatt	gttgaccatt	acacgtaaaa	ataactaaat	catacacaac	ttgcaagact	660
ttagttgttg	gtgttttgct	aatggcgttt	gttttatgca	ggtatgctat	tctgggtgat	720
ggttgtcaaa	tggagggaat	tgcaaatgaa	gcatgctcac	ttgctggcca	ctggggactg	780
gggaagctga	tagcatttta	tgatgacaat	catatttcta	ttgatggtaa	cacagagatt	840
gcgttcaccg	agagtgttga	tagtcgtttt	gagggacttg	ggtggcatgt	tatttgggta	900
aagaatggaa	ataatggcta	tgatgatatt	cgtgctgcca	ttaaggaagc	aaaagctgtc	960
aaagacaaac	ccacattaat	caaggttagt	ttactaattg	tggcaatgat	atgcatagat	1020
ttctggcttg	tagttaccat	aacaatcata	atctgtcatg	atttataggg	attcttttaa	1080
actaaggtta	taaacatgat	atgttactaa	agactgcatt	gcattgtagt	acctcatttg	1140
agaaactgga	agttataggt	gggaaatcaa	aatagtaaat	tatgggtcag	tttattaagt	1200
gtagctggtt	tgtcttttgc	taactctatc	atttcacagg	tcacaaçaac	cattggttat	1260
ggttctccta	acaaggctaa	ctcctacagt	gtgcatggaa	gtgcactggg	tgccaaagaa	1320
gttgatgcca	ccaggcagaa	ccttggatgg	tcacatgagc	cattccacgt	gcctgaggat	1380
gtcaaaaagt	atggatgatg	ggtttagaga	tttcttttt	cctgtgacac	tgctgatgtt	1440
tataatgata	ctgaataaga	attgcttgtc	tgtccccagg	cattggagtc	gccacacccc	1500

1560 tgagggtgct gcacttgaag ctgagtggaa tgctaagttt gctgagtatg aaaagaaata 1620 caaggaggaa gctgcagaat tgaaatctat tatcaatggt gaattccctg ctggttggga gaaagcactt ccggtgagta aattctaaac tcacaggttt ttcttacatg tttgtaactt 1680 ttcaaggttt ggattacata ctatccaaag ttgatcatga tttcagtttg atttggtagt 1740 atggggcttc aaaaagttat tccaaatatt aaaacctggc ttccaatttg atttcagaca 1800 1860 tacactccag agageccage ggatgecace agaaacetgt etcaaacaaa eettaatgee 1920 cttgcaaagg ttcttcccgg tctgcttggt ggcagtgcag atcttgcttc ttccaacatg 1980 accttgctca aaatgttcgg ggacttccaa aaggatactc cagcagagcg taatgttaga 2040 ttcggtgtta gagaacacgg aatgggagct atctgcaacg gcattgctct tcacagccct 2100 ggactgattc catattgtgc aaccttcttt gtattcactg actacatgag aggtgccata 2160 aggetttetg egetgtetga ggetggggtt atttatgtea tgaeccatga tteaatagga cttggagaag atgggccaac ccaccagcct attgagcacc tagcaagctt ccgggcaatg 2220 2280 ccaaacattt tgatgcttcg tcctgccgac ggtaacsgaa acagccsgag catacaaagt 2340 ggccgtgctc aacaggaaag agaccctcca ttcttgccct atccaggcaa aaactgcccc 2400 agetteeegg aacttheatt gaaggagttg aaaagggtgg ttacaccatt tegggacaac 2460 tccactggca acaagcctga tgtcattttg atcggaactg gttcggaatt ggaaatcgct gccaaagctg ctgatgacct aaggaaggaa gggaaggctg ttagagttgt ttcccttgtt 2520 2580 tcttggggaa ctttttgatg agcaatcaga agcstacaag gagagtgttt tccctgctgc 2640 tgtttcagcc agagttagca ttgaggcagg atcaacattt gggtgggaga aaattgttgg agcaaaggga aaagcaatag gcattgatcg ttttggagct agtgctccag ctggaagaat 2700 2760 atacaaagaa tttggtatca ctaaggaagc tgttgttgct gcagctaaag agcttatcta 2820 gaacttttga ttttttttg ccttctggtt ttggttgaga gcattccatg tcatgaataa gaaaaaggtt aaatatoott ogattgggaa tttgggatto taagtgaaga agcaacatag 2880 2940 atcaaagaat tttgtgaact tgtaataact atttgacaat ttagttttgc actgccacat 3000 ggttaaattc aatqtttgat catatcaacc atagatgcta gtttatacta cttgtataat 3060 ttgtttcact tgcagattca ctcttagcat ttgagtgttt ggatggccgt gttttgttca ttaagaaatg ttgacatgga tagtttgttg catggtaaat tggtgattaa taccttttta 3120 3180 agettetttt ggeaagttgt taaaaagtgt tttgttttaa tetetagtta atetaaaaat 3240 gcctacttat tttattttga ctttcaaaac ttgtctatat gccgagtata aaaaaaactt 3300 gtctatataa gttccttatg gaaaaaggac ctacaaaata atttaaaaat gctgaatttg 3360 ttaggaagtt tgacaacttt agacattaat aattgttttt ttttcatata tataattgac

tttcaaaact	tgtctatata	ttataaattc	gttatggaaa	gggcgaccac	acgtaaaacg	3420
taacatgcca	atctctccct	agtgaactgt	tattctcatt	cagtttttgt	aagttcacct	3480
tcaaattttc	aattttttt	ttgacaaaaa	tatctttgat	ggaacacgtt	aggggtgtaa	3540
attcaccatt	catcatttca	ttcattatac	acaatagtct	ttcataatcc	aatgaaaact	3600
tgtttttgtt	gttattttt	tctgaaaaat	ctttataaaa	taaataaaaa	catttttttg	3660
ttataaattt	cagttgaaat	acataaccat	taattctaca	gagtgttaat	gttgatgtaa	3720
aataaaaaaa	tattggatat	caaacttaat	gaacagaaca	aaaattacaa	aattgtacaa	3780
tttaaatgat	aaaaaccaa	attcacaaaa	ataaaaatta	aggacgaaat	ttgagaaatg	3840
ataattaaaa	acgattaaaa	atataattaa	actaaaattt	attatgtaat	tctttaatat	3900
atatatatat	atatatatat	atatatatat	atatatatat	ațaataaaag	ttttacatta	3960
taattttgaa	atgaagtatt	tgataaacga	acaacccacc	cttggggttg	gtgagagtga	4020
aacggagaac	agtgtctccc	tcacttggtc	ttctgagtcg	agtcctattc	atcaccaacc	4080
cactcgtcaa	aattgttgta	tgctatgtaa	ccattttgtt	ttttaataaa	taaaagtgtt	4140
ttgttctgct	atgcactccc	catcaaatac	catttacttt	ttttttgtct	tctatcaatt	4200
tctatttagt	tcctagttgc	tacaacttcc	agctggtgaa	aaatagtcaa	cagagactac	4260
aatattctaa	taaaatagaa	taacaaaatc	aaatatattc	atttaatatg	attttatttt	4320
tatttaattt	aaaacatgaa	ttatttgttt	cttatttaat	taccgtttcg	ttcacttctc	4380
aattaataaa	ataaaaaatt	tctacaatta	tagaaaaagt	ttagttttgt	agattgttaa	4440
cataaagatt	tttcctatta	actaattaat	taaaagtcat	cttatatata	agttttaaag	4500
taattatctt	atatatgtac	ccaaaagttt	taaagcaatt	attataaaaa	agtaaaattt	4560
tatcatatac	aataatctat	aattacatga	aagtataatt	tttaaattat	taatacgtta	4620
aaattatttt	tttaaaattt	gaatgatcat	atagtaattt	tattttatac	caagtcccaa	4680
catttcctat	tttattccac	ttttaccaat	aaatttcctc	ataaacactt	ataagaaaaa	4740
aagtaagtaa	agaataaaat	aagcttttct	ataaactata	aacaaatttg	tataaacttt	4800
cttatattag	tttttctgaa	aactaatttt	aaattataca	taaattgaat	ttactgataa	4860
ttttttattt	tctttttgta	taagtgtttt	ttaagaaatt	tgttcaaaca	tatttttatg	4920
acatgtcaat	gcttgagaga	tataaggtga	gttaaatcat	aaatgattaa	agaaaaataa	4980
aagaagaaaa	agataattaa	tttaatttt	tattaacatt	ctaacaaatt	aacattatat	5040
aaataaaaat	aatatttcaa	taattggato	aataatacta	ttgttcttaa	a acaccaaacc	5100
aaccttccta	aaqtcctaat	ctaatccaaa	agccatcatt	cattttcctt	ggtaggtaaa	5160

5220 gttccaaaac ctttaccaac cttttcactc aattattttg gtgtaagcaa ttcgacatgt gttagtgtta gttggcaacc aaaaacccct ttatgtgact cactcaatcc aacaacctct 5280 5340 cacaccacca accccccat aactcataag gccaaaacca tttctcacaa aacccttcat 5400 tacacacatt attatcatta tcacacacac aaaaaacctc tcatttcaaa gagagagaga gatttcacag accaaattgc agaggacgac aaagttcaca acttcaagga aaatcgaaat 5460 ggcccaagtg agcagagtgc acaatcttgc tcaaagcact caaattttyg gycattcttc 5520 caayyccaac aaacycaaat cggygaattc ggtttcattg aggccacgcc tttggggksc 5580 ctcaaaatct cgcatcyygr tgmayaaaam tggaagcytt atgggaaatt ttaatgyggg 5640 gaagggaaat teeggertgt ttaaggttte tgeatesgte geegeegeeg cagagaagee 5700 gtcaacgtcg ccggagatcg tgttggaacc catcaaagac ttctcgggta ccatcacatt 5760 gccagggtcy aagtctctgt ccaatcgaat tttgcttctt gctgctctct ctgaggtaaa 5820 gtttatttat ttatttattt ctgtatccaa aaatgtaaat tgttagtttg ttaatttttg 5,880 ttagcagtga gagtcgaact acttggcttc tttcttagtc atccaaccaa ccttatatct 5940 ccaaaattta tttattggtt ttttttgggg ttatgtggtt aggaatagga gtttgatgcg 6000 tggagtggat tttgaatatt tgattttttt tttttttgta ttattcagtg aaaatgaagc 6060 6120 atcttgtccc atgaaagaaa tggacacgaa attaagtggc gtatgattta gaatgatgat 6180 agaaatgtgt ataggtggtt ttaatgtgta gcaataagca tattcaatat ctggattgat 6240 ttggacgttt ctgtataaag gagtatgcta gcaatgtgtt aataatgtct tgttaaaagt 6300 atggatggct aaaataatca taaaaatcga gtgggagtag tatacatatc tacaggaaat gtattaggtg aggcatttgg cttctctatt gcgagtaagg aacaagtaat ctcagttaat 6360 6420 gtgaaaatca atggttgata ttccaataca ttcatgatgt gttatttacg ggaacgcaat 6480 attgactgtt gattttatct gcagctgaga ttatatacta tatccttcca aagaaatctt 6540 tgactcttga ttatccaagt atggttgtat taccaatttt agctctagaa gataatccct 6600 cccccaaaac acaaattaga atggtgctgc aagttccgtg ttactttcat tctattattt 6660 ttataacttt taattattta atagatgtct tgtttggcat aaactataat ttattctgtt tttttttatt cttatttagg gaacaactgt tgtagacaac ttgytgtaya gygaggatat 6720 tcattacatg cttggtgcat taaggaccct tggactgcgt gtggaagayg acmaaacaac 6780 caaacaagca attgtkgaag gctgtggggg attgtttccc actaktaarg aatctaaaga 6840 tgaaatcaat ttattccttg gaaatgctgg tactgcratg cgtcctttga cagcagctgt 6900 rgttgctgca ggtggaaatg caaggtctgt tttttgtttt gtttgttcat catgatctct 6960 gaattgttcc tcgtataact aatcacatca gactatgtgt tcttcctcca tcctgttata 7020

atctaaaaat	ctcatccaga	ttagtcatcc	ttctttaaat	gaacctttaa	ttatatctat	7080
gtatttattt	aacatgtaaa	ttagcttgtc	aagtcaaagt	ctagcatata	gatatactga	7140
ttacactctg	aggaatgcac	ctgagggtct	taatcatgat	ctatttcaac	cttgccactt	7200
tcttctttta	ttattagatc	acctatcatg	attactggtt	tgagtctcta	aatagaccat	7260
cttgatgttc	aaaatatttc	agctacgtac	ttgatggrgt	gccccgaatg	agagagaggc	7320
caattgggga	tttggttgct	ggtcttaagc	arctyggtgc	agatgttgat	tgctttcttg	7380
gcacaaactg	tccacctgtt	cgtgtaaatg	ggaagggagg	acttcctggc	ggaaaggtat	7440
ggtttggatt	tccattagaa	taaggtggac	taactttcct	ggagcaaaat	tctaatttat	7500
accctgtttc	cccctcttta	gaataagaca	ctaagggtat	gtttaggagt	tgggttttgg	7560
cgagaaaggg	aagggagggc	aattttttt	ctaataaata	ttctttaatt	tgataaattt	7620
tttaaacgaa	ggaatatgaa	gatagattag	cataacttaa	tgttttaatc	ttttatttat	7680
ttttataaat	attatatacc	tctatttaaa	aacaagatat	ttttcctcca	ttccctttcc	7740
ctttaaaacc	tcagttccaa	atataccgta	cttgaattat	attttggaag	gtgtattggt	7800
tggagacctt	tccttttcag	aggttatccc	tcacctttat	tatagccttt	ctactctctt	7860
aatgagttca	ttgtgcattg	agtcattgaa	cttcctgtga	aaagaaattg	tttacttttc	7920
tttatttgtt	acctacatcc	ttattcctgt	tttaaaaaat	actaagtttt	cttttagtta	7980
tgccttcccc	tccttattct	ctccaaagaa	aatataatag	cgaatgttgg	tttatccatt	8040
gtgaatctta	ttatcctatt	tcacatgcag	gtgaaactgt	ctggatcagt	tagcagtcaa	8100
tacytractg	ctttgcttat	ggcagctcct	ttagctcttg	gygatgtgga	aattgagatt	8160
gttgataaac	tgatttctgt	tccatatgtt	gaaatgactc	tgaagttgat	ggagcgtttt	8220
ggagtttctg	tggaacacag	tggtaattgg	gatargttct	tggtccatgg	aggtcaaaag	8280
tacaagtagg	tttctatgtt	ttagcattac	atcactttt	agtatccaaa	atgcaatgaa	8340
atcaaaactc	atgttttcta	tcaggtctcc	tggcaatgct	tttgttgaag	gtgatgcttc	8400
aagtgccagt	tayttmctag	ctggtgcagc	arttactggt	gggactatca	ctgttaatgg	8460
ctgtggcaca	agcagtttac	aggtattcat	gcttgacact	attttctatt	atcttttatt	8520
ttatggtcta	tactgtatca	ttcctaattc	aacccccttc	tttctcttt	cccctcactt	8580
ccaaaaaaat	agagcttatc	attgtattct	taatagctct	: tgtatgtcct	ttttcgtctc	8640
ttgagcagat	tctaccgtga	ttatcctttt	tagtaaactt	: tttttttgtg	g tgtcttttaa	8700
ataattgata	tcatcatatg	aattcacaca	tcatctctat	cccttcctca	ttttattata	8760
tttcattaac	: agtgataaag	ataaaaataa	attgtcaagt	aaagcaagtt	agcatgtcag	8820

8880 ataatgatgc ttcaattgca aaattggtga aagcttgcac agtacattag ctttggtgac 8940 aattgtgatg tagatagcca taacctccca tgcaacttat tatgttgttt gcttaaactt 9000 cttttgcact taaacacgga ttagagagag tgaggatgaa caataataac agacacaaag 9060 cttagtttta taccacccqq cacccagtgg tgaagaccaa gcagtatgag tgagatcaat 9120 ggcagcatct gattgaagct tcttgtggta tttttggaga tgaaatccga ggcgaattag 9180 ggcatctggc tcaacaatag ccattggttc aaacttgctt ttaataaaat tgattacaga 9240 atcaaattct tgaggaagcc ttcaagaact acatcatgat gttccctgtg caaaacaggt 9300 tcaccgacaa aagagaacat ctacaagttc ctttacacat gccaaaaaatt cctcaactga 9360 acaattgcca agagtcatgt tgcgaacttc aggttggagt tgacgaaatt tggtgcatgt 9420 atgattctgg aaatgagcat gaagtttttt cctaagctca taaaagtgaa tgcagccaag aaccctagat aggattgaat cggagagagg cttgaagcca agataacagc aactgatctt 9480 gctgttccca tgctgcgtag gactcattga ttctaccaag atcacaatct tctgtggtga 9540 9600 gaaaatgagg gtgaattgtc aaccaataaa gaaaatggtg aaggctgagt cttgatgata ggcttgattt gcttgcgctg aagaagaacg ttattgttgt agagtttctc agtgattgta 9660 9720 tgagagtaag ttacaggtgc gattggagat gacggacttg tggtgggagg agggtaagtg 9780 ttaagtggtg gaatgcgtat cagaggtggt tgcccagcca aagaagctgg ttgcggtgga 9840 ggaggtggtg gtgcagtgga agccatgggt tttgatgctt ttgagagaaa acatacgaaa ctgaactgta aacttttgta ttattgatta gctgatttgg tagtacaaga gaggaatata 9900 9960 tatacagttt taatgtaact acctaaccaa acatgaggaa ctctccatac acagaaagac 10020 gtatacaaag gataacagac aaacagaaac ttagatatac tcatacagag aagaattaca 10080 ggatgaatct gagaatttta attgggaaac tgaggaaaat agcaagggtt tcagaattca ttttgacgat aggcaaatca tggacttaac ttagacctca agggtacgct tgggagtggg 10140 10200 ggtttttaga gggaaaaggg aaggagggca aacttttaat tcctaataaa tattctcttt 10260 tttgattttt ttttaaataa aacaaataaa cttatagatt agcatacact taatgtccta atcttttatt tatttgcatg agtttttttc ttttatattc tttctgtttc tgttttcttt 10320 10380 cttcagtgtc tcttgtcttt ccttaattcc ttatcaatac cttgtttatt tttgaaaact taattttcct cattttttta acttataggc tatactatag tatgtataac tattcaaata 10440 aatagtagaa aatgtttcaa atattcccca gaactgtttc agtgaacaaa gttcaagcca 10500 gaaaaaagaa gtatatcttc ttgtgaagag tagtctcaag tggttaattg tcaaattgta 10560 tcattttaga atacaaaatt agaagtggtt tgattagttt atacgaacga ttatttaaat agggttgatg atgtggttaa ttactgatca tatgtgaaga ctgtgagtcg atgaccagcc 10680

cagtgcagtc	attttaaatt	ccattatttt	ttaatttgtg	cttatgttaa	actttgtcct	10740
tctttcaaag	ggagatgtaa	aatttgctga	agttcttgaa	aagatgggag	ctaaggttac	10800
atggtcagag	aacagtgtca	cygttwctgg	accrccacra	gattyttctg	gtcraaaagt	10860
cttgcraggc	attgatgtca	atatgaacaa	gatgccagat	gttgccatga	cwcttgcygt	10920
tgtygcacta	tttgctaatg	gtcmmactrc	yatmagagat	ggtatggttt	agctgtttgt	10980
ttgtgttcaa	gagcttgttt	taacaaattg	tttttttaa	ttatggttaa	tgaaattatt	11040
ataattacac	taatattgaa	attggatcac	taaccatgtg	aaatgcttga	atttttagct	11100
tgaaaacttc	ttttgtggac	aatttttctt	ttatctatgg	attgtggggc	atctatgttg	11160
ttcctttaag	cttcgtacaa	cctggtctgt	gggctggtcc	agtccttctt	actcatgaca	11220
gtcttttgca	gtaaactggt	taaacttggg	tgacctgttg	acccacccag	attggcctgt	11280
tctttttaaa	taaaacttgg	ctacttataa	gatttcaaca	tgatacttga	atgatcaccc	11340
ttactctaaa	ggccattatc	tgttcagtta	tgttcttctt	cttcttatta	tttttaattt	11400
atattattat	ccaacgatct	gatctttgaa	catgatgctg	gacaatcatc	aaagctagtt	11460
tggttacatc	atataatacc	tttttttca	tatattattt	ttcccatagt	atatttttgt	11520
gttttttt	catacaatat	tattctgaaa	aaaacttgtt	tcgtttttt	cctggcttga	11580
atgctatttc	aatgactggg	ccttattatt	ttctggttta	ggttatacaa	ctgtcctcca	11640
attgactttt	gaatgcttca	atagttttct	tcttaatcat	ggaaggcact	agagtgcata	11700
ttgaatatgt	tagaacatgg	aaggcttaaa	tatctttta	gtctttgcaa	tttaacgttt	11760
ttttgctttt	agtccttgca	aaattataat	tttttttag	tcctgactaa	ttatgtttgt	11820
tttgtttttg	agggcgagcc	ctggtgcagc	ggtaaagttg	tgccttggtg	acttgttggt	11880
catgggttcg	aatccggaaa	cageetettt	gcatatgcaa	gggtaaggct	gcgtacaata	11940
tecetecee	ataccttcgc	atagcgaaga	. gcctctgggc	aatggggtag	aaaaagaaga	12000
atgctttaga	taacactttt	tttgttactg	ttcaaagcac	tatctaaagt	gctttgagga	12060
ctaaacacaa	aacaaacata	atttgcaagg	actgaaaaac	aaaaaaataa	ttttgcaagg	12120
acaaaaaaa	aaaaaaaaaa	aacaaaattg	caaggaccaa	aaatatattt	aaaccaacat	12180
gaaattatgg	tataaaacca	ttcatatgto	ttcatctaat	agcttaagct	tttgggatag	12240
ttggttaaca	atatggtatt	agagtettat	gatttttagg	, tggtctttga	gttcaatcct	12300
tgatgataca	agttctagtt	aatttcttt	tggtccactt	caaataaaa	gttgaattta	12360
agggtaaggo	agctggacct	gcgcattaat	catgtgtcag	gctcaaaggg	g cttttgtatg	12420
gggggcatgt	ttggaatata	atatagaato	attcatgtgg	tttcacctat	caaggacaac	: 12480

12540 tctagttttt gtcatacttg tattattaca gtgtctaaac tagacatgat ctttttccgg aaggaaattt aacttaaaag gaacttagat gcttcttgtt ctgtgatctt tatttgttta ttttttccaa tctttttaac aattgaaagg ttttagttgt atccaatctt tttatacatt 12660 tggactatct accatatcat ttagcaaact tgtttgctgc tcagattctc ctttggacta 12720 tctaccatat catttagcaa acctgttcac tgctcagatt ctcatttatt ctttgtttcc 12780 tctatttttc agtggcaagt tggagagtta aagagactga gaggatgata gcaatctgca 12840 12900 cagaactcag aaaggtgagt gtcttgctaa ttcctttatg gtttcgatat tactggactt tttacatctc actgacctac tctgtcttgg tatttcagct aggagcaaca gttgaagaag 12960 gtcctgatta ctgtgtgatt actccacctg agaaattgaa tgtcacagct atagacacat 13020 atgatgacca cagaatggcc atggcattct ctcttgctgc ttgtggggat gttccagtaa 13080 ccatcaagga tcctggttgc accaggaaga catttccyga ctactttgaa gtccttgaga 13140 ggttmacaaa gcactaagca ttttgtacat tgagtaggaa gagagagaga gataaatact 13200 cacaaaacag tgagtatatg catggcttgc ttttgtttct taacattccc ttgtaagaac 13260 ttgagataat ttgtattgtt ggaaagagct attgattctg ttgtatcaaa gtaatttaat 13320 ttccagtaca gacttggctc tattcctcat atgtggtggt gtacattgca tctttgcatt 13380 tgatcccatt tctattggga taggaccata cctttttttg tttattattc aagtcaaact 13440 13500 tagcagataa tatgtggtga ccagaaaata gtctagctag caaatagacc tgtgattgca tgtttgaatt caggacttca ggacatttaa ttaatgagtg acaatgttaa aaagctcgcc 13560 aacaggagtt gacacatctg attgagtctt ctattaacac taactgtaac ttgagtttga 13620 ttatcagatt cctcctgttg gtaggtaata tgtaaatttc actatatatt taccgaggtt 13680 13740 ggtggtctta cttgactttg aagaggtgag tgtaatttaa acttttatat caaaaaaaga ttgctaaaag cttgagtggc atgcaacaaa tagcaatgaa agaatgacta tggccttggg 13800 13860 aaccaaatgg ccacgtacca cttttccacc aacttgagag ccctggtcct ggatgatgcc ccttttttt tttcatttct ttgacaataa agaaagttct tattcttggc aattgcaagt 13920 cgtttgtgga agtcacatga aattcaccat aggcttcatt gttcaaatcc tttagtcact 13980 aactaaaggc tggacctatg caagaatttt ggctactctt ataaatgctg tgcggcaaag 14040 actacggaaa aatataaatt attgcatatc tagaggtgag gttcattgct cccatccatt 14100 tttccaagaa ctaaaatata tataaattat taatatgata ttacattgaa aaataatatt 14160 tttcttttaa atatgtgatc ataagtttaa ttttaagtct attcatacga aaaaaatatt 14220 tattagaaaa gattaattta ttaaatggat ctcaatattt taagaaatta acttttagct 14280 ctcaaccaac agatgatttg agttaaaaaa atgtatatat aaactattgc atatctgctg 14340

022800584 1 5

atttttgtt gtaacaccaa taagtgggca ttttactaaa tccatgtgac aatgtactga 14400 atgttttaga atacagtctg gtttgataat aaaacgtgca taaagtccag cttatgttaa 14460 ctcttaattc atggaaaatg atgatatgcg aattgaaaga aagaaaacca taatgtaagt 14520 gcagttttct ctcttttt taatattatt caatatcaga ttgcacatgg gaaggggtat 14580 tggctcatgt gggatattag tttttgtccc ttacctaaaa agaggagaaag agaaaaataa 14640 caatttaaaa agagtaccac cgctaccacc tttttcgctt ttaaattttt gttctgtttt 14700 cactactctt tcatgcgttg tttgttggct tctgatagtg acgaatatga tataatgatt 14760 ttatgttggg aaaaaagtgc catgtaaatt ctagagattg aaattttagc atcaaattat 14820 ttattttatc acctttaaa atttgttgca tgtgaaagaa tttgaagctc tccaacaagg 14880 aaataacact tcaatcctta gagtcatcct ctagatccca aaagaatgtg atgtttatac 14940 acattagtat atatatata atatatata atatatata atatatatat atatatatat agggtttata ttatattaat gagtgatgta cgaggacggt ggtgacacta 15060 tatggccaaa acaagtgtaa tataatcat tctttttcc aagtatctt cc 15172

- <210> 33
- <211> 32
- <212> DNA
- <213> Primer
- <220>
- <221> misc feature
- <222> (9)..(9)
- <223> n is inosine
- <220>
- <221> misc_feature
- <222> (15)..(15)
- <223> n is inosine

<220>

<221> misc_feature

<222> (21)..(21)

<223> n is inosine

<220>

<221> misc_feature

<222> (27)..(27)

<223> n is inosine

<400> 33 gcacarcgng caagngaraa ngccatngcc at

32

<210> 34

<211> 29

<212> DNA

<213> Primer

<220>

<221> misc_feature

<222> (18)..(18)

<223> n is inosine

<220>

<221> misc_feature

<222> (24)..(24)

<223> n is inosine

<220>

<221> misc_feature

<222> (27)..(27)

<223> n is inosine

<400> 34 gcwggaacwg cmatgcgncc rytnacngc	29
<210> 35	
<211> 15941	
<212> DNA	
<213> Glycine max EPSPS with double mutation	
<400> 35 aaaaaatacc ttttagtaaa ataagagcgt ragatcaatc agacgttttc tctttgggac	60
ttctcattct taattgaatt gacaataact aaagtgaaac taaggctaaa atcaactcgc	120
ctagtcaagc tcgtccacaa aaataggttt ttgaaagttt accatgtcag tttcttacta	180
agtaaaaaag gatcatttgt aaggtccaac gccttaaaat gatcaccctt caaagtaaaa	240
gaatcacttg tttcacgcat aagtaagaac tacgtaggtc tgatttcctc tccaaaggag	300
ggtacgtagg agcaaaagcc ccgcttttgt cgaccttaaa aaataaaaag aaacaaaagt	360
taaggtaaca caatttccac aattctagaa ataaggttgt tgtctttcga gacaaacgta	420
agaggtgcta ataccttcct caaacgtaaa tacaactccc gaacttagaa ttttcatttt	480
gaccggtttc cttcggtttt cccgacgttt tccacaaata aacgttggtg gcgactccgc	540
gcatctttcc tcctttggaa agcgcaccca tgagcctcgc cctcgctcgc ccgcgaaggg	600
cacgttgcga cactaggtta ataagaagtt tagtccacat atctatggac ctcttaaggt	660
gattatcaaa gtggaagtgg tgacctacat gttggcccta ccagcttatt cgtatattta	720
cccccatcaa ccatgtatct cagctgaaac atgctatcaa tccaaatgtt atcagaggaa	780
catgagetge atgttcaace agaagtagtt etagtettaa tacaaatgte aaatggeaca	840

cctaaaatca ccatgagaga gaacaaagat tgagaaacct acaaccacta tgagagagaa 1200 tgagcagaac agaagcgtga gatagagaac gagagttaag gtgcgagagg acacgaagaa 1260

agtgagattt tgaatttctg atgttgtaaa aatctcagga catgaatact attgggaagc

aattattcat acttcaccaa tccaaactga cccaaaattc tcaaatcaca tgaaagcaaa

aatgcatata acacgaagaa taagaagaag aggaactaac ctggggtttc gatgattaaa

gcgttgttgt tgatgatgaa aacgatgatt atggagagaa attgttgttg aatggtgaaa

ttgttataga aagagaacga agatagagaa aaagatatat agatttttca aggctcaaac

900

960

1020

1080

1140

cttaccattt aggtggaatt tcaattctac aattttattc tattaaaatt attttaaaaa 1380 atgatgtcat tttaaattct ttaaaatctc atatccaaca actgaattat gatagaggta 1440 1500 tttcaaattc acttaaaaaa attatcttat ttaaataccc catccaaaca tagcgaaatg 1560 ttcatgagaa ggatcaagtg gtttggaaac atagtactaa tggtgtttat acagttcatg 1620 gaatccttga tagataattt aaaggttgct ggaaattgga tgaaggtgtg gagattaaat attcttccaa aaataaagcg ttttatttgg agagtgttgt gtggttgtct cccctgtagg 1680 caaaagcttc gatgtaaagg agttcaatgt ccaataacct atgctttcta tccctcgatt 1740 attgaaaatg aatgacacat tttatttggt tgaaatcaag aaataagcat gtggcaagca 1800 acgggtattt gacaattcat agaacaaaag gtgaatgcag caaaagaatt aatgaactcc 1860 ttttcgatct acttggatca ctacatggag atattatcaa caaatttgat gttactttat 1920 ggagcagttg gaattettgg aatgacaaga tatgaaatga acataccaac ceteetettg 1980 tttctgtttc ggtttctatg cagtattttg ttgaatggca aagtgcaagg taatatgctc 2040 ctcaacatca attaacaaat gttcatgaca tctcttacca gctccaactt ggggacgttt 2100 gacaaacacc accgtcaagt ttccttaaat gcaacattaa tgttgctcat ttcaaggagg 2160 agaatagttt tggtgtcggc atgatactcc atcaaggaag attcgtcaaa gctcactcac 2220 gttttcgaca tgggtcgaca tgggttacct gacccaaagg ctgaggctta ggcttgggtt 2280 tgcttcaagt attgatctgg gcccagacta ttggtttaca taatatcatt tttgaaaacc 2340 taacatctaa aactcaaggt tgtttagagg tgcgccattc caaaataaga ttatcctatt 2400 tgtgcatgaa tgcgaccaac tatctcctgt ttcagcatta taaagtataa acaacaaact 2460 tctttaatca agggactaaa agatattgga catacaagct aaaagtgata gaatttgaga 2520 aaacaaatat tgacaacaat attcaagagg acactaaaac ataattctca aattttttt 2580 gtttatttaa aataaagtgg ttcattaggt agctcttgaa aaaaaaaagt gattaacatg 2640 2700 ctagtacatg ttaaaaaaag tgaataatat tctattataa gtaaagagga ataatttatc 2760 gatgtctcat ttttgagata gttcaccgaa gccaattttt ttactttttt ctcttcaatc 2820 aattttattt tgttaatagt tgtcattgtg gatggattat aataattttg aaatgattta 2880 aaatgagata tatattaata aatttaatta attcataaat atgttactaa atataaattt catggtatac tcaggacggt tataacggaa atcaaataaa taataaaata gaataatatt 2940 3000 aatttgcagt aaaaagaata atattaattt attctgttta cactatgtat aacgaaatta aatatattca tttaatatga ttttattttt ctttaattta aaaacatgaa ttatttgttt 3060 cttattttat taccattttg ttcacttctc aattaataaa ataaaaatat attctacaat 3120

tatagtaaaa	aggtttaatt	ttatataatg	ttagcataca	gatttttctc	tattaactaa	3180
ttaattaaaa	attatcctta	ttttaaggaa	attaaaaatt	atcatatata	tataagtttt	3240
aaattaatta	tcttatatat	gtaccaaaaa	gttttaaagc	aattattata	aaaattaata	3300
aatttatcat	ataaaataat	ttataattaa	attttaaatt	atcaattcat	taaattaaat	3360
tatttaaaat	ttttgaatga	taatataata	attttatcct	ctactaagtc	ccaacgtttc	3420
ctattttatt	ccacttttag	caataaattt	tgtcataaac	acttataaca	aaaaaagtaa	3480
gtaaaaaata	aaaaaaagtt	tttcaataaa	gtataaacta	atttgtataa	acttttagaa	3540
aaaataaagt	tatacattga	taatataaat	tttttacata	attatccgat	caactcatta	3600
tatatgataa	atttattgat	tttttaaaat	aattatctta	aaataattta	aacaatgatt	3660
tgcaattagạ	tgataatata	aaattatttt	acacactaca	tgtattaaac	tcaaactttt	3720
atatattagt	ttttctaaaa	actaatttt	aactcaaaaa	aaatgttact	tataattttc	3780
ttatcttctt	tttttataag	tattttttaa	gaaatttatt	gaaacatgac	catgcttggg	3840
tcaataatac	tactctctta	gacaccaaac	aacccttccc	aaactataat	ctaatccaaa	3900
agccatcatt	cattttcctt	ggtaggtaaa	gttccaagac	cttcaccaac	tttttcactc	3960
aattgttttg	gtgtaagcaa	ttcgacatgt	gttagtgtta	gttggcaacc	aaaaatccct	4020
ttatgtgact	caatccaaca	accactcaca	ccaccaaccc	ccataaccat	ttctcacaat	4080
acccttcatt	tacacattat	catcaccaaa	aataaataaa	aaaaacctct	catttcagag	4140
agagagagag	agacttcaca	gaccaaagtg	cagagaacaa	caaagttcac	aactttaagg	4200
aaaattgaaa	tggcccaagt	gagcagagtg	cacaatcttg	ctcaaagcac	tcaaattttt	4260
ggccattctt	ccaactccaa	caaactcaaa	tcggtgaatt	cggtttcatt	gaggccacgc	4320
ctttgggggg	cctcaaaatc	tcgcatcccg	atgcataaaa	atggaagctt	tatgggaaat	4380
tttaatgtgg	ggaagggaaa	ttccggcgtg	tttaaggttt	ctgcatcggt	cgccgccgca	4440
gagaagccgt	caacgtcgcc	ggagatcgtg	ttggaaccca	tcaaagactt	ctcgggtacc	4500
atcacattgc	cagggtccaa	gtctctgtcc	aatcgaattt	tgcttcttgc	tgctctctct	4560
gaggtgaagt	ttatttattt	atttatttgt	ttgtttgttg	ttgggtgtgg	gaataggagt	4620
ttgatgtgta	gagtggattt	tgaatatttg	attttttt	gtattattct	gtgaaaatga	4680
agcatcatgt	cccatgaaag	aaatggacac	gaaattaagt	ggcttatgat	gtgaaatgag	4740
gatagaaatg	tgtgtagggt	tttttaatgg	gtagcaataa	gcatattcaa	tatctggatt	4800
gatttggacg	tttctgtata	aaggagtatg	ctagcaatgt	gttaatgtat	ggcttgctaa	4860
aatactccta	aaaatcaagt	gggagtagta	tacatatcta	cagcaaatgt	attaggtgag	4920
gcatttggct	tctctattgt	aaggaacaaa	taatatcagt	taatgtgaaa	atcaatggtt	4980

5040 gatattccaa tacattcatg atgtgttatt tatatgtacc taatattgac tgttgttttt 5100 ctccgcaatg accaagatta tttattttat cctctaaagt gactaattga gttgcttact 5160 ttagagaagt tggacccatt aggtgagagc gtggggggaa ctaatcttga atatacaatc 5220 tgagtcttga ttatccaagt atggttgtat gaacaatgtt agctctagaa gataaaccct 5280 cccccaaaac acaaattaga atgacatttc aagttccatg tatgtcactt tcattctatt 5340 atttttacaa ettttagtta ettaacagat gtettgttea geataaatta taatttatte tgttttttt tagggaacaa ctgttgtaga caacttgttg tatagtgagg atattcatta 5400 catgcttggt gcattaagga cccttggact gcgtgtggaa gatgacaaaa caaccaaaca 5460 agcaattgtt gaaggctgtg ggggattgtt tcccactagt aaggaatcta aagatgaaat 5520 5580 caatttattc cttggaaatg ctggtactgc aatgcgtcct ttgacagcag ctgtggttgc tgcaggtgga aatgcaaggt ctgtttttt ttttttgttc agcataatct ttgaattgtt 5640 5700 cctcgtataa ctaatcacaa cagagtacgt gttcttcttc ctgttataat ctaaaaaatct 5760 catccagatt agtcatcctt tcttcttaaa aggaaccttt aattatcaat gtatttattt 5820 aatatttaaa ttagcttgtc aaagtctagc atatacatat tttgattata ttctgagaaa tgcacctgag ggtgttcctc atgatctact tcaacctctg ttattattag attttctatc 5880 atgattactg gtttgagtct ctaagtagac catcttgatg ttcaaaatat ttcagctacg 5940 tacttgatgg ggtgccccga atgagagaga ggccaattgg ggatttggtt gctggtctta 6000 6060 agcaacttgg tgcagatgtt gattgctttc ttggcacaaa ctgtccacct gttcgtgtaa 6120 atgggaaggg aggacttcct ggcggaaagg tatggtttgg atttcattta gaataaggtg 6180 gagtaacttt cctggatcaa aattctaatt taagaagcct ccctgttttc ctctctttag 6240 aataagacta agggtaggtt taggagttgg gttttggaga gaaatggaag ggagagcaat 6300 ttttttcttc ttctaataaa tattctttaa tttgatacat tttttaagta aaagaatata 6360 aagatagatt agcataactt aatgttttaa tcttttattt atttttataa atattatata 6420 cctgtctatt taaaaatcaa atatttgtcc tccattccct ttcccttcaa aacctcagtt 6480 ccaaatatac cgtagttgaa ttatattttg gaaggcctat tggttggaga cttttccttt 6540 tcagagatta tccctcacct ttattatagc ctttctattt ttaaacttca tatagacgcc 6600 attettgttt taaaaaacae taagttttet tttagttata cetteecete ettattetet ccaaagtaaa tattgtagca agtgttggtt gatccattgt gaatcttatt atcctattta 6660 6720 acatgcaggt gaaactgtct ggatcagtta gcagtcaata cttgactgct ttgcttatgg cagctccttt agctcttggt gatgtggaaa ttgagattgt tgataaactg atttctgttc 6780

catatgttga	aatgactctg	aagttgatgg	agcgttttgg	agtttctgtg	gaacacagtg	6840
gtaattggga	taggttcttg	gtccatggag	gtcaaaagta	caagtaggtt	tctatgtttt	6900
agtgttacat	cacttttagt	atccaaaatg	caatgaaatt	aaaactcatg	tttcctatta	6960
ggtctcctgg	caatgctttt	gttgaaggtg	atgcttcaag	tgccagttat	ttactagctg	7020
gtgcagcaat	tactggtggg	actatcactg	ttaatggctg	tggcacaagc	agtttacagg	7080
tattcatgaa	tgacactatc	ttctattatc	ttttatttta	tagcttacac	tatcattcct	7140
aattcaaccc	ccttctttc	tatttcccct	cactcccaaa	atagagctta	tcattgtatc	7200
cttaatagct	cttttatgtg	ctgtttcatc	tcttgagcag	attctacatg	attatccttt	7260
ttagtgaact	tttttgtctt	ttaaataatt	gatatcatca	tttgaacttg	cacatcatct	7320
ctatccttcc	tcattttatt	atatttcatt	aagagtgata	aaattacatt	gtcaagtaaa	7380
gcaagttagc	gtatcagata	atgatgcttc	gattgcagaa	ttggtgaaag	cttgcacaat	7440
tcattagctt	agtgacaatt	gtgatgtaga	tagccataat	cttccatgca	acttattatg	7500
ctttttgtct	aaaacttctt	ttgcacttaa	acatgaatta	gagagttagg	atgaacaata	7560
gtaacagaca	caaagcttat	ttctagacca	cccagtggtg	aagacgaagc	agcatgagtg	7620
agattaatgg	cagcatctga	ttgaagcttc	ttttggtatt	attggagatg	aaatcttgag	7680
ccaaattagg	gcttttgcct	cctcaatagc	cattggttca	aaattgcttt	caataaaatg	7740
attacagaat	caaattctta	agaaagacct	tcaagaacaa	catcaagatg	tttcctgtgc	7800
aaaacaggct	cacctacaaa	agagtgtcta	caagcacctt	tacacttgca	aaaaattcct	7860
taactgaaca	attgccaaga	gtcatgttgc	aaacttgaga	ttggagttga	ttagatttgg	7920
tgtgtgtgag	attctggaaa	tgagcatgaa	gtttttgca	aagctcataa	aatgaatgca	7980
gccaagaatc	ctagatagga	ttgaatttga	gagagaggct	tgaagtcaag	, ataaccgcaa	8040
ctgatcttgc	tgttcccatg	ctgcatagga	. ctcgttgatt	ctaccaagat	aacaatcttc	8100
tgtggtgaga	atatgagtgg	gaattgtcag	gcaacaaaga	aaatgaaggo	: tatgagcctt	8160
tgttaaggtg	cagagagaaa	acagaaaatg	aagaacttgt	gtattgaagg	g aattgaaaag	8220
ccaattacaa	ttgtgttgca	gagagatatt	tatagttctg	g aagtgtataa	a ctaactaaac	8280
agaatgctac	caacctagag	gcagttgaga	attgctccct	: tattacaata	a ctctcacage	8340
cttgatgata	ggcttgattt	gctgccaccg	aagaagaaca	ttattgttg	g agagttttc	8400
agtgattgca	tcagagaaag	ttacaagtgt	: gattggagat	gaaggactt	g cggtcgtcga	8460
aggttaagtg	ttaagtggtg	gaatgtgtat	cggaggtggt	tgcctagcc	c aagaagctgg	8520
ttgcagtgga	ageggatgeg	gcagaagcca	tgggttcaga	a tcagaacta	t gttctagata	8580
ccatattagg	gttagctttc	aagagaaaa	ttatgaaact	gaactgtaa	a ctgttgtatt	8640

					•	
attgattagc	tgatctagta	gtgatggaag	cttgcttgcg	aagcttctat	ggaggctgga	8700
tcattgagct	tcaatgaggt	ccttcaatgg	tgatttttca	ccatggagat	gcagcggaag	8760
ataaatgaag	aggtgagagg	aggcgtcatc	cactaggaaa	taaactatgg	aagaaggagc	8820
ttcaccacca	agagagtgtc	ttggataaga	agcttagaga	ggaagcttca	atggaggaat	8880
agaaagagag	agggggaaca	aaaaattgaa	ggaggaaaag	agggagagaa	gttgaacttt	8940
gaagtgtgtc	tcacaagact	cattcattaa	agttacaaca	agtgttacac	atgcttctat	9000
ttatagtcta	ggtaacttcc	ttgagaagct	agaacttaac	tacacacacc	tctctaataa	9060
ctaagataac	ctccttgaga	aatttccttg	agaagcttcc	ttaagaagat	tcctagagaa	9120
gctaaagctt	agttacacac	acctctctaa	taactaagtt	cacctccttg	agatgagaag	9180
ctagagcctt	agctacacac	acccttataa	tagctaaact	cactctattc	caaaatacat	9240
gaaaatacaa	aaaagttcct	actacaaaga	ttactcaaaa	tgtcctgaaa	tacaagacta	9300
aaactctata	ctactagaat	ggtcaaaata	caaggtccaa	aagaaggaaa	aacctattct	9360
aatatttaca	aagagagtgg	acccaacctt	agtccatggg	ctcagaaatc	taccctgagg	9420
ttcatgggaa	tcctagggtc	ttctttagta	gctctagtcc	aattttcttg	gagtcttcta	9480
tccaatatcc	ttgggggtag	gattgcatca	tgtagtacaa	gagagggaa	tatatataca	9540
gttgtaagtt	gtaactacct	aatcaaaccc	aactgactca	ccatacacag	aaaaacaatg	9600
tacaaaggat	aatagaaaaa	ctgaaactga	gatatactca	ttacatagaa	gaattacatg	9660
atgaatctga	aaattttaat	tgggaaactg	aggacaataa	caaggctttc	agagttcatt	9720
ttgacaatag	gtaaattatg	gacttcaact	tagacctcaa	gggtatgctt	gggagtgggg	9780
ttttagagga	aaaggggaag	gagggaaatt	ttttaattct	agtaaatatt	ctctattttg	9840
attaattttt	aaaataaaac	aaataaactt	atagattagc	attcacttaa	tgtcctgatc	9900
ttttatttgt	ttcatgaagt	tttttatagc	ctttctgttt	ctgttaaaag	aaattggagg	9960
gtgttcataa	tctatatgcc	catatatatg	tattgtcctg	ttgtctgtgt	ttctgttttc	10020
tttctttagt	gtctcgcctt	tccttaattc	cttatcaaca	ccttgtttat	ttttgaaaac	10080
ttaaatgtcc	tcatttttt	tacctgtact	ataactttcc	aaacaaatag	tagaaaatgt	10140
ttcaaatatt	ccccagaact	gtttcagtga	acaaagttca	agccagaaaa	aaagcaagca	10200
gaggctaaag	aagtatatct	tattgtgaag	agtaatctca	attggttaat	tatcgaattg	10260
tatcatttta	caatagaaaa	ttagaagtgg	gttgattagt	ttatacgaac	: aattatttaa	10320
atagggttga	tggtgtggtt	aattactgat	catatgttaa	gactatgagt	cgatgaccag	10380
cctcagtgca	gtcattttaa	gttccattat	ttttaattg	tgcttatgtt	taactttgtc	10440

cttcttttaa	agggagatgt	aaaatttgct	gaagttcttg	aaaagatggg	agctaaggtt	10500
acatggtcag	agaacagtgt	cactgtttct	ggaccaccac	gagattttc	tggtcgaaaa	10560
gtcttgcgag	gcattgatgt	caatatgaac	aagatgccag	atgttgccat	gacacttgct	10620
gttgttgcac	tatttgctaa	tggtcccact	gctataagag	atggtatggt	ttagctgttt	10680
gtttttgctc	aagagcttgt	tttcacatat	ttgtggtcaa	gagcggttta	gctgttttt	10740
tttttaaatt	gtggttaatg	aaattattat	aattatacta	atattgaaat	tggatcacta	10800
accatgtgaa	atgcttgaat	ttttagcttg	aaaacttctt	ttgtggatga	ttttcttt	10860
atctatgtag	tgtggggcat	ctatgttgtt	cctttaagct	ttgtgtcata	gttgtacaac	10920
ctggtctgtg	ggctggtcca	gttcttactc	atgactgtct	tttgcagcaa	actggttaaa	10980
cttgggtgac	ctgttgaccc	acccagattg	gcctgttctt	ttttaaataa	aactccaaaa	11040
ggctacttat	aagatttcaa	catgatactt	gaatgaccac	ccttacttta	aaggtcatta	11100
tgccatcaga	ccccttgatt	ctctgttcag	ttatgttctt	attcttatta	ttttttaatt	11160
tatattatta	tccaacgatc	tgatctttgt	acatgatgct	ggacaatcat	caaagctagt	11220
ttggttacat	catataatac	ctttttttc	ataaattatt	ttttcccata	atatatttat	11280
atgtatttt	ttaatacaat	attctgggga	aattttttt	ttctgttttc	ttttttctgg	11340
tttgaatact	atttcaatga	ctgggcctta	ttattttctg	gtttgggtta	tacaactgtc	11400
ctttgatgta	cttttgaatg	cttcaatagt	atttttcata	atcatggaag	gcactagagt	11460
gcagtgcata	ttgcacaagg	ttctttaatg	gcatcttgaa	tttgttagaa	catggagtta	11520
tgatatacaa	ccattcctat	gtcttcatct	aatagctaaa	gcttttggcg	tagttggtta	11580
acatggtatt	ggaatcttat	tttaaaggtc	catcttattc	gcaagtacaa	ggcaggtgga	11640
cctgcgcatt	attcacgtgc	caggctcaaa	gggattttgt	atgagggga	atttttggaa	11700
tataatatat	agaatcattc	atgtggttca	cctatcatgt	gtcaactcaa	gtttttgtcc	11760
tagttgtatt	attgcagtgt	ctaaactagg	catgatcttc	tgtggaagga	aatttaacct	11820
aaggaacttg	aatgcttctt	gttctgagat	ctttattttt	tttctccaat	ctttttaata	11880
cttgaaaggt	tttagttgta	tctataaagg	gtgcagaatt	agggggtcag	cttttctgtt	11940
gtaagcgtga	attaagtgca	ttttatgttg	ttccctattt	tatacatttg	aactatcaac	12000
catatcattt	agcaaacttc	tttgttgctc	agattcccat	ttattcttgt	ttcctctatt	12060
ttttagtggc	aagttggaga	gttaaagaga	ctgagaggat	gatagcaatc	tgcacagaac	12120
tcagaaaggt	cttgctaatt	cctttatggt	ttctatatta	ctggactttt	tacatctcac	: 12180
tgacctacta	ctgtcttggt	atttcagcta	ggagcaacag	ttgaagaagg	tcctgattac	12240
tgtgtgatta	ctccacctga	gaaattgaat	gtcacagcta	tagacacata	tgatgaccac	12300

agaatggcca tggcattctc tcttgctgct tgtggggatg ttccagtaac catcaaggat 12360 cctggttgca ccaggaagac atttcctgac tactttgaag tccttgagag gttaacaaag 12420 cactaagcat tttgtacatt gagtagggaa gagagagga tatatataaa tactcacaaa 12480 gcagtgagta tatggcttgc ttttgtttct aaacattcct ttataaggac ttgagataat ttgtattgtt taaaagagcc attggttctg ttgtatcaaa gtaatttaat tttcagtacc gacttggctc tactcatatg tggtggtgta cattgcatct ttgcatttga ttccatatct attgggatgg gaccatacat tttttgttta ttatttaagt caaacatatc agataatatg tggtgaccag aaaagtgtct agcaatcaaa tgggtctgtg attgcatgtt tgagttcagg 12780 12840 acatttatta atgagtgaca gaattttaaa aagctcgcca ataggagttg ccacatctga tegagtette tgtaaacact aactgtaact tgagtttgat aatcagatte ceceegttgg 12900 taggtaatat gtaaatttca ctatagattc ttactgagga tgatggtctt gacttcgaag 12960 13020 tggtgagtgt aattototaa totaaacttt atatatatat aaaaaaagaa tgttaaaaac 13080 ttgagtgaca tacagcaaat agcaatgaaa gcatgaccat ggccttgggg ggccaaatgg ccatgtacca cttttccacc tacttgagag ccatggtcct gaatgaggtc cttttgtttc 13140 atttttttta caataaagaa agttcatatt cttggcaata gcaaggcaaa tcatttgtgg 13200 13260 aagtcacatg aaattcacca taggcttcat tgttcaaatc ctttagtcac taaggcaggg cctatgtaag aattttgact actcttgtaa atgctgtgcg gtaaagacta cgggaaaata 13320 taaattattg catatctaga ggtgaggttc atttctccga tccatttctc caagtaataa 13380 aaatatatat aaattattaa tatggtatga tatggttatt tgtcctttaa atatgcgatt 13440 ataggttcaa tctttggtta atctatcaaa tgcatctcaa tattttgaga gaatagtttt 13500 tagetettga etgagagata etttgagtta aaaaaatgta tttataaaet attgtetatt 13560 gaatttttat tttttttgta acaccacatg tgagtatttt actaaatcca tgttacaatg 13620 tactgaatgt tttacaatac agtctggttt gataataaaa tatgcacaaa gtccagctta 13680 tgtaactctt tcaattcatg gaaaatgatg atatgcgaat tgaaagaaag aaaaccataa 13740 tgtaagtgta ttttttttt ctttctcttc tttaatatta ctcaatatca gattgcacat 13800 gggaagggta ctggctcatg tgggatatta atttttatcc cttacctaaa aagagagaaa · 13860 gagaaaataa ctatttaaaa agagtaccac caccaccttt ttcgctttta agttttgttc 13920 tgttttcact actctttcat gcgttgtttg ttggcttccg atagtgacga atatgataat 13980 gattttacgt tgagaaaaaa aatgtgccat gtaaattcca gagattgaaa ttttagcttc 14040 aaattaatat ttattttatt atcttttcaa attggttgca tgtgaaagaa tttgaagttc 14100

ttcaacaagg	aaataaacac	ttcaatgctc	aatccttaga	gtcagtcact	agatcccaaa -	14160
agaatgtgat	gtttacacac	attagtatat	atatatatat	aaacacagct	tatattatat	14220
taatgagtga	tgcgcgagga	cggtggtgac	actacatgge	caaaacaaga	aatgtaattt	14280.
aattttttt	tctttaagta	ttactctatc	cttgaatatt	agtcttaaat	cttcaaagac	14340
cttgcgaacg	aagcaatctt	gtcctgatcc	tgtgattgtt	ctacactagt	ccttacgtgt	14400
acctaagcac	atgatacttt	gctgccctaa	cataaattgt	accataagga	ttcttgggga	14460
gatgcttttg	ccttcatttt	caagtttgtt	tacactttca	agtcgttttt	tcaatgcatt	14520
ctctttcctt	tctgggaccc	cttgtcttta	acacgcgcgc	acacaaaaac	tagtagacaa	14580
taattagtac	tacttgggtt	ccattaaatt	gtaactacat	atacatgtgt	tttttttc	14640
ttggatcaac	tgcatataca	tatgttttat	gagtttcatt	gaatttatat	ttacacaaac	14700
agttattaaa	acataatgta	gagccttgtc	attaacctga	tgttaggatt	ataatttcat	14760
gctttgattt	tgattgtacg	ttttttgttt	ttattgtaaa	gtgtttattt	tattaaaatt	14820
tgtcttggag	tgctgtgatc	tttagggtgc	accgttcaaa	agagagacga	caaggataat	14880
actaatacta	gtagattcca	cgcattcaac	cctagttagt	ttagctatga	caaattaagc	14940
atggtaagaa	aaggggagga	gaaaagtaag	aatgaaaaca	tataacaaat	tgtgattgaa	15000
cttttccatg	acgtaatgaa	aacattaatt	ttaagataag	cttcaactcc	taagaagaga	15060
tatgtcaaag	aaacttagga	ttttttctct	atttataacg	gtaaattact	catcctttta	15120
aatgattaat	ttgcgttgtt	gaattcgttg	taaagggaaa	atcaagaagt	ctcttcacgg	15180
gaaagttata	tcaaagtatc	atatactaga	cttcatggct	agcttttact	ttgattataa	15240
gtaatgcatg	caattaatgg	gcaaataaat	tatttgaaac	caactaaagt	acaaataatt	15300
ttcctccaaa	acctctcaag	ttcgcattga	aattaaataa	accaatgcat	attaaggcgt	15360
aaatctaaac	catgtttgtt	tcatcttgta	ttgtatatca	tagtattaat	aaggtacttt	15420
gaatttagtt	gttattgacc	gttaaattta	ggggtgagtt	gttttactat	ctcttactca	15480
attgctttta	ttcaacgcaa	attctagtag	gattttcagc	ccaaattaaa	agaagtttta	15540
cggtttgatt	ctctacaaac	ttgaattgag	atttctaatt	tcagaaatca	ataattgcgg	15600
tcttaattaa	ctctataatc	aaacctttta	acccaatctt	tttctcaatt	ctctgaatta	15660
agacaatcaa	aatttaaact	cacacgaatc	tcacacgcct	tcccacggta	gagaaatata	15720
gggagtccct	taatagcaaa	agcctcaaaa	ttcagaaaat	ctcatccatt	gcatttgcac	15780
attcaacaaa	ccacccatta	ttatgttccc	ttaataaatc	tcacacttaa	aaaccctcct	15840
cacccataat	taacccaaaa	ggaagtttcc	tccacacaaa	aaatatcctt	aaacaaagag	15900
cctctataaa	tctattttaa	aaaaaccccc	aaatttaagg	a		15941

<210> 36

<211> 15172

<212> DNA

<213> Glycine max EPSPS with double mutation

<400> 36 60 aaaagtotga atgaagtgaa gttgttgtgt tagggggatg otgaatttga ttttaattta atttaaataa attacctgtg taaaggattt ttgtaccgcc ttttaatcac aaattgtcgt 120 180 gtatcgaaag tttgttgaat tttatagtaa ctatcttgga ggttatacct agtaggattt 240 ctgattagtt aaccatgtaa attttttaa tgggtttgtg tttgttttaa ctgatgttgt 300 ttttgatatg tacgtggtaa gtgtgatgag tttgtgcata tcttgatcaa agactgaagt 360 gaagttgttg tgtttggggg gttgactctt ttaggaagag gatttgaggg aatttcgcca 420 atgggggagc agaactccgg gacaccctga gaattttgag actccgggaa ttgaagttac 480 aacaggtttg atatgagtta gagtttgtat aatagaatag taattctttt tatttttat 540 ttttattgtt tatttatcca ttattgctat ttttgtaggt cctcttggtc aggggattgc 600 caatgctgtt ggtttggccc ttgcagagaa gcacttggct gcaagataca acaagcctga 660 caatgagatt gttgaccatt acacgtaaaa ataactaaat catacacaac ttgcaagact 720 ttagttgttg gtgttttgct aatggcgttt gttttatgca ggtatgctat tctgggtgat 780 ggttgtcaaa tggagggaat tgcaaatgaa gcatgctcac ttgctggcca ctggggactg 840 gggaagctga taqcatttta tqatgacaat catatttcta ttgatggtaa cacagagatt 900 gcgttcaccg agagtgttga tagtcgtttt gagggacttg ggtggcatgt tatttgggta 960 aagaatggaa ataatggcta tgatgatatt cgtgctgcca ttaaggaagc aaaagctgtc 1020 aaagacaaac ccacattaat caaggttagt ttactaattg tggcaatgat atgcatagat 1080 ttctggcttg tagttaccat aacaatcata atctgtcatg atttataggg attcttttaa 1140 actaaggtta taaacatgat atgttactaa agactgcatt gcattgtagt acctcatttg agaaactgga agttataggt gggaaatcaa aatagtaaat tatgggtcag tttattaagt 1200 1260 gtagctggtt tgtcttttgc taactctatc atttcacagg tcacaacaac cattggttat 1320 ggttctccta acaaggctaa ctcctacagt gtgcatggaa gtgcactggg tgccaaagaa 1380 gttgatgcca ccaggcagaa ccttggatgg tcacatgagc cattccacgt gcctgaggat 1440 gtcaaaaagt atggatgatg ggtttagaga tttctttttt cctgtgacac tgctgatgtt

tataatgata ctgaataaga attgcttgtc tgtccccagg cattggagtc gccacacccc 1	500
tgagggtgct gcacttgaag ctgagtggaa tgctaagttt gctgagtatg aaaagaaata 1	560
	.620
•	1680
	L7 4 0
	1800
	1860
	1920
	1980
	2040
	2100
aggetttetg egetgtetga ggetggggtt atttatgtea tgaeceatga tteaatagga	2160
cttggagaag atgggccaac ccaccagcct attgagcacc tagcaagctt ccgggcaatg	2220
ccaaacattt tgatgcttcg tcctgccgac ggtaacsgaa acagccsgag catacaaagt	2280
ggccgtgctc aacaggaaag agaccctcca ttcttgccct atccaggcaa aaactgcccc	2340
agcttcccgg aactthcatt gaaggagttg aaaagggtgg ttacaccatt tcgggacaac	2400
tccactggca acaagcctga tgtcattttg atcggaactg gttcggaatt ggaaatcgct	2460
gccaaagctg ctgatgacct aaggaaggaa gggaaggctg ttagagttgt ttcccttgtt	2520
tottggggaa ctttttgatg agcaatcaga agcstacaag gagagtgttt tocotgotgo	2580
tgtttcagcc agagttagca ttgaggcagg atcaacattt gggtgggaga aaattgttgg	2640
agcaaaggga aaagcaatag gcattgatcg ttttggagct agtgctccag ctggaagaat	2700
atacaaagaa tttggtatca ctaaggaagc tgttgttgct gcagctaaag agcttatcta	2760
gaacttttga tttttttttg ccttctggtt ttggttgaga gcattccatg tcatgaataa	2820
gaaaaaggtt aaatatoott ogattgggaa tttgggatto taagtgaaga agcaacatag	2880
atcaaagaat tttgtgaact tgtaataact atttgacaat ttagttttgc actgccacat	2940
ggttaaaattc aatgtttgat catatcaacc atagatgcta gtttatacta cttgtataat	3000
ttgtttcact tgcagattca ctcttagcat ttgagtgttt ggatggccgt gttttgttca	3060
ttaagaaatg ttgacatgga tagtttgttg catggtaaat tggtgattaa taccttttta	3120
agcttctttt ggcaagttgt taaaaagtgt tttgttttaa tctctagtta atctaaaaat	3180
gcctacttat tttattttga ctttcaaaac ttgtctatat gccgagtata aaaaaaactt	3240
gtctatataa gttccttatg gaaaaaggac ctacaaaata atttaaaaat gctgaatttg	3300

ttaggaagtt	tgacaacttt	agacattaat	aattgttttt	ttttcatata 1	tataattgac	3360
tttcaaaact	tgtctatata	ttataaattc	gttatggaaa	gggcgaccac	acgtaaaacg	3420
taacatgcca	atctctccct	agtgaactgt	tattctcatt	cagtttttgt	aagttcacct	3480
tcaaattttc	aattttttt	ttgacaaaaa	tatctttgat	ggaacacgtt	aggggtgtaa	3540
attcaccatt	catcatttca	ttcattatac	acaatagtct	ttcataatcc	aatgaaaact	3600
tgtttttgtt	gttattttt	tctgaaaaat	ctttataaaa	taaataaaaa	catttttttg	3660
ttataaattt	cagttgaaat	acataaccat	taattctaca	gagtgttaat	gttgatgtaa	3720
aataaaaaaa	tattggatat	caaacttaat	gaacagaaca	aaaattacaa	aattgtacaa	3780
tttaaatgat	aaaaaaccaa	attcacaaaa	ataaaaatta	aggacgaaat	ttgagaaatg	3840
ataattaaaa	acgattaaaa	atataattaa	actaaaattt	attatgtaat	tctttaatat	3900
atatatatat	atatatatat	atatatatat	atatatatat	ataataaaag	ttttacatta	3960
taattttgaa	atgaagtatt	tgataaacga	acaacccacc	cttggggttg	gtgagagtga	4020
aacggagaac	agtgtctccc	tcacttggtc	ttctgagtcg	agtcctattc	atcaccaacc	4080
cactcgtcaa	aattgttgta	tgctatgtaa	ccattttgtt	ttttaataaa	taaaagtgtt	4140
ttgttctgct	atgcactccc	catcaaatac	catttacttt	ttttttgtct	tctatcaatt	4200
tctatttagt	tcctagttgc	tacaacttcc	agctggtgaa	aaatagtcaa	cagagactac	4260
aatattctaa	taaaatagaa	taacaaaatc	aaatatattc	atttaatatg	attttattt	4320
tatttaattt	aaaacatgaa	ttatttgttt	cttatttaat	taccgtttcg	ttcacttctc	4380
aattaataaa	ataaaaaatt	tctacaatta	tagaaaaagt	ttagttttgt	agattgttaa	4440
cataaagatt	tttcctatta	actaattaat	taaaagtcat	cttatatata	agttttaaag	4500
taattatctt	atatatgtac	ccaaaagttt	: taaagcaatt	attataaaaa	agtaaaattt	4560
tatcatatac	aataatctat	aattacatga	aagtataatt	tttaaattat	taatacgtta	4620
aaattatttt	tttaaaattt	gaatgatcat	: atagtaattt	tattttatac	caagtcccaa	4680
catttcctat	tttattccac	ttttaccaat	aaatttcctc	ataaacactt	ataagaaaaa	4740
aagtaagtaa	agaataaaat	aagcttttct	: ataaactata	a aacaaatttg	tataaacttt	4800
cttatattag	tttttctgaa	aactaattt	: aaattataca	a taaattgaat	ttactgataa	4860
ttttttattt	tctttttgta	taagtgttt	ttaagaaatt	tgttcaaaca	tatttttatg	4920
acatgtcaat	gcttgagaga	tataaggtga	a gttaaatcat	aaatgattaa	agaaaaataa	4980
aagaagaaaa	agataattaa	tttaatttt	tattaacati	t ctaacaaatt	aacattatat	5040
aaataaaaat	aatatttcaa	. taattqqat	c aataatact	a ttgttcttaa	acaccaaacc	5100

000000EA4 1 %

aaccttccta	aagtcctaat	ctaatccaaa	agccatcatt	cattttcctt	ggtaggtaaa	. 5160
gttccaaaac	ctttaccaac	cttttcactc	aattattttg	gtgtaagcaa	ttcgacatgt	5220
gttagtgtta	gttggcaacc	aaaaacccct	ttatgtgact	cactcaatcc	aacaacctct	5280
cacaccacca	accccccat	aactcataag	gccaaaacca	tttctcacaa	aacccttcat	5340
tacacacatt	attatcatta	tcacacacac	aaaaaacctc	tcatttcaaa	gagagaga	5400
gatttcacag	accaaattgc	agaggacgac	aaagttcaca	acttcaagga	aaatcgaaat	5460
ggcccaagtg	agcagagtgc	acaatcttgc	tcaaagcact	caaattttyg	gycattette	5520
caayyccaac	aaacycaaat	cggygaattc	ggtttcattg	aggccacgcc	tttggggksc	5580
ctcaaaatct	cgcatcyygr	tgmayaaaam	tggaagcytt	atgggaaatt	ttaatgyggg	5640
gaagggaaat	tccggcrtgt	ttaaggtttc	tgcatcsgtc	gccgccgecg	cagagaagcc	5700
gtcaacgtcg	ccggagatcg	tgttggaacc	catcaaagac	ttctcgggta	ccatcacatt	5760
gccagggtcy	aagtctctgt	ccaatcgaat	tttgcttctt	gatgatatat	ctgaggtaaa	5820
gtttatttat	ttatttattt	ctgtatccaa	aaatgtaaat	tgttagtttg	ttaatttttg	5880
ttagcagtga	gagtcgaact	acttggcttc	tttcttagtc	atccaaccaa	ccttatatct	5940
ccaaaattta	tttattggtt	ttttttgggg	ttatgtggtt	aggaatagga	gtttgatgcg	6000
tggagtggat	tttgaatatt	tgatttttt	tttttttgta	ttattcagtg	aaaatgaagc	6060
atcttgtccc	atgaaagaaa	tggacacgaa	attaagtggc	gtatgattta	gaatgatgat	6120
agaaatgtgt	ataggtggtt	ttaatgtgta	gcaataagca	tattcaatat	ctggattgat	6180
ttggacgttt	ctgtataaag	gagtatgcta	gcaatgtgtt	aataatgtct	tgttaaaagt	6240
atggatggct	aaaataatca	taaaaatcga	gtgggagtag	tatacatatc	tacaggaaat	6300
gtattaggtg	aggcatttgg	cttctctatt	gcgagtaagg	aacaagtaat	ctcagttaat	6360
gtgaaaatca	atggttgata	ttccaataca	ttcatgatgt	gttatttacg	ggaacgcaat	6420
attgactgtt	gattttatct	gcagctgaga	ttatatacta	tatccttcca	aagaaatctt	6480
tgactcttga	ttatccaagt	atggttgtat	taccaatttt	agctctagaa	gataatccct	6540
cccccaaaac	acaaattaga	atggtgctgc	aagttccgtg	ttactttcat	tctattattt	6600
ttataacttt	taattattta	atagatgtct	tgtttggcat	aaactataat	ttattctgtt	6660
tttttttatt	cttatttagg	gaacaactgt	tgtagacaac	ttgytgtaya	gygaggatat	6720
tcattacatg	cttggtgcat	taaggaccct	tggactgcgt	gtggaagayg	acmaaacaac	6780
caaacaagca	attgtkgaag	gctgtggggg	attgtttccc	actaktaarg	aatctaaaga	6840
tgaaatcaat	ttattccttg	gaaatgctgg	tactgcratg	cgtcctttga	cagcagctgt	6900
rgttgctgca	ggtggaaatg	caaggtctgt	tttttgtttt	gtttgttcat	catgatetet	6960

7020 gaattgttcc tcgtataact aatcacatca gactatgtgt tcttcctcca tcctgttata 7080 atctaaaaat ctcatccaga ttagtcatcc ttctttaaat gaacctttaa ttatatctat gtatttattt aacatgtaaa ttagcttgtc aagtcaaagt ctagcatata gatatactga 7140 7200 ttacactctg aggaatgcac ctgagggtct taatcatgat ctatttcaac cttgccactt tcttctttta ttattagatc acctatcatg attactggtt tgagtctcta aatagaccat 7260 7320 cttgatgttc aaaatatttc agctacgtac ttgatggrgt gccccgaatg agagagagc caattgggga tttggttgct ggtcttaagc arctyggtgc agatgttgat tgctttcttg 7380 gcacaaactg tccacctgtt cgtgtaaatg ggaagggagg acttcctggc ggaaaggtat 7440 7500 ggtttggatt tccattagaa taaggtggac taactttcct ggagcaaaat tctaatttat 7560 accetgttte cecetettta gaataagaca etaagggtat gtttaggagt tgggttttgg cgagaaaggg aagggagggc aattttttt ctaataaata ttctttaatt tgataaattt 7620. 7680 tttaaacgaa ggaatatgaa gatagattag cataacttaa tgttttaatc ttttatttat 7740 ttttataaat attatatacc tctatttaaa aacaagatat ttttcctcca ttccctttcc ctttaaaacc tcagttccaa atataccgta cttgaattat attttggaag gtgtattggt 7800 7860 tggagacctt tccttttcag aggttatccc tcacctttat tatagccttt ctactctctt 7920 aatgagttca ttgtgcattg agtcattgaa cttcctgtga aaagaaattg tttacttttc 7980 tttatttgtt acctacatcc ttattcctgt tttaaaaaat actaagtttt cttttagtta tgccttcccc tccttattct ctccaaagaa aatataatag cgaatgttgg tttatccatt 8040 8100 gtgaatetta ttateetatt teacatgeag gtgaaaetgt etggateagt tageagteaa 8160 tacytractg ctttgcttat ggcagctcct ttagctcttg gygatgtgga aattgagatt 8220 gttgataaac tgatttctgt tccatatgtt gaaatgactc tgaagttgat ggagcgtttt ggagtttctg tggaacacag tggtaattgg gatargttct tggtccatgg aggtcaaaag 8280 tacaagtagg tttctatgtt ttagcattac atcacttttt agtatccaaa atgcaatgaa 8340 8400 atcaaaactc atgttttcta tcaggtctcc tggcaatgct tttgttgaag gtgatgcttc aagtgccagt tayttmctag ctggtgcagc arttactggt gggactatca ctgttaatgg 8460 ctgtggcaca agcagtttac aggtattcat gcttgacact attttctatt atctttatt 8520 8580 ttatggtcta tactgtatca ttcctaattc aacccccttc ttttctcttt cccctcactt ccaaaaaaat agagcttatc attgtattct taatagctct tgtatgtcct ttttcgtctc 8640 ttgagcagat tctaccgtga ttatcctttt tagtaaactt tttttttgtg tgtcttttaa 8700 8760 ataattgata tcatcatatg aattcacaca tcatctctat cccttcctca ttttattata

tttcattaac	agtgataaag	ataaaaataa	attgtcaagt	aaagcaagtt	agcatgtcag	8820
ataatgatgc	ttcaattgca	aaattggtga	aagcttgcac	agtacattag	ctttggtgac	8880
aattgtgatg	tagatagcca	taacctccca	tgcaacttat	tatgttgttt	gcttaaactt	8940
cttttgcact	taaacacgga	ttagagagag	tgaggatgaa	caataataac	agacacaaag	9000
cttagtttta	taccaccegg	cacccagtgg	tgaagaccaa	gcagtatgag	tgagatcaat	9060
ggcagcatct	gattgaagct	tcttgtggta	tttttggaga	tgaaatccga	ggcgaattag	9120
ggcatctggc	tcaacaatag	ccattggttc	aaacttgctt	ttaataaaat	tgattacaga	9180
atcaaattct	tgaggaagcc	ttcaagaact	acatcatgat	gttccctgtg	caaaacaggt	9240
tcaccgacaa	aagagaacat	ctacaagttc	ctttacacat	gccaaaaatt	cctcaactga	9300
acaattgcca	agagtcatgt	tgcgaacttc	aggttggagt	tgacgaaatt	tggtgcatgt	9360
atgattctgg	aaatgagcat	gaagttttt	cctaagctca	taaaagtgaa	tgcagccaag	9420
aaccctagat	aggattgaat	cggagagagg	cttgaagcca	agataacagc	aactgatctt	9480
gctgttccca	tgctgcgtag	gactcattga	ttctaccaag	atcacaatct	tctgtggtga	9540
gaaaatgagg	gtgaattgtc	aaccaataaa	gaaaatggtg	aaggctgagt	cttgatgata	9600
ggcttgattt	gcttgcgctg	aagaagaacg	ttattgttgt	agagtttctc	agtgattgta	9660
tgagagtaag	ttacaggtgc	gattggagat	gacggacttg	tggtgggagg	agggtaagtg	9720
ttaagtggtg	gaatgcgtat	cagaggtggt	tgcccagcca	aagaagctgg	ttgcggtgga	9780
ggaggtggtg	gtgcagtgga	agccatgggt	tttgatgctt	ttgagagaaa	acatacgaaa	9840
ctgaactgta	aacttttgta	ttattgatta	gctgatttgg	tagtacaaga	gaggaatata	9900
tatacagttt	taatgtaact	acctaaccaa	acatgaggaa	ctctccatac	acagaaagac	9960
gtatacaaag	gataacagac	aaacagaaac	ttagatatac	tcatacagag	aagaattaca	10020
ggatgaatct	gagaatttta	attgggaaac	tgaggaaaat	agcaagggtt	tcagaattca	10080
ttttgacgat	aggcaaatca	tggacttaac	ttagacctca	agggtacgct	tgggagtggg	10140
ggtttttaga	gggaaaaggg	aaggagggca	aacttttaat	tcctaataaa	tattctcttt	10200
tttgattttt	ttttaaataa	aacaaataaa	cttatagatt	agcatacact	taatgtccta	10260
atcttttatt	tatttgcatg	agttttttc	ttttatattc	tttctgtttc	tgttttcttt	10320
cttcagtgtc	tcttgtcttt	ccttaattcc	ttatcaatac	cttgtttatt	tttgaaaact	10380
taattttcct	catttttta	acttataggc	tatactatag	tatgtataac	: tattcaaata	10440
aatagtagaa	aatgtttcaa	atattcccca	gaactgttto	agtgaacaaa	gttcaagcca	10500
gaaaaaagaa	gtatatcttc	ttgtgaagag	tagtctcaag	tggttaattg	g tcaaattgta	10560
tcattttaga	atacaaaatt	agaagtggtt	tgattagttt	atacgaacga	a ttatttaaat	10620

agggttgatg atgtggttaa ttactgatca tatgtgaaga ctgtgagtcg atgaccagcc 10680 cagtgcagtc attttaaatt ccattatttt ttaatttgtg cttatgttaa actttgtcct 10740 tctttcaaag ggagatgtaa aatttgctga agttcttgaa aagatgggag ctaaggttac 10800 atggtcagag aacagtgtca cygttwctgg accrccacra gattyttctg gtcraaaagt 10860 cttgcragge attgatgtca atatgaacaa gatgccagat gttgccatga cwcttgcygt 10920 tgtygcacta tttgctaatg gtcmmactrc yatmagagat ggtatggttt agctgtttgt ttgtgttcaa gagcttgttt taacaaattg ttttttttaa ttatggttaa tgaaattatt ataattacac taatattgaa attggatcac taaccatgtg aaatgcttga atttttagct tgaaaacttc ttttgtggac aatttttctt ttatctatgg attgtggggc atctatgttg ttcctttaag cttcgtacaa cctggtctgt gggctggtcc agtccttctt actcatgaca gtcttttgca gtaaactggt taaacttggg tgacctgttg acccacccag attggcctgt tetttttaaa taaaacttgg etaettataa gattteaaca tgataettga atgateacce 11340 ttactctaaa ggccattatc tgttcagtta tgttcttctt cttcttatta tttttaattt atattattat ccaacgatct gatctttgaa catgatgctg gacaatcatc aaagctagtt tggttacatc atataatacc tttttttca tatattattt ttcccatagt atatttttgt gtttttttt catacaatat tattctgaaa aaaacttgtt tcgttttttt cctggcttga 11580 atgetattte aatgaetggg cettattatt ttetggttta ggttatacaa etgteeteea 11640 attgactttt gaatgettea atagttttet tettaateat ggaaggeact agagtgeata ttgaatatgt tagaacatgg aaggettaaa tatettttta gtetttgcaa tttaaegttt ttttgctttt agtccttgca aaattataat ttttttttag tcctgactaa ttatgtttgt tttgtttttg agggcgagcc ctggtgcagc ggtaaagttg tgccttggtg acttgttggt 11940 catgggttcg aatccggaaa cagcctcttt gcatatgcaa gggtaaggct gcgtacaata 12000 tecetecece atacettege atagegaaga geetetggge aatggggtag aaaaagaaga atgetttaga taacactttt tttgttactg ttcaaagcac tatctaaagt getttgagga 12060 12120 ctaaacacaa aacaaacata atttgcaagg actgaaaaac aaaaaaataa ttttgcaagg 12180 acaaaaaaac aaaaaaaaa aacaaaattg caaggaccaa aaatatattt aaaccaacat gaaattatgg tataaaacca ttcatatgtc ttcatctaat agcttaagct tttgggatag 12240 12300 ttggttaaca atatggtatt agagtettat gatttttagg tggtetttga gttcaateet tgctgctccc agttctagtt aatttctttt tggtccactt caaataaaaa gttgaattta 12360 agggtaaggc agctggacct gcgcattaat catgtgtcag gctcaaaggg cttttgtatg 12420

gggggcatgt ttggaatata atatagaatc attcatgtgg tttcacctat caaggacaac 12480 tctagttttt gtcatacttg tattattaca gtgtctaaac tagacatgat ctttttccgg aaggaaattt aacttaaaag gaacttagat gcttcttgtt ctgtgatctt tatttgttta 12600 ttttttccaa tctttttaac aattgaaagg ttttagttgt atccaatctt tttatacatt 12660 tggactatct accatatcat ttagcaaact tgtttgctgc tcagattctc ctttggacta 12720 tctaccatat catttagcaa acctgttcac tgctcagatt ctcatttatt ctttgtttcc 12780 totatttttc agtggcaagt tggagagtta aagagactga gaggatgata gcaatctgca 12840 cagaactcag aaaggtgagt gtcttgctaa ttcctttatg gtttcgatat tactggactt 12900 tttacatctc actgacctac tctgtcttgg tatttcagct aggagcaaca gttgaagaag 12960 gtoctgatta ctgtgtgatt actccacctg agaaattgaa tgtcacagct atagacacat 13020 atgatgacca cagaatggcc atggcattct ctcttgctgc ttgtggggat gttccagtaa ccatcaagga tcctggttgc accaggaaga catttccyga ctactttgaa gtccttgaga 13200 ggttmacaaa gcactaagca ttttgtacat tgagtaggaa gagagagaga gataaatact cacaaaacag tgagtatatg catggcttgc ttttgtttct taacattccc ttgtaagaac ttgagataat ttgtattgtt ggaaagagct attgattctg ttgtatcaaa gtaatttaat ttccagtaca gacttggctc tattcctcat atgtggtggt gtacattgca tctttgcatt tgatcccatt tctattggga taggaccata cctttttttg tttattattc aagtcaaact 13440 tagcagataa tatgtggtga ccagaaaata gtctagctag caaatagacc tgtgattgca 13500 13560 tgtttgaatt caggacttca ggacatttaa ttaatgagtg acaatgttaa aaagctcgcc aacaggagtt gacacatctg attgagtctt ctattaacac taactgtaac ttgagtttga 13620 ttatcagatt cctcctgttg gtaggtaata tgtaaatttc actatatatt taccgaggtt 13680 ggtggtctta cttgactttg aagaggtgag tgtaatttaa acttttatat caaaaaaaga 13740 ttgctaaaag cttgagtggc atgcaacaaa tagcaatgaa agaatgacta tggccttggg 13800 aaccaaatgg ccacgtacca cttttccacc aacttgagag ccctggtcct ggatgatgcc 13860 cctttttttt tttcatttct ttgacaataa agaaagttct tattcttggc aattgcaagt 13920 cgtttgtgga agtcacatga aattcaccat aggcttcatt gttcaaatcc tttagtcact 13980 aactaaaggc tggacctatg caagaatttt ggctactctt ataaatgctg tgcggcaaag 14040 actaoggaaa aatataaatt attgcatato tagaggtgag gttcattgct cccatccatt 14100 tttccaagaa ctaaaatata tataaattat taatatgata ttacattgaa aaataatatt 14160 tttcttttaa atatgtgatc ataagtttaa ttttaagtct attcatacga aaaaaatatt 14220 tattagaaaa gattaattta ttaaatggat ctcaatattt taagaaatta acttttagct 14280

ctcaaccaac	agatgatttg	agttaaaaaa	atgtatatat	aaactattgc	atatctgctg	14340
atttttgttt	gtaacaccaa	taagtgggca	ttttactaaa	tccatgtgac	aatgtactga	14400
atgttttaga	atacagtctg	gtttgataat	aaaacgtgca	taaagtccag	cttatgttaa	14460
ctcttaattc	atggaaaatg	atgatatgcg	aattgaaaga	aagaaaacca	taatgtaagt	14520
gcagttttct	ctctctttt	taatattatt	caatatcaga	ttgcacatgg	gaaggggtat	14580
tggctcatgt	gggatattag	tttttgtccc	ttacctaaaa	agagagaaag	agaaaaataa	14640
caatttaaaa	agagtaccac	cgctaccacc	tttttcgctt	ttaaattttt	gttctgtttt	14700
cactactctt	tcatgcgttg	tttgttggct	tctgatagtg	acgaatatga	tataatgatt	14760
ttatgttggg	aaaaaagtgc	catgtaaatt	ctagagattg	aaattttagc	atcaaattat	14820
ttattttatc	accttttaaa	atttgttgca	tgtgaaagaa	tttgaagctc	tccaacaagg	14880
aaataacact	tcaatcctta	gagtcatcct	ctagatccca	aaagaatgtg	atgtttatac	14940
acattagtat	atatatatat	atatatatat	atatatatat	atatatatat	atatatatat	15000
atatatatat	agggtttata	ttatattaat	gagtgatgta	cgaggacggt	ggtgacacta	1506
tatggccaaa	acaagtgtaa	tataattatt	tttttttctc	aagtattact	ctatccttga	1512
atattattag	tcttaaatct	tcaagcacct	tgtgaacgaa	gcaatcttqt	CC	1517

<210> 37

<211> 522

<212> DNA

<213> Enhancer

<400> 37						
aagcttcccg	ggccggccgc	agctggcttg	tggggaccag	acaaaaagg	aatggtgcag	60
aattgttagg	cgcacctacc	aaaagcatct	ttgcctttat	tgcaaagata	aagcagattc	120
ctctagtaca	agtggggaac	aaaataacgt	ggaaaagagc	tgtcctgaca	gcccactcac	180
taatgcgtat	gacgaacgca	gtgacgacca	caaaactcga	gacttttcaa	caaagggtaa	240
tatccggaaa	cctcctcgga	ttccattgcc	cagctatctg	tcactttatt	gtgaagatag	300
tggaaaagga	aggtggctcc	tacaaatgcc	atcattgcga	taaaggaaag	gccatcgttg	360
aagatgcctc	tgccgacagt	ggtcccaaag	atggaccccc	acccacgagg	agcatcgtgg	420
aaaaagaaga	cgttccaacc	acgtcttcaa	agcaagtgga	ttgatgtgat	atctccactg	480
acgtaaggga	tgacgcacaa	tcccactatc	cttcttaatt	aa		522

<211> 552	
<212> DNA	
<213> Enhancer	
<400> 38	· 60
aagcttcccg ggccggccgc agctggcttg tggggaccag acaaaaaagg aatggtgcag	
aattgttagg cgcacctacc aaaagcatct ttgcctttat tgcaaagata aagcagattc	120
ctctagtaca agtggggaac aaaataacgt ggaaaagagc tgtcctgaca gcccactcac	180
taatgcgtat gacgaacgca gtgacgacca caaaactcga gaacatggtg gagcacgaca	240
cacttgtcta ctccaagaat atcaaagata cagtctcaga agaccagagg gctattgaga	300
cttttcaaca aagggtaata tcgggaaacc tcctcggatt ccattgccca gctatctgtc	360
acttcatcga aaggacagta gaaaaggaag atggcttcta caaatgccat cattgcgata	420
aaggaaagge tategtteaa gatgeeteta eegaeagtgg teecaaagat ggaeeeecae	480
ccacgaggaa catcgtggaa aaagaagacg ttccaaccac gtcttcaaag caagtggatt	540
gatgttaatt aa	552 .
<210> 39	:
<211> 28	
<213> Primer	
<400> 39 ctgcagggat cctggttgca ccaggaag	
	28
	28
<210> 40	28
	28
<210> 40	28
<210> 40 <211> 29	28
<210> 40 <211> 29 <212> DNA	28
<210> 40 <211> 29 <212> DNA	28

<210> 38

WO 02/26995	PCT/GB01/04131
<210> 41	
<211> 25	
<212> DNA	•
<213> Primer	
<400> 41 gacttctcgg gtaccatcac attgc	25
<210> 42	
<211> 55	
<212> DNA	
<213> Primer	
<400> 42 cacctgcagc aaccacagct gctgtcaaag aacg	cattgc aataccagca tttcc 55
<210> 43	
<211> 27	
<212> DNA	
<213> Primer	
<400> 43 aatttaatta attcataaat atgttac	27
<210> 44	
<211> 73	
<212> DNA	
<213> Primer	
<400> 44	
ggtcttctcc ttcttagttc tcaactactt gttc	
taaagttgtg aac	73
<210> 45	

49

מופררייות אווח מאפססגבו ו כ

<211> 72	
<212> DNA	
<213> Primer	
<400> 45 atctggcagc agaagaacaa gtagttgaga actaagaagg agaagaccat ggcccaagtg	60
agcagagtgc ac	72
<210> 46	
<211> 24	
<212> DNA	
<213> Primer	
<400> 46 ggcaatgtga tggatcccga gaag	24
<210> 47	
<211> 27	
<212> DNA	
<213> Primer	
<400> 47 gegecatgge ggeateggtt tecaggg	27
<210> 48	
<211> 33	
<212> DNA	
<213> Primer	
<400> 48 gcgggtacct cagacaagca cctgagctgc agc	33
<210> 49	
<211> 25	

<212> DNA

<213> Primer

<400> 49
geggeatgcc caacaatggc tegtc

25

<210> 50

<211> 28

<212> DNA

<213> Primer

<400> 50 gcggatcctt atttcttcag ttcagcca

28

<210> 51

<211> 9

<212> PRT

<213> Motif

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> X is any amino acid but not S or T

<400> 51

Ala Leu Leu Met Xaa Ala Pro Leu Ala 1 5

<210> 52

<211> 8

<212> PRT

<213> Motif

- <220>
- <221> MISC_FEATURE
- <222> (5)..(5)
- <223> X is any amino acid but not V
- <400> 52
- Glu Ile Glu Ile Xaa Asp Lys Leu 1 5
- <210> 53
- <211> 7
- <212> PRT
- <213> Motif
- <220>
- <221> MISC_FEATURE
- <222> (3)..(3)
- <223> X is V or I
- <220>
- <221> MISC_FEATURE
- <222> (4)..(4)
- <223> X is K or S
- <220>
- <221> MISC_FEATURE
- <222> (5)..(5)

~~~~~~~~ 1 ~

- <223> X is any amino acid but not V
- <400> 53
- Phe Gly Xaa Xaa Xaa Glu His

- <210> 54
- <211> 7
- <212> PRT
- <213> Motif
- <220>
- <221> MISC\_FEATURE
- <222> (3)..(3)
- <223> X is K orR
- <220>
- <221> MISC\_FEATURE
- <222> (4)..(4)
- <223> X is any amino acid but not R
- <400> 54
- Ala Leu Xaa Xaa Leu Gly Leu
- <210> 55
- <211> 15
- <212> PRT
- <213> Motif
- <220>
- <221> MISC\_FEATURE
- <222> (3)..(3)
- <223> X is any amino acid
- <220>
- <221> MISC\_FEATURE

```
<222> (6)..(6)
<223> X is any amino acid but not T (and/or the amino acid at position
      9 is not E)
<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X is any amino acid
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X is any amino acid but not E (and/or the aminoacidat position 6
       is any amino acid but not T)
<220>
<221> MISC_FEATURE
<222> (10)..(12)
<223> X is any amino acid
<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> X is I or V
<400> 55
Gly Leu Xaa Val Glu Xaa Asp Xaa Xaa Xaa Xaa Ala Xaa Val
<210> 56
<211> 9
```

54

<212> PRT

```
<213> Motif
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X is any amino acid but not K (and/or the amino acid at position
      9 is any amino acid but not T)
<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> X is L or V
<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X is K or N
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X is any amino acid but not T (and/or the amino acid at position
       5 is any amino acid but not K)
<400> 56
Ile Thr Pro Pro Xaa Lys Xaa Xaa Xaa
<210> 57
<211> 8
<212> PRT
```

<213> Motif

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> X is any amino acid but not N or L

<220>

<221> MISC\_FEATURE

<222> (4)..(4)

<223> X is D or N

<400> 57

Thr Ile Xaa Xaa Pro Gly Cys Thr 1 5

<210> 58

<211> 12

<212> PRT

<213> Motif

. <220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> X is D or N

<220>

<221> MISC\_FEATURE

<222> (4)..(4)

<223> X is any amino acid

<220>

- <221> MISC\_FEATURE
- <222> (7)..(7)
- <223> X is any amino acid
- <220>
- <221> MISC\_FEATURE
- <222> (8)..(8)
- <223> X is any amino acid but not R
- <220>
- <221> MISC\_FEATURE
- <222> (9)..(10)
- <223> X is any amino acid
- <220>
- <221> MISC\_FEATURE
- <222> (11)..(11)
- <223> X is K or R
- <400> 58
- Xaa Tyr Phe Xaa Val Leu Xaa Xaa Xaa Xaa Xaa His 1 5 10
- <210> 59
- <211> 12
- <212> PRT
- <213> Motif
- <220>
- <221> MISC\_FEATURE
- <222> (1)..(1)
- <223> X is I or V

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> X is I or L or Q

<220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> X is V or A or T

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> X is S or G

<400> 59

<210> 60

<211> 12

<212> PRT

<213> Motif

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> X is I or V

<220>

- <221> MISC\_FEATURE
- <222> (8)..(8)
- <223> X is I or L or Q
- <220>
- <221> MISC\_FEATURE
- <222> (11)..(11)
- <223> X is V or A or T
- <400> 60
- Xaa Val Val Gly Cys Gly Gly Xaa Phe Pro Xaa Glu 1 5 10
- <210> 61
- <211> 12
- <212> PRT
- <213> Motif
- <220>
- <221> MISC\_FEATURE
- <222> (1)..(1)
- <223> X is I or V
- <220>
- <221> MISC\_FEATURE
- <222> (8)..(8)
- <223> X is I or L or Q
- <220>
- <221> MISC\_FEATURE
- <222> (11)..(11)
- <223> X is V or A or T

<220> <221> MISC\_FEATURE <222> (12)..(12) <223> X is S or G <400> 61 Xaa Val Val Gly Cys Gly Gly Xaa Phe Pro Xaa Xaa <210> 62 <211> 12 <212> PRT <213> Motif <220> <221> MISC\_FEATURE <222> (1)..(1) <223> X is I or V . <220> <221> MISC\_FEATURE <222> (11)..(11) <223> X is V or A or T

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> X is S or G

<400> 62

PCT/GB01/04131 WO 02/26995

Xaa Val Val Gly Cys Gly Gly Lys Phe Pro Xaa Xaa

<210> 63

<211> 12

<212> PRT

<213> Motif

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> X is I or V

· <220>

<221> MISC\_FEATURE

<222> (11)..(11)

<223> X is V or A or T

<400> 63

Xaa Val Glu Gly Cys Gly Gly Lys Phe Pro Xaa Glu

<210> 64

<211> 12

<212> PRT

<213> Motif

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> X is I or V

ı`

<220>

- <221> MISC\_FEATURE
- <222> (8)..(8)
- <223> X is I or L or Q
- <220>
- <221> MISC\_FEATURE
- <222> (11)..(11)
- <223> X is V or A or T
- <400> 64
- Xaa Val Glu Gly Cys Gly Gly Xaa Phe Pro Xaa Glu 1 5 10
- <210> 65
- <211> 12
- <212> PRT
- <213> Motif
- <220>
- <221> MISC\_FEATURE
- <222> (1)..(1)
- <223> X is I or V
- <220>
- <221> MISC\_FEATURE
- <222> (11)..(11)
- <223> X is V or A or T
- <220>
- <221> MISC\_FEATURE

<222> (12)..(12)

<223> X is S or G

<400> 65

Xaa Val Glu Gly Cys Gly Gly Lys Phe Pro Xaa Xaa 1 5 10

<210> 66

<211> 10

<212> PRT

<213> Motif

<400> 66

Gly Asn Ala Gly Thr Ala Met Arg Pro Leu 1 5 10

<210> 67

<211> 10

<212> PRT

<213> Motif

<400> 67

Gly Asn Ala Gly Ile Ala Met Arg Ser Leu 1 5 10

<210> 68

<211> 18

<212> PRT

<213> Motif

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> X is A or V

<400> 68

Lys Xaa Ala Lys Arg Ala Val Val Gly Cys Gly Gly Lys Phe Pro 1 5 10 15

Val Glu

<210> 69

<211> 14

<212> PRT

<213> Motif

<400> 69

Gly Asn Ala Gly Thr Ala Met Arg Pro Leu Thr Ala Ala Val

<210> 70

<211> 14

<212> PRT

<213> Motif

<400> 70

Gly Asn Ala Gly Ile Ala Met Arg Ser Leu Thr Ala Ala Val 1  $\phantom{\bigg|}$  5  $\phantom{\bigg|}$  10

## INTERNATIONAL SEARCH REPORT

In onal Application No PCT/GB 01/04131

| A. CLASS<br>IPC 7      | IFICATION OF SUBJECT MATTER C12N15/54 C12N15/82 C12N9/10                                                                                                                           | A01H5/00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| According t            | o International Patent Classification (IPC) or to both national classifica                                                                                                         | ation and IPC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                            |
|                        | SEARCHED                                                                                                                                                                           | anon a.a., o                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                            |
| 1PC 7                  | ocumentation searched (classification system followed by classification ${\tt C12N}$                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                            |
|                        | tion searched other than minimum documentation to the extent that s                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                            |
|                        | lata base consulted during the international search (name of data bas                                                                                                              | se and, where practical, search terms used)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                            |
| EPO-In                 | ternal, EMBL                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                            |
| C. DOCUM               | ENTS CONSIDERED TO BE RELEVANT                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                            |
| Category °             | Citation of document, with indication, where appropriate, of the rek                                                                                                               | evant passages                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Relevant to claim No.                      |
| Υ                      | WO 97 04114 A (CHAUBET NICOLE ;DE<br>RICHARD (FR); GIGOT CLAUDE (FR);<br>POUL) 6 February 1997 (1997-02-06<br>page 12, line 20                                                     | RHONE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1–64                                       |
| Υ                      | FR 2 736 926 A (RHONE POULENC AGR<br>24 January 1997 (1997-01-24)<br>page 2, line 11-16; claim 3                                                                                   | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1–64                                       |
| Υ                      | DATABASE EMBL 'Online! Accession number X51475, 17 April 1990 (1990-04-17) GASSER CS, KLEE HJ: "Brassica nap 5-enolpyruvylshikimate-3-phosphat synthase gene" XP002188779 abstract | ous<br>e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1-64                                       |
|                        |                                                                                                                                                                                    | ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                            |
|                        | -                                                                                                                                                                                  | -/                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |
| X Furth                | er documents are listed in the continuation of box C.                                                                                                                              | X Patent family members are listed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | in annex.                                  |
| ° Special cat          | egories of cited documents :                                                                                                                                                       | "T" later document published after the Inte                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | mational filing date                       |
| Conside                | nt defining the general state of the art which is not ared to be of particular relevance                                                                                           | or priority date and not in conflict with<br>cited to understand the principle or the<br>invention                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | the application but<br>eory underlying the |
| "L" documer<br>which i | ate  nt which may throw doubts on priority claim(s) or  s ciled to establish the publication date of another                                                                       | "X" document of particular relevance; the c<br>cannot be considered novel or cannot<br>hvolve an inventive step when the do "X" document of particular relevance; the control of the c | be considered to<br>current is taken alone |
| O' docume              | or other special reason (as specified)  nt referring to an oral disclosure, use, exhibition or                                                                                     | "Y" document of particular relevance; the c<br>cannot be considered to involve an in-<br>document is combined with one or mo                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ventive step when the                      |
| other m                | neans ont published prior to the international filling date but                                                                                                                    | ments, such combination being obvior<br>in the art.  *&* document member of the same patent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | us to a person skilled                     |
|                        | ctual completion of the international search                                                                                                                                       | Date of mailing of the international sea                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |
|                        | January 2002                                                                                                                                                                       | 25/02/2002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                            |
| Name and m             | ailing address of the ISA European Palent Office, P.B. 5818 Patentlaan 2                                                                                                           | Authorized officer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |
|                        | NL - 2280 HV Rijswijk<br>Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,<br>Fax: (+31-70) 340-3016                                                                                      | Bilang, J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                            |

Form PCT/ISA/210 (second sheet) (July 1992)

## INTERNATIONAL SEARCH REPORT

in ional Application No
PCT/GB 01/04131

|            |                                                                                                                                                                                                                                                                                                                                                      | PCT/GB 01/0 | 74131                |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------|
|            | ation) DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                           |             | - A A - claim \$1    |
| Category ° | Citation of document, with Indication, where appropriate, of the relevant passages                                                                                                                                                                                                                                                                   | IR          | elevant to claim No. |
| A          | PADGETTE S R ET AL: "SITE-DIRECTED MUTAGENESIS OF A CONSERVED REGION OF THE 5-ENOLPYRUVYLSHIKIMATE-3-PHOSPHATE SYNTHASE ACTIVE SITE" JOURNAL OF BIOLOGICAL CHEMISTRY, AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, BALTIMORE, MD, US, vol. 266, no. 33, 25 November 1991 (1991-11-25), pages 22364-22369, XP002023053 ISSN: 0021-9258 the whole document |             |                      |
| Ρ,Χ        | WO 00 66746 A (HAWKES TIMOTHY ROBERT; PICKERILL ANDREW PAUL (GB); ZENECA LTD (GB)) 9 November 2000 (2000-11-09) the whole document                                                                                                                                                                                                                   |             | 1-64                 |
| P,X        | WO 01 24615 A (VALIGEN US INC) 12 April 2001 (2001-04-12) the whole document                                                                                                                                                                                                                                                                         |             | 1-64                 |
|            |                                                                                                                                                                                                                                                                                                                                                      |             |                      |

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

## INTERNATIONAL SEARCH REPORT

Information on patent family members

Im onal Application No
PCT/GB 01/04131

| Patent document cited in search report |   | Publication<br>date |     | Patent family<br>member(s) | Publication date |
|----------------------------------------|---|---------------------|-----|----------------------------|------------------|
| WO 9704114                             | Α | 06-02-1997          | FR  | 2736929 A1                 | 24-01-1997       |
|                                        |   |                     | ΑU  | 718521 B2                  | 13-04-2000       |
|                                        |   |                     | AU  | 6618496 A                  | 18-02-1997       |
|                                        |   |                     | BR  | 9609774 A                  | 26-01-1999       |
|                                        |   |                     | CA  | 2223881 A1                 | 06-02-1997       |
|                                        |   |                     | EP  | 0850311 A2                 | 01-07-1998       |
|                                        |   |                     | WO  | 9704114 A2                 | 06-02-1997       |
|                                        |   |                     | JP  | 11509414 T                 | 24-08-1999       |
|                                        |   |                     | US  | 6338961 B1                 | 15-01-2002       |
|                                        |   |                     | ZA  | 9606077 A                  | 13-08-1997       |
| FR 2736926                             | Α | 24-01-1997          | FR  | 2736926 A1                 | 24-01-1997       |
|                                        |   |                     | AP  | 886 A                      | 03-11-2000       |
|                                        |   |                     | AU  | 6619196 A                  | 18-02-1997       |
|                                        |   |                     | BG  | 102247 A                   | 30-04-1999       |
|                                        |   |                     | BR  | 9609792 A                  | 16-03-1999       |
|                                        |   |                     | CA  | 2223875 A1                 | 06-02-1997       |
|                                        |   |                     | CN  | 1196088 A                  | 14-10-1998       |
|                                        |   |                     | CZ  | 9800174 A3                 | 17-06-1998       |
|                                        |   |                     | EA  | 980138 A1                  | 29-10-1998       |
|                                        |   |                     | EP  | 0837944 A2                 | 29-04-1998       |
|                                        |   |                     | WO  | 9704103 A2                 | 06-02-1997       |
|                                        |   |                     | HU  | 9900463 A2                 | 28-05-1999       |
|                                        | * | **                  | JP  | 11510043 T                 | 07-09-1999       |
|                                        |   |                     | PL  | 324572 A1                  | 08-06-1998       |
|                                        |   |                     | SK  | 6498 A3                    | 04-11-1998       |
|                                        |   |                     | TR  | 9800065 T1                 | 21-05-1998       |
| WO 0066746                             | A | 09-11-2000          | AU  | 4133100 A                  | 17-11-2000       |
|                                        |   |                     | EP. | 1173580 A1                 | 23-01-2002       |
|                                        |   |                     | WO  | 0066746 A1                 | 09-11-2000       |
|                                        |   |                     | AU  | 4133900 A                  | 17-11-2000       |
|                                        |   |                     | BR  | 0010069 A                  | 22-01-2002       |
|                                        |   |                     | EP  | 1173581 A1                 | 23-01-2002       |
|                                        |   |                     | MO  | 0066747 A1                 | 09-11-2000       |
|                                        | Α | 12-04-2001          | AU  | 8005200 A                  | 10-05-2001       |
| WO 0124615                             | А | 12 04 2001          | NU  | 0124615 A1                 | 12-04-2001       |

